


WAGO Quick Marking System WSB❶
WAGO Multi Marking System WMB❶

Horizontal marking for subdistribution boxes (power stations) 10 strips with 10 markers per card for terminal block widths 5 - 17.5 mm/0.197 in - 0.689 in (WSB/WMB) 4 - 4.2 mm/0.157 in - 0.165 in (WMB)	Vertical marking for subdistribution boxes (power stations); for relays, shielding (screenings), fuses; 10 strips with 10 markers per card for terminal block widths 5 - 17.5 mm/0.197 in - 0.689 in (WSB/WMB) 4 - 4.2 mm/0.157 in - 0.165 in (WMB)	Vertical marking for PLC input marking; 10 strips with 10 markers per card for terminal block widths 5 - 17.5 mm/0.197 in - 0.689 in (WSB/WMB) 4 - 4.2 mm/0.157 in - 0.165 in (WMB)

Marking per card	Item No.	Pack.-unit pcs
for subdistribution boxes (power stations)		
1A, 1B, 1C, 1D, 1E, 1F, 1G, 1H, , ;		
to		
10A, 10B, 10C, 10D, 10E, 10F, 10G, 10H, , ; (1 each)		
	209-458	5 cards
0, 2, 4, 6, , , 0, 2, 4, 6; (5x)		
1, 3, 5, 7, , , 1, 3, 5, 7; (5x)		
	209-500/209-134	5 cards
WSB Double marker carrier, 4 mm / 0.157 in wide		
suitable for all WSB and WMB marking systems		
	209-128	100



Snapping a strip into the double marker carrier

❶ All WSB cards shown on this page are also available as WMB cards with the same suffix.
Item no. see table:


WSB	WMB
	rigid
209-...	**793-...**
249-...	**794-...**
	stretchable 5 – 5.2 mm
209-...	**793-5...**
249-...	**794-5...**
	stretchable 4 – 4.2 mm
209-...	**793-4...**
249-...	**794-4...**


Marking per card	Item No.	Pack.-unit pcs
for subdistribution boxes (power stations)		
1A, 1B, 1C, 1D, 1E, 1F, 1G, 1H, , ;		
to		
10A, 10B, 10C, 10D, 10E, 10F, 10G, 10H, , ; (1 each)		
	209-958	5 cards
0, 2, 4, 6, , , 0, 2, 4, 6; (5x)		
1, 3, 5, 7, , , 1, 3, 5, 7; (5x)		
	209-600/209-073	5 cards
Symbol shield (screen) term. bl. acc. to DIN 40711		
⊖, ⊖, ⊖, ⊖, ⊖, ⊖, ⊖, ⊖, ⊖, ⊖; (10x)		
	209-993	5 cards
for relays		
A_1, A_2, A_2, 11, 12, 14, A_1, A_2, A_2, ; (5x)		
11, 12, 14, A_1, A_2, A_2, 11, 12, 14, ; (5x)		
	209-994	5 cards
12, A_1, A_2, 24, 11, 14, 21, 22, , ; (10x)		
	209-995	5 cards
A_1, A_1, A_2, A_2, 12, 11, 11, 14, , ; (10x)		
	209-996	5 cards
I_{in}, I_{in}, , I_{out}, I_{out}, 24 V, 11, 12, 14, 0V; (10x)		
	209-997	5 cards
A_1, A_2, A_1, A_2, R_1, –, R_1, –, , ; (10x)		
	209-998	5 cards
for fuse terminal blocks 281-6..		
F 1, ..., F10; (10x)	**794-615**	5 cards
F11, ..., F20; (10x)	**794-616**	5 cards
F21, ..., F30; (10x)	**794-617**	5 cards
F31, ..., F40; (10x)	**794-618**	5 cards
F41, ..., F50; (10x)	**794-619**	5 cards


Marking per card	Item No.	Pack.-unit pcs
for PLC input marking		
E0.0, E0.1, E0.2, E0.3, E0.4, E0.5, E0.6, E0.7, , ;		
to		
E9.0, E9.1, E9.2, E9.3, E9.4, E9.5, E9.6, E9.7, , ; (1 each)		
	209-933	5 cards
same as above, however		
E10.0 to E19.7 (1 each)		
	209-934	5 cards
E20.0 to E29.7 (1 each)		
	209-935	5 cards
E30.0 to E39.7 (1 each)		
	209-936	5 cards
E40.0 to E49.7 (1 each)		
	209-937	5 cards
E50.0 to E59.7 (1 each)		
	209-938	5 cards
E60.0 to E69.7 (1 each)		
	209-939	5 cards
E70.0 to E79.7 (1 each)		
	209-940	5 cards
E80.0 to E89.7 (1 each)		
	209-941	5 cards
E90.0 to E99.7 (1 each)		
	209-942	5 cards
E100.0 to E109.7 (1 each)		
	209-943	5 cards
E110.0 to E119.7 (1 each)		
	209-944	5 cards
E120.0 to E129.7 (1 each)		
	209-945	5 cards

continued on next page

Vertical marking for PLC input marking; (continued) 10 strips with 10 markers per card for terminal block widths 5 - 17.5 mm/0.197 in - 0.689 in (WSB/WMB) 4 - 4.2 mm/0.157 in - 0.165 in (WMB)	Vertical marking for PLC output marking; 10 strips with 10 markers per card for terminal block widths 5 - 17.5 mm/0.197 in - 0.689 in (WSB/WMB) 4 - 4.2 mm/0.157 in - 0.165 in (WMB)	Vertical marking for PLC output marking; (continued) 10 strips with 10 markers per card for terminal block widths 5 - 17.5 mm/0.197 in - 0.689 in (WSB/WMB) 4 - 4.2 mm/0.157 in - 0.165 in (WMB)







Marking per card	Item No.	Pack.-unit pcs
for PLC input marking		
E130.0, E130.1, E130.2, E130.3, E130.4, E130.5, E130.6, E130.7, , ; to E139.0, E139.1, E139.2, E139.3, E139.4, E139.5, E139.6, E139.7, , ; (1 each)	**209-946**	5 cards
same as above, however E140.0 to E149.7 (1 each)	**209-947**	5 cards
E150.0 to E159.7 (1 each)	**209-948**	5 cards
E160.0 to E169.7 (1 each)	**209-949**	5 cards
E170.0 to E179.7 (1 each)	**209-950**	5 cards
E180.0 to E189.7 (1 each)	**209-959**	5 cards
E190.0 to E199.7 (1 each)	**209-960**	5 cards
E200.0 to E209.7 (1 each)	**209-961**	5 cards
E210.0 to E219.7 (1 each)	**209-962**	5 cards
E220.0 to E229.7 (1 each)	**209-963**	5 cards
E230.0 to E239.7 (1 each)	**209-964**	5 cards
E240.0 to E249.7 (1 each)	**209-965**	5 cards
E250.0 to E259.7 (1 each)	**209-966**	5 cards

Marking per card	Item No.	Pack.-unit pcs
for PLC output marking		
A0.0, A0.1, A0.2, A0.3, A0.4, A0.5, A0.6, A0.7, , ; to A9.0, A9.1, A9.2, A9.3, A9.4, A9.5, A9.6, A9.7, , ; (1 each)	**209-967**	5 cards
same as above, however A10.0 to A19.7 (1 each)	**209-968**	5 cards
A20.0 to A29.7 (1 each)	**209-969**	5 cards
A30.0 to A39.7 (1 each)	**209-970**	5 cards
A40.0 to A49.7 (1 each)	**209-971**	5 cards
A50.0 to A59.7 (1 each)	**209-972**	5 cards
A60.0 to A69.7 (1 each)	**209-973**	5 cards
A70.0 to A79.7 (1 each)	**209-974**	5 cards
A80.0 to A89.7 (1 each)	**209-975**	5 cards
A90.0 to A99.7 (1 each)	**209-976**	5 cards
A100.0 to A109.7 (1 each)	**209-977**	5 cards
A110.0 to A119.7 (1 each)	**209-978**	5 cards
A120.0 to A129.7 (1 each)	**209-979**	5 cards

continued in next column

Marking per card	Item No.	Pack.-unit pcs
for PLC output marking		
A130.0, A130.1, A130.2, A130.3, A130.4, A130.5, A130.6, A130.7, , ; to A139.0, A139.1, A139.2, A139.3, A139.4, A139.5, A139.6, A139.7, , ; (1 each)	**209-980**	5 cards
same as above, however A140.0 to A149.7 (1 each)	**209-981**	5 cards
A150.0 to A159.7 (1 each)	**209-982**	5 cards
A160.0 to A169.7 (1 each)	**209-983**	5 cards
A170.0 to A179.7 (1 each)	**209-984**	5 cards
A180.0 to A189.7 (1 each)	**209-985**	5 cards
A190.0 to A199.7 (1 each)	**209-986**	5 cards
A200.0 to A209.7 (1 each)	**209-987**	5 cards
A210.0 to A219.7 (1 each)	**209-988**	5 cards
A220.0 to A229.7 (1 each)	**209-989**	5 cards
A230.0 to A239.7 (1 each)	**209-990**	5 cards
A240.0 to A249.7 (1 each)	**209-991**	5 cards
A250.0 to A259.7 (1 each)	**209-992**	5 cards

Miniature WSB Quick Marking System Mini-WSB❶ WAGO Multi Marking System WMB❶ for Terminal Blocks with Miniature WSB Marker Receptacles


Horizontal marking
Consecutive letters/symbols
each strip
10 strips with 10 markers for each card
ex. for 2-conductor terminal blocks
Series 264



Horizontal marking
Consecutive letters/symbols
each strip
10 strips with 10 markers for each card
ex. for 4-conductor terminal blocks
Series 264



Colored marker cards
Horizontal marking
Additional item-numbers
10 strips with 10 markers for each card
ex. for 2- and 4-cond. terminal blocks
Series 264



Marking per card	Item No.	Pack.-unit pcs
1 . . . 10 (10x)	**248-502**	5 cards
11 . . . 20 (10x)	**248-503**	5 cards
21 . . . 30 (10x)	**248-504**	5 cards
31 . . . 40 (10x)	**248-505**	5 cards
41 . . . 50 (10x)	**248-506**	5 cards
51 . . . 60 (10x)	**248-569**	5 cards
61 . . . 70 (10x)	**248-570**	5 cards
71 . . . 80 (10x)	**248-571**	5 cards
81 . . . 90 (10x)	**248-572**	5 cards
91 . . . 100 (10x)	**248-573**	5 cards
1 . . . 50 (2x)	**248-566**	5 cards
U, V, W, N, PE, U, V, W, N, PE; (10x)		
	248-474	5 cards
L1, L2, L3, N, PE, L1, L2, L3, N, PE; (10x)		
	248-472	5 cards
plain, **209-501**	5 cards	
for self-		
marking		
Marking pen	**210-110**	1
with fibre tip,		
for permanent marking		

Marking per card	Item No.	Pack.-unit pcs
1, , 2, , 3, , 4, , 5, ;		
to		
46, , 47, , 48, , 49, , 50, ; (1 each)		
	264-900	5 cards
U, , V, , W, , N, , PE, ; (10x)		
	264-901	5 cards
L1, , L2, , L3, , N, , PE, ; (10x)		
	264-902	5 cards
1, , 1, , 1, , 1, , 1, ; (10x)		
	264-903	5 cards
2, , 2, , 2, , 2, , 2, ; (10x)		
	264-904	5 cards
3, , 3, , 3, , 3, , 3, ; (10x)		
	264-905	5 cards


Color	Item No.
Colored marker cards	
All markings stated opposite are also available with	
black printing on colored marker cards.	
Add. item-No. for colored marker cards	
yellow	**. . ./000-002**
red	**. . ./000-005**
blue	**. . ./000-006**
grey	**. . ./000-007**
orange	**. . ./000-012**
light green	**. . ./000-017**
green	**. . ./000-023**
violett	**. . ./000-024**
Ordering example	
Marking 41 . . . 50 on yellow card	
	248-506/000-002
Note:	
Please note that colored marker cards are normally on	
longer delivery and more expensive than standard	
cards.	

Exemple		
Marking	Mini-WSB card	WMB rigid
51 . . . 100	**248-507**	**793-507**
F1 . . . F10	**249-615**	**794-615**
Marking	Mini-WSB card	WMB 5-5,2
51 . . . 100	**248-507**	**793-5507**
F1 . . . F10	**249-615**	**794-5615**

❶ All WSB cards shown on pages 14.9 to 14.11 are also available as WMB cards with the same suffix. Item no. see table:

WSB	WMB
	rigid
209-. . .	**793-. . .**
249-. . .	**794-. . .**
	stretchable 5 – 5.2 mm
209-. . .	**793-5. . .**
249-. . .	**794-5. . .**

WAGO T Marker Tag



6 characters per marker

The new T marker tag fulfills the customer request for larger marking areas for series 264 terminal strips.

The T marker can be marked with up to 6 characters per marker and is snapped into the miniature WSB marker receptacle.

Terminal strips in any combination of 2- and 4-conductor terminal blocks can be marked without difficulty by stretching the tag.

The T marker tag can be used with:
- series 264 modular terminal blocks and terminal strips

and

- series 270 sensor and actuator terminal blocks


30 markers per tag, suitable for terminal block widths from 5 mm/0.197 in to 6 mm/0.236 in, Each marker can be marked with up to 6 characters


plain **209-290** 50 pieces

Pre-printed markers on request

WFB Continuous Marking Stips, Vertically Movable Marking System

WFB Continuous marking strips for self-marking and **Adapters for snap-in fixing into the marker receptacles**	**Laterally movable marking system**	







	Item No.	Pack.-unit pcs
WFB Continuous marking strips,		
for self-marking for ex. with fibre tip marking pen		
length 1000 mm / 3.3"	**210-612**	10 (10 x 1)
Adapter for WFB Continuous marking strips,		
for snap-in fixing into the marker receptacle		
	209-185	200 (8 x 25)
Fibre tip marking pen,		
 for permanent marking	**210-110**	1

	Item No.	Pack.-unit pcs
Carrier-through element,		
adjustable in height		
grey	**709-118** ❶	50 (2 x 25)
Carrier-end element,		
adjustable in height		
grey	**709-119** ❷	50 (2 x 25)
Receptacle for marking strips,		
 transparent, folded, 1 m long, 16 mm wide, 1.7 mm thick	**709-120**	1
Marking card, with 14 marking strips, DIN-A-4, plain		
	**709-193**	1

❶




❷



Examples of marking



Adapter for WFB Continuous marker strips to be fixed on every 10th terminal block approx.



This system can be used as an additional group marker carrier or continuous marking strip carrier for terminal strips or rail-mounted single deck terminal blocks, for example for series:


- terminal strips, series 264, for DIN 35 rails
- rail-mounted single deck terminal blocks, series 279 to 284, with a maximum height of 49 mm / 1.93 in from the upper edge of the carrier rail (please allow also for the conductor radius)


Marker Tags, Marker Carriers and Marker Branches

WAGO marker tags
Horizontal marking
Identical numbers/letters each tag
20 markers per tag

WAGO marker carriers
for marker tags

WAGO marker branches
Horizontal marking
Identical numbers/letters each branch
10 markers per branch
for terminal block widths
4 – 17.5 mm / 0.157 – 0.689 in








Marking per tag	Item No.	Pack.-unit pcs
plain	**209-800**	10 tags
1	**209-801**	10 tags
2	**209-802**	10 tags
3	**209-803**	10 tags
4	**209-804**	10 tags
5	**209-805**	10 tags
6	**209-806**	10 tags
7	**209-807**	10 tags
8	**209-808**	10 tags
9	**209-809**	10 tags
0	**209-810**	10 tags
A	**209-823**	10 tags
B	**209-824**	10 tags
C	**209-825**	10 tags
D	**209-826**	10 tags
E	**209-811**	10 tags
F	**209-812**	10 tags
G	**209-813**	10 tags
H	**209-827**	10 tags
I	**209-828**	10 tags
J	**209-829**	10 tags
K	**209-830**	10 tags
L	**209-814**	10 tags
M	**209-831**	10 tags
N	**209-815**	10 tags
O	**209-832**	10 tags
P	**209-816**	10 tags
Q	**209-833**	10 tags
R	**209-834**	10 tags
S	**209-835**	10 tags
T	**209-836**	10 tags
U	**209-817**	10 tags
V	**209-818**	10 tags
W	**209-819**	10 tags
X	**209-820**	10 tags
Y	**209-821**	10 tags
Z	**209-822**	10 tags
+	**209-837**	10 tags
–	**209-838**	10 tags

Item No.	Pack.-unit pcs
Quadruple marker carrier	
209-115 ❶	100
Sextuple marker carrier	
209-116 ❷	100
(see also page 14.7)	
Quadruple transparent marker carrier ❸	
209-125	100
Sextuple transparent marker carrier ❹	
not for center marking	
209-126	100

WAGO WSB Double marker carriers



Item No.	Pack.-unit pcs
WSB Double marker carrier, 4 mm / 0.157 in wide	
suitable for all WSB and WMB marking systems	
209-128	100





Marking per branch	Item No.	Pack.-unit pcs
plain	**209-300**	10 branches
1	**209-301**	10 branches
2	**209-302**	10 branches
3	**209-303**	10 branches
4	**209-304**	10 branches
5	**209-305**	10 branches
6	**209-306**	10 branches
7	**209-307**	10 branches
8	**209-308**	10 branches
9	**209-309**	10 branches
0	**209-310**	10 branches
A	**209-323**	10 branches
B	**209-324**	10 branches
C	**209-325**	10 branches
D	**209-326**	10 branches
E	**209-311**	10 branches
F	**209-312**	10 branches
G	**209-313**	10 branches
H	**209-327**	10 branches
I	**209-328**	10 branches
J	**209-329**	10 branches
K	**209-330**	10 branches
L	**209-314**	10 branches
M	**209-331**	10 branches
N	**209-315**	10 branches
O	**209-332**	10 branches
P	**209-316**	10 branches
Q	**209-333**	10 branches
R	**209-334**	10 branches
S	**209-335**	10 branches
T	**209-336**	10 branches
U	**209-317**	10 branches
V	**209-318**	10 branches
W	**209-319**	10 branches
X	**209-320**	10 branches
Y	**209-321**	10 branches
Z	**209-322**	10 branches

WCB Combi Marking System and Group Marker Carrier

WCB Combi marking system	WAGO pivotable group marker carrier – for rail-mounted terminal blocks from 5 mm / 0.197 in on and in spacer housings	WAGO group marker carriers for terminal block series 282
20 markers with identical numbers/letters each tag		








*from upper edge of terminal block


Marking per tag	Item No.	Marking per tag	Item No.
plain	**249-200**	A (20x)	**249-211**
1 (20x)	**249-201**	B (20x)	**249-212**
2 (20x)	**249-202**	C (20x)	**249-213**
3 (20x)	**249-203**	D (20x)	**249-214**
4 (20x)	**249-204**	E (20x)	**249-215**
5 (20x)	**249-205**	F (20x)	**249-216**
6 (20x)	**249-206**	G (20x)	**249-217**
7 (20x)	**249-207**	H (20x)	**249-218**
8 (20x)	**249-208**	I (20x)	**249-219**
9 (20x)	**249-209**	J (20x)	**249-220**
0 (20x)	**249-210**	K (20x)	**249-221**
		L (20x)	**249-222**
1 . . . 0 (2x)	**249-239**	M (20x)	**249-223**
		N (20x)	**249-224**
1. (20x)	**249-241**	O (20x)	**249-225**
2. (20x)	**249-242**	P (20x)	**249-226**
3. (20x)	**249-243**	Q (20x)	**249-227**
4. (20x)	**249-244**	R (20x)	**249-228**
5. (20x)	**249-245**	S (20x)	**249-229**
6. (20x)	**249-246**	T (20x)	**249-230**
7. (20x)	**249-247**	U (20x)	**249-231**
8. (20x)	**249-248**	V (20x)	**249-232**
9. (20x)	**249-249**	W (20x)	**249-233**
0. (20x)	**249-250**	X (20x)	**249-234**
		Y (20x)	**249-235**
+ (20x)	**249-237**	Z (20x)	**249-236**
– (20x)	**249-238**		


Pieces per packing unit: 10 tags

Item No.	Pack.-unit pcs
Pivotable group marker carrier	
249-105	50
Marker card, 4 x 30 pcs per sheet	
209-183	1 sheet
Protection cover, transparent	
209-184	50

Item No.	Pack.-unit pcs
The **group marker carriers** are available in two different versions:	
– angled, for example for transformer terminal blocks (picture below top)	
209-144	50
– straight, for example for 2- and 3-conductor terminal blocks (picture below bottom)	
209-143	50
Appropriate marking systems:	
WSB, WMB and WCB	








This pivotable group marker carrier has been developed for group marking of rail-mounted terminal blocks and brings together many requirements of our customers.

- Can be used in all multiprofile marker receptacles for rail-mounted terminal bocks from 5 mm width on or in spacer housings as shown in the picture
- Pivotable in 7 different stable positions, providing the best visual angle in case of difficult mounting conditions
- Two levels for different marking systems
  Level a:
  for marker card (4 x 34) mm (see picture)
  Level b:
  for 12 WCB-Combi markers
  (see left column)



The new group marker carriers make it possible to mark subgroups in confined places.

These group marker carriers can be snapped into the jumper contact positions of the terminal block housing.