
# Marking Accessories
# – Description and Handling –

## WMB Multi marking system



Separating a strip from the WMB or WMB marker card.



Stretching a strip.




Separating an individual marker from the strip, for larger terminal blocks.


## Miniature WSB (WAGO Quick marking system)




Marking with miniature WSB Quick marking system.




## Miniature WSB or WMB marking



WMB markers in miniature WSB marker receptacles
Marking strips, translucent
Miniature WSB markers

## WFB (WAGO continuous marking strips)



Customized ink pen marking




Carrier for WFB Continuous marking strip; to be secures every 10th terminal block.

## Group marking




Group marking on N-busbar carrier used as end stop

### WMB Multi marking system



Snapping a strip into the marker slot.

### Double marker carrier




Snapping a strip into the marker slot of the double marker carrier.

### "Decade" marking




WMB "decade" marking




### Group marker carriers




Group marker carrier adjustable in height



Additional group marking


### Movable marking system




Additional continuous marking strips

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **horizontal marking**<br>**consecutive numbers on each strip**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm and**<br>**5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |






❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks

❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm


❸ For continuous marking of 279 and 2001 Series terminal blocks


❹ For continuous marking of 2000 and 2020 Series terminal blocks

| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| 1 ... 10 (10x) | **793-502** | **793-5502** | **793-4502** | **793-3502** |
| 11 ... 20 (10x) | **793-503** | **793-5503** | **793-4503** | **793-3503** |
| 21 ... 30 (10x) | **793-504** | **793-5504** | **793-4504** | **793-3504** |
| 31 ... 40 (10x) | **793-505** | **793-5505** | **793-4505** | **793-3505** |
| 41 ... 50 (10x) | **793-506** | **793-5506** | **793-4506** | **793-3506** |
| 51 ... 60 (10x) | **793-569** | **793-5569** | **793-4569** | |
| 61 ... 70 (10x) | **793-570** | **793-5570** | **793-4570** | |
| 71 ... 80 (10x) | **793-571** | **793-5571** | **793-4571** | |
| 81 ... 90 (10x) | **793-572** | **793-5572** | **793-4572** | |
| 91 ... 100 (10x) | **793-573** | **793-5573** | **793-4573** | |
| | | | | |
| 1 ... 50 (2x) | **793-566** | **793-5566** | **793-4566** | **793-3566** |
| 51 ... 100 (2x) | **793-507** | **793-5507** | **793-4507** | **793-3507** |
| 101 ... 150 (2x) | **793-508** | **793-5508** | **793-4508** | **793-3508** |
| 151 ... 200 (2x) | **793-509** | **793-5509** | **793-4509** | **793-3509** |
| | | | | |
| 201 ... 300 (1x) | **793-510** | **793-5510** | **793-4510** | **793-3510** |
| 301 ... 400 (1x) | **793-511** | **793-5511** | **793-4511** | - |
| 401 ... 500 (1x) | **793-512** | **793-5512** | **793-4512** | - |
| 501 ... 600 (1x) | **793-513** | **793-5513** | **793-4513** | - |
| 601 ... 700 (1x) | **793-514** | **793-5514** | **793-4514** | - |
| 701 ... 800 (1x) | **793-515** | **793-5515** | **793-4515** | - |
| 801 ... 900 (1x) | **793-516** | **793-5516** | **793-4516** | - |
| 901 ... 1000 (1x) | **793-517** | **793-5517** | **793-4517** | - |
| | | | | |
| 1 ... 9 (10x) | **793-565** | **793-5565** | **793-4565** | **793-3565** |
| | | | | |
| **for double-deck terminal blocks,** | | | | |
| 1, 3, 5, ..., 99 and 2, 4, 6, ..., 100 (1x) | **793-599** | **793-5599** | **793-4599** | **793-3599** |
| | | | | |
| **for triple-deck terminal blocks,** | | | | |
| 1, 4, 7, ... , 88 and 2, 5, 8, ... , 89 and 3, 6, 9, ... , 90 and 91, 94, 97, 92, 95, 98, 93, 96, 99, ; (1x) | **794-557** | **794-5557** | | |
| 100, 103, 106, ... , 187 and 101, 104, 107, ... , 188 and 102, 105, 108, ... , 189 and 190, 193, 196, 191, 194, 197, 192, 195, 198, ; (1x) | **794-558** | **794-5558** | | |

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **vertical marking**<br>**consecutive numbers on each strip**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm and**<br>**5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |








❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks
❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm
❸ For continuous marking of 279 and 2001 Series terminal blocks
❹ For continuous marking of 2000 and 2020 Series terminal blocks

| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| 1 ... 10 (10x) | **793-602** | **793-5602** | **793-4602** | on request |
| 11 ... 20 (10x) | **793-603** | **793-5603** | **793-4603** | |
| 21 ... 30 (10x) | **793-604** | **793-5604** | **793-4604** | |
| 31 ... 40 (10x) | **793-605** | **793-5605** | **793-4605** | |
| 41 ... 50 (10x) | **793-606** | **793-5606** | **793-4606** | |
| 51 ... 60 (10x) | **794-601** | **794-5601** | **794-4601** | |
| 61 ... 70 (10x) | **794-602** | **794-5602** | **794-4602** | |
| 71 ... 80 (10x) | **794-603** | **794-5603** | **794-4603** | |
| 81 ... 90 (10x) | **794-604** | **794-5604** | **794-4604** | |
| 91 ... 100 (10x) | **794-605** | **794-5605** | **794-4605** | |
| | | | | |
| 1 ... 50 (2x) | **793-666** | **793-5666** | **793-4666** | |
| 51 ... 100 (2x) | **793-607** | **793-5607** | **793-4607** | |
| 101 ... 150 (2x) | **793-608** | **793-5608** | **793-4608** | |
| 151 ... 200 (2x) | **793-609** | **793-5609** | **793-4609** | |
| | | | | |
| 201 ... 300 (1x) | **793-610** | **793-5610** | **793-4610** | |
| 301 ... 400 (1x) | **793-611** | **793-5611** | **793-4611** | |
| 401 ... 500 (1x) | **793-612** | **793-5612** | **793-4612** | |
| 501 ... 600 (1x) | **793-613** | **793-5613** | **793-4613** | |
| 601 ... 700 (1x) | **793-614** | **793-5614** | **793-4614** | |
| 701 ... 800 (1x) | **793-615** | **793-5615** | **793-4615** | |
| 801 ... 900 (1x) | **793-616** | **793-5616** | **793-4616** | |
| 901 ... 1000 (1x) | **793-617** | **793-5617** | **793-4617** | |
| 1001 ... 1100 (1x) | **793-688** | **793-5688** | **793-4688** | |
| 1101 ... 1200 (1x) | **793-669** | **793-5669** | **793-4669** | |
| 1201 ... 1300 (1x) | **793-670** | **793-5670** | **793-4670** | |
| 1301 ... 1400 (1x) | **793-671** | **793-5671** | **793-4671** | |
| 1401 ... 1500 (1x) | **793-672** | **793-5672** | **793-4672** | |
| 1501 ... 1600 (1x) | **793-901** | **793-5901** | **793-4901** | |
| 1601 ... 1700 (1x) | **793-902** | **793-5902** | **793-4902** | |
| 1701 ... 1800 (1x) | **793-903** | **793-5903** | **793-4903** | |
| 1801 ... 1900 (1x) | **793-912** | **793-5912** | **793-4912** | |
| 1901 ... 2000 (1x) | **793-913** | **793-5913** | **793-4913** | |
| | | | | |
| 101, 101, 101, 102, ..., 130, 130, 130 (1x) | **793-667** | **793-5667** | **793-4667** | |
| 131, 131, 131, 132, ..., 160, 160, 160 (1x) | **793-668** | **793-5668** | **793-4668** | |
| | | | | |
| **for double-deck terminal blocks,** | | | | |
| 1, 3, 5, ..., 99 and 2, 4, 6, ..., 100 (1x) | **793-699** | **793-5699** | **793-4699** | |
| 101, 103, 105, ..., 149 and 102, 104, 106, ..., 150 (2x) | **793-900** | **793-5900** | **793-4900** | |
| | | | | |
| **for triple-deck terminal blocks,** | | | | |
| 1, 4, 7, ... , 88 and 2, 5, 8, ... , 89 and 3, 6, 9, ... , 90 and 91, 94, 97, 92, 95, 98, 93, 96, 99, ; (1x) | **794-657** | **794-5657** | | |
| 100, 103, 106, ... , 187 and 101, 104, 107, ... , 188 and 102, 105, 108, ... , 189 and 190, 193, 196, 191, 194, 197, 192, 195, 198, ; (1x) | **794-658** | **794-5658** | | |

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **horizontal marking**<br>**same numbers per strip**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm and**<br>**5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |





❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks

❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm


❸ For continuous marking of 279 and 2001 Series terminal blocks

❹ For continuous marking of 2000 and 2020 Series terminal blocks

| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| 1/2 (50 each) | **793-518** | **793-5518** | **793-4518** | on request |
| 3/4 (50 each) | **793-519** | **793-5519** | **793-4519** | |
| 5/6 (50 each) | **793-520** | **793-5520** | **793-4520** | |
| 7/8 (50 each) | **793-521** | **793-5521** | **793-4521** | |
| 9/10 (50 each) | **793-522** | **793-5522** | **793-4522** | |
| 11/12 (50 each) | **793-523** | **793-5523** | **793-4523** | |
| 13/14 (50 each) | **793-524** | **793-5524** | **793-4524** | |
| 15/16 (50 each) | **793-525** | **793-5525** | **793-4525** | |
| 17/18 (50 each) | **793-526** | **793-5526** | **793-4526** | |
| 19/20 (50 each) | **793-527** | **793-5527** | **793-4527** | |
| 21/22 (50 each) | **793-528** | **793-5528** | **793-4528** | |
| 23/24 (50 each) | **793-529** | **793-5529** | **793-4529** | |
| 25/26 (50 each) | **793-530** | **793-5530** | **793-4530** | |
| 27/28 (50 each) | **793-531** | **793-5531** | **793-4531** | |
| 29/30 (50 each) | **793-532** | **793-5532** | **793-4532** | |
| 31/32 (50 each) | **793-533** | **793-5533** | **793-4533** | |
| 33/34 (50 each) | **793-534** | **793-5534** | **793-4534** | |
| 35/36 (50 each) | **793-535** | **793-5535** | **793-4535** | |
| 37/38 (50 each) | **793-536** | **793-5536** | **793-4536** | |
| 39/40 (50 each) | **793-537** | **793-5537** | **793-4537** | |
| 41/42 (50 each) | **793-538** | **793-5538** | **793-4538** | |
| 43/44 (50 each) | **793-539** | **793-5539** | **793-4539** | |
| 45/46 (50 each) | **793-540** | **793-5540** | **793-4540** | |
| 47/48 (50 each) | **793-541** | **793-5541** | **793-4541** | |
| 49/50 (50 each) | **793-542** | **793-5542** | **793-4542** | |
| 51/52 (50 each) | **793-400** | **793-5400** | **793-4400** | |
| 53/54 (50 each) | **793-401** | **793-5401** | **793-4401** | |
| 55/56 (50 each) | **793-402** | **793-5402** | **793-4402** | |
| 57/58 (50 each) | **793-403** | **793-5403** | **793-4403** | |
| 59/60 (50 each) | **793-404** | **793-5404** | **793-4404** | |
| 61/62 (50 each) | **793-405** | **793-5405** | **793-4405** | |
| 63/64 (50 each) | **793-406** | **793-5406** | **793-4406** | |
| 65/66 (50 each) | **793-407** | **793-5407** | **793-4407** | |
| 67/68 (50 each) | **793-408** | **793-5408** | **793-4408** | |
| 69/70 (50 each) | **793-409** | **793-5409** | **793-4409** | |
| 71/72 (50 each) | **793-410** | **793-5410** | **793-4410** | |
| 73/74 (50 each) | **793-411** | **793-5411** | **793-4411** | |
| 75/76 (50 each) | **793-412** | **793-5412** | **793-4412** | |
| 77/78 (50 each) | **793-413** | **793-5413** | **793-4413** | |
| 79/80 (50 each) | **793-414** | **793-5414** | **793-4414** | |
| 81/82 (50 each) | **793-415** | **793-5415** | **793-4415** | |
| 83/84 (50 each) | **793-416** | **793-5416** | **793-4416** | |
| 85/86 (50 each) | **793-417** | **793-5417** | **793-4417** | |
| 87/88 (50 each) | **793-418** | **793-5418** | **793-4418** | |
| 89/90 (50 each) | **793-419** | **793-5419** | **793-4419** | |
| 91/92 (50 each) | **793-420** | **793-5420** | **793-4420** | |
| 93/94 (50 each) | **793-421** | **793-5421** | **793-4421** | |
| 95/96 (50 each) | **793-422** | **793-5422** | **793-4422** | |
| 97/98 (50 each) | **793-423** | **793-5423** | **793-4423** | |
| 99/100 (50 each) | **793-424** | **793-5424** | **793-4424** | |

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **vertical marking**<br>**same numbers per strip**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm and**<br>**5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |






❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks
❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm
❸ For continuous marking of 279 and 2001 Series terminal blocks
❹ For continuous marking of 2000 and 2020 Series terminal blocks

| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| 1/2 (50 each) | **793-618** | **793-5618** | **793-4618** | on request |
| 3/4 (50 each) | **793-619** | **793-5619** | **793-4619** | |
| 5/6 (50 each) | **793-620** | **793-5620** | **793-4620** | |
| 7/8 (50 each) | **793-621** | **793-5621** | **793-4621** | |
| 9/10 (50 each) | **793-622** | **793-5622** | **793-4622** | |
| 11/12 (50 each) | **793-623** | **793-5623** | **793-4623** | |
| 13/14 (50 each) | **793-624** | **793-5624** | **793-4624** | |
| 15/16 (50 each) | **793-625** | **793-5625** | **793-4625** | |
| 17/18 (50 each) | **793-626** | **793-5626** | **793-4626** | |
| 19/20 (50 each) | **793-627** | **793-5627** | **793-4627** | |
| 21/22 (50 each) | **793-628** | **793-5628** | **793-4628** | |
| 23/24 (50 each) | **793-629** | **793-5629** | **793-4629** | |
| 25/26 (50 each) | **793-630** | **793-5630** | **793-4630** | |
| 27/28 (50 each) | **793-631** | **793-5631** | **793-4631** | |
| 29/30 (50 each) | **793-632** | **793-5632** | **793-4632** | |
| 31/32 (50 each) | **793-633** | **793-5633** | **793-4633** | |
| 33/34 (50 each) | **793-634** | **793-5634** | **793-4634** | |
| 35/36 (50 each) | **793-635** | **793-5635** | **793-4635** | |
| 37/38 (50 each) | **793-636** | **793-5636** | **793-4636** | |
| 39/40 (50 each) | **793-637** | **793-5637** | **793-4637** | |
| 41/42 (50 each) | **793-638** | **793-5638** | **793-4638** | |
| 43/44 (50 each) | **793-639** | **793-5639** | **793-4639** | |
| 45/46 (50 each) | **793-640** | **793-5640** | **793-4640** | |
| 47/48 (50 each) | **793-641** | **793-5641** | **793-4641** | |
| 49/50 (50 each) | **793-642** | **793-5642** | **793-4642** | |

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **horizontal marking**<br>**Gleichlautende Buchstaben / Symbole je Streifen**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm and 5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |






❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks
❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm
❸ For continuous marking of 279 and 2001 Series terminal blocks
❹ For continuous marking of 2000 and 2020 Series terminal blocks

| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| L1 (100x) | **793-574** | **793-5574** | **793-4574** | on request |
| L2 (100x) | **793-575** | **793-5575** | **793-4575** | |
| L3 (100x) | **793-576** | **793-5576** | **793-4576** | |
| N (100x) | **793-577** | **793-5577** | **793-4577** | |
| PE (100x) | **793-578** | **793-5578** | **793-4578** | |
| PEN (100x) | **793-579** | **793-5579** | **793-4579** | |
| Ground (100x) | **793-580** | **793-5580** | **793-4580** | |
| R (100x) | **793-581** | **793-5581** | **793-4581** | |
| S (100x) | **793-582** | **793-5582** | **793-4582** | |
| T (100x) | **793-583** | **793-5583** | **793-4583** | |
| +/- (50x) | **793-552** | **793-5552** | **793-4552** | |
| | | | | |
| a, b, c, e, u, v, w, x, y, z (10x) | **793-543** | **793-5543** | **793-4543** | |
| R, S, T, U, V, W, X, Y, Z, Mp (10x) | **793-544** | **793-5544** | **793-4544** | **793-3544** |
| A, B, P, N, PE, PEN, L1, L2, L3, Ground (10x) | **793-545** | **793-5545** | **793-4545** | **793-3545** |
| | | | | |
| U, V, W, N, PE, U, V, W, N, PE (10x) | **793-474** | **793-5474** | **793-4474** | |
| L1, L2, L3, N, PE, L1, L2, L3, N, PE (10x) | **793-472** | **793-5472** | **793-4472** | |
| U1, V1, W1, U1, V1, W1, U1, V1, W1,... (10x) | **793-487** | **793-5487** | **793-4487** | |
| U2, V2, W2, U2, V2, W2, U2, V2, W2,... (10x) | **793-494** | **793-5494** | **793-4494** | |
| U3, V3, W3, U3, V3, W3, U3, V3, W3,... (10x) | **793-495** | **793-5495** | **793-4495** | |
| U4, V4, W4, U4, V4, W4, U4, V4, W4,... (10x) | **793-496** | **793-5496** | **793-4496** | |
| U5, V5, W5, U5, V5, W5, U5, V5, W5,... (10x) | **793-497** | **793-5497** | **793-4497** | |
| U6, V6, W6, ..., U6, V6, W6,... to U9, V9, W9, ..., U9, V9, W9, (2 each) | **793-498** | **793-5498** | **793-4498** | |
| | | | | |
| R1, S1, T1, U1, V1, W1, X1, Y1, Z1,SL (10x) | **793-546** | **793-5546** | **793-4546** | |
| R2, S2, T2, U2, V2, W2, X2, Y2, Z2,SL (10x) | **793-547** | **793-5547** | **793-4547** | |
| R3, S3, T3, U3, V3, W3, X3, Y3, Z3,SL (10x) | **793-548** | **793-5548** | **793-4548** | |
| R4, S4, T4, ..., Y4, Z4, SL and R5, S5, T5, ..., Y5, Z5, SL (5 each) | **793-549** | **793-5549** | **793-4549** | |
| R6, S6, T6, ..., Y6, Z6, SL to R10, S10, T10, ..., Y10, Z10, SL (2 each) | **793-550** | **793-5550** | **793-4550** | |
| | | | | |
| **"decade" marking with red printing,** | | | | |
| 2 strips, with same numbers | | | | |
| 10, 20 ... 50 (20 each) | **793-553** | **793-5553** | **793-4553** | |
| 60, 70 ... 100 (20 each) | **793-554** | **793-5554** | **793-4554** | |
| 110, 120 ... 150 (20 each) | **793-555** | **793-5555** | **793-4555** | |
| 160, 170 ... 200 (20 each) | **793-556** | **793-5556** | **793-4556** | |
| 1 strip, each with same numbers | | | | |
| 210, 220 ... 300 (10 each) | **793-557** | **793-5557** | **793-4557** | |
| 310, 320 ... 400 (10 each) | **793-558** | **793-5558** | **793-4558** | |
| 410, 420 ... 500 (10 each) | **793-559** | **793-5559** | **793-4559** | |
| 510, 520 ... 600 (10 each) | **793-560** | **793-5560** | **793-4560** | |
| 610, 620 ... 700 (10 each) | **793-561** | **793-5561** | **793-4561** | |
| 710, 720 ... 800 (10 each) | **793-562** | **793-5562** | **793-4562** | |
| 810, 820 ... 900 (10 each) | **793-563** | **793-5563** | **793-4563** | |
| 910, 920 ... 1000 (10 each) | **793-564** | **793-5564** | **793-4564** | |

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **vertical marking**<br>**same letters/symbols per strip**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm and**<br>**5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |







❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks
❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm
❸ For continuous marking of 279 and 2001 Series terminal blocks
❹ For continuous marking of 2000 and 2020 Series terminal blocks

| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| N (100x) | **793-677** | **793-5677** | **793-4677** | on request |
| L1 (100x) | **793-674** | **793-5674** | **793-4674** | |
| L2 (100x) | **793-675** | **793-5675** | **793-4675** | |
| L3 (100x) | **793-676** | **793-5676** | **793-4676** | |
| PE (100x) | **793-678** | **793-5678** | **793-4678** | |
| PEN (100x) | **793-679** | **793-5679** | **793-4679** | |
| Ground (100x) | **793-680** | **793-5680** | **793-4680** | |
| R (100x) | **793-681** | **793-5681** | **793-4681** | |
| S (100x) | **793-682** | **793-5682** | **793-4682** | |
| T (100x) | **793-683** | **793-5683** | **793-4683** | |
| +/- (50x) | **793-652** | **793-5652** | **793-4552** | |
| | | | | |
| a, b, c, e, u, v, w, x, y, z (10x) | **793-643** | **793-5643** | **793-4643** | |
| R, S, T, U, V, W, X, Y, Z, Mp (10x) | **793-644** | **793-5644** | **793-4644** | |
| A, B, P, N, PE, PEN, L1, L2, L3, Ground (10x) | **793-645** | **793-5645** | **793-4645** | |
| | | | | |
| U, V, W, N, PE, U, V, W, N, PE (10x) | **794-674** | **794-5674** | **794-4674** | |
| L1, L2, L3, N, PE, L1, L2, L3, N, PE (10x) | **794-672** | **793-5672** | **794-4672** | |
| U1, V1, W1, U1, V1, W1, U1, V1, W1,... (10x) | **793-687** | **793-5687** | **793-4687** | |
| U2, V2, W2, U2, V2, W2, U2, V2, W2,... (10x) | **793-694** | **793-5694** | **793-4694** | |
| U3, V3, W3, U3, V3, W3, U3, V3, W3,... (10x) | **793-695** | **793-5695** | **793-4695** | |
| U4, V4, W4, U4, V4, W4, U4, V4, W4,... (10x) | **793-696** | **793-5696** | **793-4696** | |
| U5, V5, W5, U5, V5, W5, U5, V5, W5,... (10x) | **793-697** | **793-5697** | **793-4697** | |
| U6, V6, W6, ..., U6, V6, W6,... to U9, V9, W9, ..., U9, V9, W9, (2 each) | **793-698** | **793-5698** | **793-4698** | |
| | | | | |
| R1, S1, T1, U1, V1, W1, X1, Y1, Z1,SL (10x) | **793-646** | **793-5646** | **793-4646** | |
| R2, S2, T2, U2, V2, W2, X2, Y2, Z2,SL (10x) | **793-647** | **793-5647** | **793-4647** | |
| R3, S3, T3, U3, V3, W3, X3, Y3, Z3,SL (10x) | **793-648** | **793-5648** | **793-4648** | |
| R4, S4, T4, ..., Y4, Z4, SL and R5, S5, T5, ..., Y5, Z5, SL (5 each) | **793-649** | **793-5649** | **793-4649** | |
| R6, S6, T6, ..., Y6, Z6, SL to R10, S10, T10, ..., Y10, Z10, SL (2 each) | **793-650** | **793-5650** | **793-4650** | |
| | | | | |
| **"decade" marking with red printing,** | | | | |
| 2 strips, with same numbers | | | | |
| 10, 20 ... 50 (20 each) | **793-653** | **793-5653** | **793-4653** | |
| 60, 70 ... 100 (20 each) | **793-654** | **793-5654** | **793-4654** | |
| 110, 120 ... 150 (20 each) | **793-655** | **793-5655** | **793-4655** | |
| 160, 170 ... 200 (20 each) | **793-656** | **793-5656** | **793-4656** | |
| 1 strip, each with same numbers | | | | |
| 210, 220 ... 300 (10 each) | **793-657** | **793-5657** | **793-4657** | |
| 310, 320 ... 400 (10 each) | **793-658** | **793-5658** | **793-4658** | |
| 410, 420 ... 500 (10 each) | **793-659** | **793-5659** | **793-4659** | |
| 510, 520 ... 600 (10 each) | **793-660** | **793-5660** | **793-4660** | |
| 610, 620 ... 700 (10 each) | **793-661** | **793-5661** | **793-4661** | |
| 710, 720 ... 800 (10 each) | **793-662** | **793-5662** | **793-4662** | |
| 810, 820 ... 900 (10 each) | **793-663** | **793-5663** | **793-4663** | |
| 910, 920 ... 1000 (10 each) | **793-664** | **793-5664** | **793-4664** | |

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **horizontal marking**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm**<br>**for subdistribution boxes (power stations) and**<br>**5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |







❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks
❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm
❸ For continuous marking of 279 and 2001 Series terminal blocks
❹ For continuous marking of 2000 and 2020 Series terminal blocks

| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| **for subdistribution boxes (power stations),** | | | | |
| horizontal marking | | | | |
| 1A, 1B, ..., 1G, 1H, ... to 10A, 10B, ..., 10G, 10H, , ; (1 each) | **793-458** | **793-5458** | **793-4458** | on request |
| 0, 2, 4, 6, , , 0, 2, 4, 6; (5x)/1, 3, 5, 7, , ,1, 3, 5, 7; (5x) | **793-500/793-134** | | | |
| vertical marking | | | | |
| 1A, 1B, ..., 1G, 1H, ... to 10A, 10B, ..., 10G, 10H, , ; (1 each) | **793-958** | **793-5958** | **793-4958** | **-** |
| 0, 2, 4, 6, , , 0, 2, 4, 6; (5x)/1, 3, 5, 7, , ,1, 3, 5, 7; (5x) | **793-600/793-073** | | | **-** |
| | | | | |
| Symbol for shield terminal blocks per DIN 40771 (10x) | **793-993** | **793-5993** | **793-5993** | |
| | | | | |
| **for relay** | | | | |
| A1, A2, A2, 11, 12, 14, A1, A2, A2,; (5x) | **793-994** | **793-5994** | **793-5994** | |
| 12, A1, A2, 24, 11, 14, 21, 22, , ;(10x) | **793-995** | **793-5995** | **793-5995** | |
| A1, A1, A2, A2, 12, 11, 11, 14, ; (10x) | **793-996** | **793-5996** | **793-5996** | |
| Iin, Iin, , Iout, Iout, 24V, 11, 12, 14, 0V; (10x) | **793-997** | **793-5997** | **793-5997** | |
| A1, A2, A1, A2, RL, - , RL, -, , ; (10x) | **793-998** | **793-5998** | **793-5998** | |
| | | | | |
| **for fuse terminal blocks 281-6..,** | | | | |
| vertical marking | | | | |
| F1, ..., F10 (10x) | **794-615** | **794-5615** | **794-4615** | |
| F11, ..., F20 (10x) | **794-616** | **794-5616** | **794-4616** | |
| F21, ..., F30 (10x) | **794-617** | **794-5617** | **794-4617** | |
| F31, ..., F40 (10x) | **794-618** | **794-5618** | **794-4618** | |
| F41, ..., F50 (10x) | **794-619** | **794-5619** | **794-4619** | |

# WAGO WMB Multi Marking System
# for Terminal Block Width 3.5 mm, 4 – 4.2 mm, 5 mm and Higher

| | |
|---|---|
| | **vertical marking**<br>**10 strips with 10 markers per card**<br>**for terminal widths 5 - 17.5 mm**<br>**for PLC input marking and**<br>**5 - 5.2 mm und 4 - 4.2 mm und 3.5 mm** |







❶ For continuous marking of 270, 280, 780, 869, 870 and 880 Series terminal blocks
Individual marking of 281 – 285, 781 – 785, 2002, 2003, 2022, 2004, 2006, 2010 and 2016 Series terminal blocks
❷ For continuous marking of 270, 280, 780, 869, 870, 880, 2002, 2003 and 2022 Series terminal blocks
Individual marking of terminal blocks larger than 5 / 5.2 mm
❸ For continuous marking of 279 and 2001 Series terminal blocks
❹ For continuous marking of 2000 and 2020 Series terminal blocks


| Marking | Marker Width ❶ 5 mm | Marker Width ❷ 5 – 5.2 mm | Marker Width ❸ 4 – 4.2 mm | Marker Width ❹ 3.5 mm |
|---|---|---|---|---|
| **for PLC input marking** | | | | |
| E0.0, E0.1, ..., E9.6, E9.7 (1 each) | **793-933** | **793-5933** | **793-4933** | on request |
| E10.0, E10.1, ..., E19.6, E19.7 (1 each) | **793-934** | **793-5934** | **793-4934** | |
| E20.0, E20.1, ..., E29.6, E29.7 (1 each) | **793-935** | **793-5935** | **793-4935** | - |
| E30.0, E30.1, ..., E39.6, E39.7 (1 each) | **793-936** | **793-5936** | **793-4936** | - |
| E40.0, E40.1, ..., E49.6, E49.7 (1 each) | **793-937** | **793-5937** | **793-4937** | - |
| E50.0, E50.1, ..., E59.6, E59.7 (1 each) | **793-938** | **793-5938** | **793-4938** | - |
| E60.0, E60.1, ..., E69.6, E69.7 (1 each) | **793-939** | **793-5939** | **793-4939** | - |
| E70.0, E70.1, ..., E79.6, E79.7 (1 each) | **793-940** | **793-5940** | **793-4940** | - |
| E80.0, E80.1, ..., E89.6, E89.7 (1 each) | **793-941** | **793-5941** | **793-4941** | - |
| E90.0, E90.1, ..., E99.6, E99.7 (1 each) | **793-942** | **793-5942** | **793-4942** | - |
| E100.0, E100.1, ..., E109.6, E109.7 (1 each) | **793-943** | **793-5943** | | - |
| E110.0, E110.1, ..., E119.6, E119.7 (1 each) | **793-944** | **793-5944** | **793-4944** | - |
| E120.0, E120.1, ..., E129.6, E129.7 (1 each) | **793-945** | **793-5945** | **793-4945** | - |
| E130.0, E130.1, ..., E139.6, E139.7 (1 each) | **793-946** | **793-5946** | **793-4946** | - |
| E140.0, E140.1, ..., E149.6, E149.7 (1 each) | **793-947** | **793-5947** | **793-4947** | - |
| E150.0, E150.1, ..., E159.6, E159.7 (1 each) | **793-948** | **793-5948** | **793-4948** | - |
| E160.0, E160.1, ..., E169.6, E169.7 (1 each) | **793-949** | **793-5949** | **793-4949** | - |
| E170.0, E170.1, ..., E179.6, E179.7 (1 each) | **793-950** | **793-5950** | **793-4950** | - |
| E180.0, E180.1, ..., E189.6, E189.7 (1 each) | **793-959** | **793-5959** | **793-4959** | - |
| E190.0, E190.1, ..., E199.6, E199.7 (1 each) | **793-960** | **793-5960** | **793-4960** | - |
| E200.0, E200.1, ..., E209.6, E209.7 (1 each) | **793-961** | **793-5961** | **793-4961** | - |
| | | | | |
| **for PLC output marking** | | | | |
| A0.0, A0.1, ..., A9.6, A9.7 (1 each) | **793-967** | **793-5967** | **793-4967** | |
| A10.0, A10.1, ..., A19.6, A19.7 (1 each) | **793-968** | **793-5968** | **793-4968** | |
| A20.0, A20.1, ..., A29.6, A29.7 (1 each) | **793-969** | **793-5969** | **793-4969** | |
| A30.0, A30.1, ..., A39.6, A39.7 (1 each) | **793-970** | **793-5970** | **793-4970** | |
| A40.0, A40.1, ..., A49.6, A49.7 (1 each) | **793-971** | **793-5971** | **793-4971** | |
| A50.0, A50.1, ..., A59.6, A59.7 (1 each) | **793-972** | **793-5972** | **793-4972** | |
| A60.0, A60.1, ..., A69.6, A69.7 (1 each) | **793-973** | **793-5973** | **793-4973** | |
| A60.0, A60.1, ..., A69.6, A69.7 (1 each) | **793-974** | **793-5974** | **793-4974** | |
| A80.0, A80.1, ..., A89.6, A89.7 (1 each) | **793-975** | **793-5975** | **793-4975** | |
| A90.0, A90.1, ..., A99.6, A99.7 (1 each) | **793-976** | **793-5976** | **793-4976** | |
| A100.0, A100.1, ..., A109.6, A109.7 (1 each) | **793-977** | **793-5977** | **793-4977** | |
| A110.0, A110.1, ..., A119.6, A119.7 (1 each) | **793-978** | **793-5978** | **793-4978** | |
| A120.0, A120.1, ..., A129.6, A129.7 (1 each) | **793-979** | **793-5979** | **793-4979** | |
| A130.0, A130.1, ..., A139.6, A139.7 (1 each) | **793-980** | **793-5980** | **793-4980** | |
| A140.0, A140.1, ..., A149.6, A149.7 (1 each) | **793-981** | **793-5981** | **793-4981** | |
| A150.0, A150.1, ..., A159.6, A159.7 (1 each) | **793-982** | **793-5982** | **793-4982** | |
| A160.0, A160.1, ..., A169.6, A169.7 (1 each) | **793-983** | **793-5983** | **793-4983** | |
| A170.0, A170.1, ..., A179.6, A179.7 (1 each) | **793-984** | **793-5984** | **793-4984** | |
| A180.0, A180.1, ..., A189.6, A189.7 (1 each) | **793-985** | - | **793-4985** | |
| A190.0, A190.1, ..., A199.6, A199.7 (1 each) | **793-986** | **793-5986** | **793-4986** | |
| A200.0, A200.1, ..., A209.6, A209.7 (1 each) | **793-987** | **793-5987** | **793-4987** | |
| A210.0, A210.1, ..., A219.6, A219.7 (1 each) | **793-988** | **793-5988** | **793-4988** | |
| A220.0, A220.1, ..., A229.6, A229.7 (1 each) | **793-989** | **793-5989** | **793-4989** | |
| A230.0, A230.1, ..., A239.6, A239.7 (1each) | **793-990** | **793-5990** | **793-4990** | |
| A240.0, A240.1, ..., A249.6, A249.7 (1 each) | **793-991** | **793-5991** | **793-4991** | |
| A250.0, A250.1, ..., A259.6, A259.7 (1 each) | **793-992** | **793-5992** | **793-4992** | |

# WAGO Miniature WSB Quick Marking System and T Marker Tag for Terminal Blocks with Miniature WSB Marker Slots

| Miniature WSB Quick marking system<br>horizontal marking<br>10 strips with 10 markers per card | Miniature WSB Quick marking system | T marker tag<br>plain |
|---|---|---|







| | Item No. | Pack. Unit |
|---|---|---|
| **Miniature WSB Quick marking system** | | |
| ◯ 1 ... 10 (10x) | **248-502** | 5 |
| ◯ 11 ... 20 (10x) | **248-503** | 5 |
| ◯ 21 ... 30 (10x) | **248-504** | 5 |
| ◯ 31 ... 40 (10x) | **248-505** | 5 |
| ◯ 41 ... 50 (10x) | **248-506** | 5 |
| ◯ 51 ... 60 (10x) | **248-569** | 5 |
| ◯ 61 ... 70 (10x) | **248-570** | 5 |
| ◯ 71 ... 80 (10x) | **248-571** | 5 |
| ◯ 81 ... 90 (10x) | **248-572** | 5 |
| ◯ 91 ... 100 (10x) | **248-573** | 5 |
| **Miniature WSB Quick marking system** | | |
| ◯ 1 ... 50 (2x) | **248-566** | 5 |
| **Miniature WSB Quick marking system** | | |
| ◯ U, V, W, N, PE, U, V, W, N, PE (10x) | **248-474** | 5 |
| **Miniature WSB Quick marking system** | | |
| ◯ L1, L2, L3, N, PE, L1, L2, L3, N, PE (10x) | **248-472** | 5 |

| | Item No. | Pack. Unit |
|---|---|---|
| **Miniature WSB Quick marking system** | | |
| ◯ 1, , 2, , 3, , 4, , 5, ; to 46, , 47, , 48, , 49, , 50, ; (1 each) | **264-900** | 5 |
| ◯ U, , V, , W, , N, , PE, ; (10x) | **264-901** | 5 |
| ◯ L1, , L2, , L3, , N, , PE, ; (10x) | **264-902** | 5 |
| ◯ 1, , 1, , 1, , 1, , 1, ; (10x) | **264-903** | 5 |
| ◯ 2, , 2, , 2, , 2, , 2, ; (10x) | **264-904** | 5 |
| ◯ 3, , 3, , 3, , 3, , 3, ; (10x) | **264-905** | 5 |


| | Item No. | Pack. Unit |
|---|---|---|
| **T marker tag,** 30 markers each tag, up to 6 characters per marker , stretchable from 5 mm to 6 mm, factory inkjet marking upon request | | |
| ◯ plain | **209-290** | 50 |




**6 characters per marker**
The T marker tag fulfills customer requests for larger marking areas for 264 Series terminal strips.
The T marker can be marked with up to 6 characters per marker and is snapped into the miniature WSB marker slot.
Terminal strips in any combination of 2- and 4-conductor terminal blocks can be marked easily by stretching the tag.

# Marker Cards, Plain
# Marking strips

| WMB Multi marking system | WMB Multi marking system | WMB Inline and marking strips |
|---|---|---|









| | Item No. | Pack. Unit |
|---|---|---|
| **WMB Multi marking system,** for terminal widths 5 - 17.5 mm, 10 strips with 10 markers per card | | |
| ◯ plain | **793-501** | 5 |
| **Marker cards in different colors:** | | |
| yellow | **793-501/000-002** | 5 |
| red | **793-501/000-005** | 5 |
| blue | **793-501/000-006** | 5 |
| gray | **793-501/000-007** | 5 |
| orange | **793-501/000-012** | 5 |
| light green | **793-501/000-017** | 5 |
| green | **793-501/000-023** | 5 |
| violet | **793-501/000-024** | 5 |

| | Item No. | Pack. Unit |
|---|---|---|
| **WMB Multi marking system,** stretchable 5 - 5.2 mm, 10 strips with 10 markers per card | | |
| ◯ plain | **793-5501** | 5 |
| **Marker cards in different colors:** | | |
| yellow | **793-5501/000-002** | 5 |
| red | **793-5501/000-005** | 5 |
| blue | **793-5501/000-006** | 5 |
| gray | **793-5501/000-007** | 5 |
| orange | **793-5501/000-012** | 5 |
| light green | **793-5501/000-017** | 5 |
| green | **793-5501/000-023** | 5 |
| violet | **793-5501/000-024** | 5 |

| | Item No. | Pack. Unit |
|---|---|---|
| **WMB Inline,** plain, stretchable 5 - 5.2 mm, 1,500 WMB markers, 5 mm, on roll | | |
| ◯ white | **2009-115** | 1 |
| **WMB Inline,** plain, stretchable 5 - 5.2 mm, 8,000 WMB markers on roll | | |
| ◯ white | **2009-135** | 1 |








| | Item No. | Pack. Unit |
|---|---|---|
| **WMB Multi marking system,** stretchable 4 - 4.2 mm, 10 strips with 10 markers per card | | |
| ◯ plain | **793-4501** | 5 |
| **Marker cards in different colors:** | | |
| yellow | **793-4501/000-002** | 5 |
| red | **793-4501/000-005** | 5 |
| blue | **793-4501/000-006** | 5 |
| gray | **793-4501/000-007** | 5 |
| orange | **793-4501/000-012** | 5 |
| light green | **793-4501/000-017** | 5 |
| green | **793-4501/000-023** | 5 |
| violet | **793-4501/000-024** | 5 |

| | Item No. | Pack. Unit |
|---|---|---|
| **Miniature WSB Quick marking system,** 5 mm wide markers, 10 strips with 10 markers per card | | |
| ◯ plain | **248-501** | 5 |
| **Marker cards in different colors:** | | |
| yellow | **248-501/000-002** | 5 |
| red | **248-501/000-005** | 5 |
| blue | **248-501/000-006** | 5 |
| gray | **248-501/000-007** | 5 |
| orange | **248-501/000-012** | 5 |
| light green | **248-501/000-017** | 5 |
| green | **248-501/000-023** | 5 |
| violet | **248-501/000-024** | 5 |


| | Item No. | Pack. Unit |
|---|---|---|
| **Marking strip,** plain, 11 mm wide, white | | |
| ◯ 50 m roll | **2009-110** | 1 |

# End Stops for DIN 35 Rail


## Screwless end stop





| | Item No. | Pack. Unit |
|---|---|---|
| **Screwless end stop,** for DIN 35 rail, 6 mm wide | | |
| gray | **249-116** | 100 (4x25) |





| | Item No. | Pack. Unit |
|---|---|---|
| **Screwless end stop,** for DIN 35 rail, 10 mm wide | | |
| gray | **249-117** | 50 (2x25) |




**Snap on**





**That's it!**



Remove a end stop from the rail.

Fit – and forget! Assembling the new WAGO screwless end stop is as simple and quick as snapping a WAGO rail-mount terminal block onto the rail.

**Without any tools!**

This allows rail-mount terminal blocks to be safely secured, at low cost, against any movement on all DIN 35 carrier rails acc. to DIN EN 50022 (35 x 7.5 mm; 35 x 15 mm).

**Entirely without screws!**

The "secret" of the excellent tight fit lies in the two small clamping plates which keep the end stop in position, even if the rails are mounted vertically.

**Simply snap on and forget!**

In addition, costs are significantly reduced when using large numbers of end stops.


Additional benefit: Three marker slots for all WAGO rail-mount terminal block markers and one snap-in hole for WAGO adjustable height group marker carriers offer individual marking options.

# Group Marker Carriers (Height-Adjustable) and Movable Marking System

| Height-adjustable group marker carrier | Carrier-through element |
|---|---|







Receptacles for:
1 x marker
2 x WMB (Multi marking) or
3 x WCB (Combi marking) or
1 x WFB (Continuous marking strips)


| | Item No. | Pack. Unit |
|---|---|---|
| **Height-adjustable group marker carrier,** | | |
| snap-on type and height-adjustable from 43.5 mm to 59.5 mm in 249-116 and 249-117 end stops, for 1 marker or self-adhesive label and transparent protection covers, 10 mm wide | | |
| gray | **249-119** | 50 (2x25) |
| snap-on type and height-adjustable from 43.5 mm to 59.5 mm in 249-116 and 249-117 end stops, for 2 WMB markers or 1 x continuous strip, 10 mm wide | | |
| gray | **249-118** | 100 (4x25) |
| snap-on type and height-adjustable from 42.2 mm to 58.2 mm in 249-116 and 249-117 end stops, with marker surface, 6 mm wide | | |
| white | **249-120** | 50 (2x25) |
| snap-on type and height-adjustable from 45 mm to 61 mm in 249-116 and 249-117 end stops, for 2 WMB markers or 1 x TOPJOB®S marking strips, 12.2 mm wide | | |
| gray | **2009-163** | 50 (2x25) |

| | Item No. | Pack. Unit |
|---|---|---|
| **Carrier-through element,** | | |
| height-adjustable | | |
| gray | **709-118** | 50 (2x25) |
| **Carrier-end element,** | | |
| height-adjustable | | |
| gray | **709-119** | 50 (2x25) |

This system can be used as an additional group marker carrier or continuous marking strip carrier for terminal strips or single-deck rail-mount terminal blocks, for example:
- 264 Series terminal strips for DIN 35 rails
- 279 to 284 Series single-deck rail-mount terminal blocks, with a maximum height of 49 mm/1.93 in from the upper edge of the carrier rail (please observe conductor radius).

## Item-Specific Accessories

| | | | |
|---|---|---|---|
| **Marking strip carrier,** | | | |
|  | folded, 1 m long, 16 mm wide, 1.7 mm thick | | |
| | transparent | **709-120** | 1 |
| **Marking card,** | | | |
|  | with 14 marking strips, DIN A4 | | |
| | plain | **709-193** | 1 |




Dimensions in mm



Height-adjustable group marker carrier for TOPJOB®S marking strips

# Group Marker Carriers

| Group marker carrier | Group marker carrier | Group marker carrier |
|---|---|---|







| | Item No. | Pack. Unit |
|---|---|---|
| **Group marker carrier,** | | |
| to insert into jumper slots of terminal blocks, for terminal block width of 4 - 6 mm, for up to 3 WMB markers or 8 marker tags, 15 mm wide | | |
| ◯ gray | **209-140** | 50 (2x25) |
| for up to 2 WMB markers or 5 marker tags, 10 mm wide | | |
| ◯ gray | **209-141** | 50 (2x25) |
| for up to 1 WMB marker or 2 marker tags, 5 mm wide | | |
| ◯ gray | **209-142** | 50 (2x25) |

| | Item No. | Pack. Unit |
|---|---|---|
| **Group marker carrier,** | | |
| for snapping into screwless end stops; for center or side mounting, 10 mm wide | | |
| ◯ white | **209-112** | 100 (2x50) |
| **Marker,** | | |
| from white cardboard, for self-marking, 100 markers per sheet | | |
| ◯ white | **209-113** | 1 |
| **Self-adhesive label,** | | |
| for self-marking, 7 x 25 labels per sheet | | |
| ◯ white | **210-345** | 1 |
| **Protection cover** | | |
| transparent | **209-114** | 50 |

| | Item No. | Pack. Unit |
|---|---|---|
| **Group marker carrier,** | | |
| for WMB and miniature WSB marker receptacles, 10 mm wide | | |
| ◯ white | **209-145** | 100 (2x50) |



Group marker carriers



Group marker carrier with marker and protection cover

