SIEMENS

Data sheet 5ST3013-2



AUXILIARY SW. WITH TEST BUTTON 1NO+1NC FOR MCB 5SL, 5SY, 5SP, ON-OFF-SW. 5TL1, RCBO 5SU1, RCD 5SV, FOR LOW POWER

Model		
product brand name		SENTRON
Product designation		Auxiliary current switch
Design of the product		Mountable
Design of the product / factory mounted		No
Control current		
Type of voltage / of control voltage		AC/DC
Product details		
Product expansion		Auxiliary current switch
• can be mounted		RCBO and miniature circuit breaker
Number		
Number of fault signal contacts		0
Number of NC contacts		1
Number of NO contacts		1
Number of CO contacts		0
Mechanical Design		
Height	mm	90

Changes preserved
© Copyright Siemens AG

Width	mm	9
Depth	mm	70
Number of width units		0.5
Net weight	g	45

General Product Approval	Declaration of Conformity

VDE

EG-Konf.

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5ST30132

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
http://support.automation.siemens.com/WW/view/en/5ST30132/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST30132

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://ausschreibungstexte.siemens.com/tiplv



Changes preserved
© Copyright Siemens AG



last modified: 07.10.2015

Changes preserved
© Copyright Siemens AG