SIEMENS

Data sheet 5ST3030

SHUNT RELEASE MOUNT. AC110-415V,F. LS-SWITCH T=70MM



Figure similar

Model		
product brand name		SENTRON
Product designation		Shunt trip
Design of the product		Mountable
Design of the product / factory mounted		No
Main circuit		
Operating voltage / Rated value	V	230
Control current		
Type of voltage / of control voltage		AC
Product details		
Product expansion		shunt trip
• can be mounted		residual current operated circuit breaker
Number		
Number of fault signal contacts		0
Number of NC contacts		0
Number of NO contacts		2
Number of CO contacts		0

Changes preserved
© Copyright Siemens AG

Mechanical Design

Number of width units		1
Net weight	g	100

General Product Approval	Declaration of Conformity	other	
		Umweltbestätigung	sonstig

EG-Konf.

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5ST3030

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
http://support.automation.siemens.com/WW/view/en/5ST3030/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3030

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://ausschreibungstexte.siemens.com/tiplv





Changes preserved
© Copyright Siemens AG



last modified: 12.10.2015

Changes preserved
© Copyright Siemens AG