SIEMENS

Product data sheet 5ST3031



Similar to image

SHUNT RELEASE MOUNT. DC 24-48V,
F. LS-SWITCH T=70MM

Technical data:		
Number of NC contacts		2
Product extension		shunt trip
Number of change-over switches		0
Number of NO contacts		0
Number of pitch units for width		1
Operating voltage / rated value	V	230
Design of product / factory mounted		No
Product extension / can be mounted		residual current operated circuit breaker
Number of fault signal contacts		0
Type of voltage / of the control voltage		AC/DC

Certificates/approvals:

General Product Approval	Declaration of Conformity	other	
GOST	EG-Konf.	other	Environmental Confirmations

Further information:

subject to modifications
© Copyright Siemens AG 2013

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs


Industry Mall (Online ordering system)
http://www.siemens.com/lowvoltage/mall


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
http://support.automation.siemens.com/WW/view/en/5ST3031/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3031

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
Datanorm GAEB81 GAEB83 RTF TXT





© Copyright Siemens AG 2013



last change: Mar 4, 2013

subject to modifications
© Copyright Siemens AG 2013