Signal Towers Kombi*SIGN* 71

This is how you can assemble your Kombi*SIGN* 71 signal tower

▸ STEP 1
Select the required optical or audible elements in the correct voltage (for details see page 33).

Many Kombi*SIGN* highlights are also available (for details see page 31).



Audible Signal Elements
- Buzzer element
- Siren element
- Vocal element

Optical Signal Elements
- (LED) Permanent light
- LED Permanent light ultrabright
- (LED) Flashing light
- LED EVS element
- LED Blinking light
- LED Rotating light
- LED Permanent light element multicolour

▸ STEP 2
Select the appropriate mounting option for your application.

▸ STEP 3
Select the correct terminal element for your mounting option
(for details see page 43).

Base Mounting


Terminal element with CAGE CLAMP® technology
Order no. **640 800 00**


Screw terminal
Order no. **640 820 00**

NEW

Terminal element M12
Order no. **640 850 55**

Tube Mounting


Terminal element with CAGE CLAMP® technology
Order no. **640 810 00**


Screw terminal
Order no. **640 830 00**

NEW

Terminal element M12
Order no. **640 860 55**

▸ STEP 4
Where appropriate, select a base and the desired tube length (only for tube mounting) (For details see page 67).


Tube with clamp
Order no.
960 000 18


Adaptor for single hole mounting
Order no.
960 000 25


Base with integrated tube
Order no.
975 840 10

Tube Ø 25 mm, all anodized

	Order no.
100 mm long	**975 845 10**
250 mm long	**975 840 25**
400 mm long	**975 840 40**
600 mm long	**975 840 60**
800 mm long	**975 840 80**
1000 mm long	**975 840 03**



Base for Tube, plastic
Order no. **975 840 90**



Base for Tube, metal
Order no. **975 840 91**



Foldaway Base
Order no. **960 000 30**



Foldaway Base
Order no. **960 009 12**

NEW


Tube Ø 25 mm, plastic, only for Foldaway Base, 45 mm long
Order no. **960 000 31**



▸ STEP 5
Where appropriate, select the bracket and the contact box (for details see page 67).


Contact box for cable exit at side
Order no. **975 840 01**


Bracket for base mounting
Order no. **960 000 02**


Bracket for 1-sided mounting
Order no. **975 840 85**


Bracket for 2-sided mounting
Order no. **975 840 86**

NEW

Corner fixing bracket
Order no. **960 000 41**


Contact box for cable exit at side
Order no. **975 840 01**


Contact box with magnetic base and cable exit at side
Order no. **975 840 04**


Bracket for base mounting with concealed cable entry
Order no. **960 000 14**


Bracket for tube mounting
Order no. **960 000 01**

NEW


Corner fixing bracket
Order no. **960 000 41**

TIP


The Signal Devices Site on the Internet: **www.werma.com**

With new **signal tower configurator** you can put together your own individual signal tower.


WERMA SIGNALTECHNIK




975.835.01




975.839.02




975.840.01



975.840.02



975.840.03




975.840.04


ADDITIONAL INFORMATION:

You are welcome to request the technical diagrams in digital form. The relevant 3D models, instruction leaflets and connection diagrams can be obtained from us or downloaded from our homepage at any time.


Technical Diagrams




975.840.10




975.840.25




975.840.40




975.840.60




975.840.80




975.840.85




975.840.86




975.840.90




975.840.91



975.845.01




975.845.02





975.845.10


ADDITIONAL INFORMATION:


You are welcome to request the technical diagrams in digital form. The relevant 3D models, instruction leaflets and connection diagrams can be obtained from us or downloaded from our homepage at any time.














ADDITIONAL INFORMATION:

You are welcome to request the technical diagrams in digital form. The relevant 3D models, instruction leaflets and connection diagrams can be obtained from us or downloaded from our homepage at any time.