
# WAGO MARKING

## Samples and Overview




WE INNOVATE!

WAGO®

# THE INDUSTRY'S FASTEST AND MOST COST-EFFECTIVE MARKING SYSTEM

## Marking materials, printers and software from WAGO are perfectly synchronized for seamless marking:

- Inline marker slots on DIN-rail-mount terminal blocks for fast marking via markers and marking strips
- Multi-line marking strips for clear, detailed control cabinet labels
- ProServe® Software, combined with the appropriate printer, simplifies custom marking
- Easy-to-separate inline markers for multi-level terminal blocks
- Professional DYMO 3M PL300 Mobile Printer for convenient, software-free marking of electrical installations
- Marking strips suitable for all TOPJOB® S DIN-rail-mount terminal blocks, as well as other select WAGO terminal blocks

# CONTENTS


## Marking Materials

Terminal Block Marking 4

Cable and Wire Marking 10

Device Marking 20

## ProServe® — Professional Services

Designing · Ordering · Marking 38

## Printers

***smart***PRINTER, TP 298+, DYMO 3M PL300 40


2009-0115
WMB Inline
1,500 pcs.


# TERMINAL BLOCK MARKING

**Clear marking is essential to helping ensure error-free wiring for greater safety and reliability.**

WAGO offers several options for implementing the right marking solution at the right price. Clearly organize and label all control cabinet components using time-saving marking strips and WMB Inline markers.

WAGO provides multi-line marking for added convenience and greater detail that helps reduce installation errors. Continuous marking strips are supplied on rolls and can even be used on terminal blocks of different sizes.

WAGO-exclusive WMB Inline markers are connected to one another and can be applied to 4–4.2 mm and 5 mm or 5.2 mm wide terminal blocks. They can also be separated for wider terminal blocks. This versatility makes them the perfect fit for any terminal block width.


Block A- X.20
Block A- X.21
6 27 28 29 30 31 32 33 34 35 36 37 38 39 40

# MARKING STRIPS

**Muster 2009-110**
**126 x 10 mm**

**For *smart*PRINTER and TP 298+**

| Item No. | Width | Roll |
|---|---|---|
| 709-177 | 7.5 mm, translucent | 50 m |
| 709-178 | 7.5 mm, white | 50 m |
| 757-901/000-050 | 10 mm, white | 50 m |
| 2009-110 (above) | 11 mm, white | 50 m |
| | | |


A 2.5
A 2.6
A 2.7
A 2.8
A 2.9
A 2.10
A 3.1
A 3.2
A 3.3
A 3.4
7
6
5
4
3
2
1
20
19
18
17

# INLINE MARKERS

on a roll – WMB Inline and Mini-WSB Inline

**Muster 2009-115**
**75 x 10 mm**

**Muster 2009-145, 75 x 5 mm**

**For *smart*PRINTER and TP 298+**


| Item No. | Terminal Block Width | Roll |
|---|---|---|
| 2009-114 WMB Inline | 4.0–4.2 mm | 2,000 pcs |
| 2009-115<br>(WMB Inline, top sample) | 5.0–5.2 mm | 1,500 pcs |
| 2009-145<br>(Mini-WSB Inline,<br>bottom sample) | 5.0–5.2 mm | 1,700 pcs |



# CABLE AND WIRE MARKING

**WAGO offers versatile marking options for cables and wires – even across the greatest variety of marking surface sizes!**

The choice is yours: Whether you prefer marking sleeves, self-laminating labels or wire markers for thread-on mounting, WAGO has the right solution for marking any application.


AM.02
AM.03
AM.04
AM.05
AM.06
AM.07
AM.08
AM.09
AM.10
AM.11
AM.13
Block A- X.15
Block A- X.16
Block A- X.17
Block A- X.18
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

# MARKING SLEEVES

**211-823**
**25 x 10 mm**

**For *smart*PRINTER and TP 298+, transparent sleeves**


| Item No. | Length | Wire Diameter | Suitable Markers |
|---|---|---|---|
| 211-812 | 12 mm | 1.4–5.0 mm | 211-811, 12 x 4 mm |
| 211-813 | 12 mm | 5.0–11.0 mm | 211-811, 12 x 4 mm |
| 211-823 (sample) | 23 mm | 1.4–5.0 mm | 211-821, 23 x 4 mm |
| 211-824 | 23 mm | 5.0–11.0 mm | 211-821, 23 x 4 mm |
| 211-829 | 23 mm | Secure using cable ties | 211-821, 23 x 4 mm |

**For TP 298+, black sleeves**

| Item No. | Length | Wire Diameter | Suitable Markers |
|---|---|---|---|
| 211-112 | 12 mm | 1.6–3.2 mm | 211-111, 12 x 4 mm |
| 211-113 | 12 mm | 2.2–4.5 mm | 211-111, 12 x 4 mm |
| 211-114 | 12 mm | 3.7–5.9 mm | 211-111, 12 x 4 mm |
| 211-115 | 12 mm | 5.5–10 mm | 211-111, 12 x 4 mm |
| 211-122 | 23 mm | 1.6–3.2 mm | 211-121, 23 x 4 mm |
| 211-123 | 23 mm | 2.2–4.5 mm | 211-121, 23 x 4 mm |
| 211-124 | 23 mm | 3.7–5.9 mm | 211-121, 23 x 4 mm |
| 211-125 | 23 mm | 5.5–10 mm | 211-121, 23 x 4 mm |


Gbd. X1- 2.Etage
B110A
Gbd. X1-1.Etage
B110A
Gbd. X1- 2.Etage
B110A
Gbd. X1-3.Etage

# CABLE TIE MARKERS





**For *smart*PRINTER and TP 298+**


| Item No. | Writable Surface |
|---|---|
| 211-835 (sample) | 25 x 10 mm, 1 line |
| 211-836 | 100 x 15 mm, 2 lines |
| 807-0090/0101-0100 | Suitable cable tie |

**For TP 298+**

| | |
|---|---|
| 211-135 | 25 x 10 mm, 2 lines |


A.0001
A.0002
A.0003
A.0004
A.0005

# SELF-LAMINATING LABELS




**For *smart*PRINTER and TP 298+**

| Item No. | Writable Surface | Cable Diameter |
|---|---|---|
| 211-855 (sample) | 9 x 18 mm, 2 lines | max. 9 mm |
| 211-856 | 15 x 22 mm, 2 lines | max. 12 mm |
| 211-857 | 18 x 44 mm, 1 line | max. 22 mm |


**For TP 298+**

| | | |
|---|---|---|
| 211-155 | 8 x 18 mm, 5 lines | max. 9 mm |
| 211-156 | 13 x 23 mm, 4 lines | max. 12 mm |

A2 A1 A2 A1 A2 A1 A2 A1

X.28 -B2 X.29 -B2 X.30 -B2 X.31 -B2 X.32 -B2 X.33 -B2 X.34 -B2 X.35 -B2

# WIRE MARKERS FOR THREAD-ON MOUNTING




**For *smart*PRINTER and TP 298+**

| Item No. | Writable Surface | Wire Marking |
|---|---|---|
| 211-861 | 5 x 10.5 mm, 3 lines | 0.75–1.5 $mm^2$ |
| 211-862 (sample) | 7 x 10.5 mm, 3 lines | 2.5–6.0 $mm^2$ |
| 211-863 | 10 x 17 mm, 2 lines | 6.0–16 $mm^2$ |

**For TP 298+**

| | | |
|---|---|---|
| 211-161 | 5 x 10.5 mm, 4 lines | 0.75–1.5 $mm^2$ |
| 211-162 | 7 x 10.5 mm, 4 lines | 2.5–6.0 $mm^2$ |

WAGO Kontakttec
Hansa
32423 Min

Product

Date

Label 44 x 99, color white

February 2013

210-803

mbH & Co. KG
. 27
Minden

uct

Date

- BMK2
- BMK4
- BMK6
MK8

# DEVICE MARKING

**WAGO's broad selection of label types (e.g., printable fabric), push-button markers and type plates optimizes marking for devices and control cabinets.**

Most labels can be conveniently printed directly from a roll. In addition, various colors and sizes are available, as well as frames, for push-button markers or plastic covers.

Take advantage of WAGO's free ProServe® Software to easily customize marking!


Block
A2-15 M
Block
A2-16 M
Block
A2-17 M
Block
A2-18 M
A2-19 M
A2-20 M
A2-21 M
A2-22 M


# MARKING STRIPS

## Self-Adhesive

**210-702**
**91 x 10 mm**


**For *smart*PRINTER and TP 298+**

| Item No. | Width | Roll |
|---|---|---|
| 210-702 | 15 mm | 50 m |


12 22 32 42 52 62 72 82
11 21 31 41 51 61 71 81
14 24 34 44 54 64 74 84

# CONTINUOUS LABELS

## Self-Adhesive




**For *smart*PRINTER and TP 298+**

| Item No. | Width/Number of Strips | Roll |
|---|---|---|
| 210-831 | 2.3 mm/9 | 25 m |
| 210-832 (sample) | 3.0 mm/9 | 25 m |
| 210-833 | 6.0 mm/5 | 25 m |
| 210-834 | 5.0 mm/5 | 25 m |


**For TP 298+**

| | | |
|---|---|---|
| 210-732 | 3.0 mm/12 | 25 m |


NC | NC | NO
21 31 43
DC 24V
A1+
3RH
22E
X.13
G/970217
3RH1122-2BB40
14 22 32 44
A2-
NO | NC | NC | NO
NO | NC | NC | NO
13 21 31 43
22E
X.14
G/970217
14 22 32
NO | NC | NC |

# LABELS

## Self-Adhesive




**For *smart*PRINTER and TP 298+**

| Item No. | Size | Roll |
|---|---|---|
| 210-805 | 6 x 15 mm, white | 3,000 pcs |
| 210-805/000-002 | 6 x 15 mm, yellow | 3,000 pcs |
| 210-806 | 9 x 15 mm, white | 3,000 pcs |
| 210-806/000-002 (above) | 9 x 15 mm, yellow | 3,000 pcs |
| 210-807 | 8 x 20 mm, white | 3,000 pcs |
| 210-807/000-002 | 8 x 20 mm, yellow | 3,000 pcs |

**For TP 298+**

| | | |
|---|---|---|
| 210-705 | 6 x 15 mm, white | 3,000 pcs |
| 210-705/000-002 | 6 x 15 mm, yellow | 3,000 pcs |
| 210-706 | 9 x 15 mm, white | 3,000 pcs |
| 210-706/000-002 | 9 x 15 mm, yellow | 3,000 pcs |
| 210-707 | 8 x 20 mm, white | 3,000 pcs |
| 210-707/000-002 | 8 x 20 mm, yellow | 3,000 pcs |

- BMK1
- BMK3
- BMK5
- BMK7
- BMK9
- BMK1
- BMK3
- BMK5
- BMK6
- BMK8
- BMK10
- BMK2
- BMK4
- BMK6


# FABRIC LABELS

## Self-Adhesive





**For *smart*PRINTER and TP 298+**

| Item No. | Size | Roll |
|---|---|---|
| 210-811 | 7 x 20 mm, white | 3,000 pcs |
| 210-811/000-002 (above) | 7 x 20 mm, yellow | 3,000 pcs |


X-15
3. Étage C4
S-12

# LABELS

## Self-Adhesive




**For *smart*PRINTER and TP 298+**

| Item No. | Size | Roll |
|---|---|---|
| 210-808 (sample) | 3 lines, 9.5 x 25 mm, white | 1,500 pcs |
| 249-119 | Height-adjustable group marker carrier | |


**For TP 298+**

| | | |
|---|---|---|
| 210-708 | 5 lines, 9.5 x 25 mm, white | 3,000 pcs |
| 249-119 | Height-adjustable group marker carrier | |


WAGO
Hansastr.27
D-32423 Minden
GL
S.11 - 98 X2

# LABELS

## Self-Adhesive




**For *smart*PRINTER and TP 298+**

| Item No. | Size | Roll/Color |
|---|---|---|
| 210-810 (sample) | 1 line, 5 x 35 mm | 1,500 pcs/white |
| 249-120 | Height-adjustable group marker carrier | |


**For TP 298+**

| | | |
|---|---|---|
| 210-710 | 2 line, 5 x 35 mm | 1,500 pcs/white |
| 249-120 | Height-adjustable group marker carrier | |

| WAGO Kontakttechnik GmbH & Co. KG<br>Hansastr. 27<br>32423 Minden | WAGO® |
|---|---|
| **Product** | Label 44 x 99, color silver |
| **Date** | February 2013 |
| **ID** | 210-804 |



# TYPE PLATES




**For *smart*PRINTER and TP 298+**

| Item No. | Size |
|---|---|
| 210-801 | 70 x 33 mm, white |
| 210-802 | 70 x 33 mm, silver |
| 210-803 | 99 x 44 mm, white |
| 210-804 (sample) | 99 x 44 mm, silver |

**For TP 298+**

| | |
|---|---|
| 210-703 | 100 x 70 mm, white |
| 210-704 | 100 x 70 mm, silver |








| Push-Button Accessories |
|---|
| 210-851 Cover, transparent, 100 pcs |
| 210-857 Cover, transparent, 100 pcs |
| 210-859 Cover, transparent, 100 pcs |
| 210-861 Cover, transparent, 100 pcs |
| 210-863 Cover, transparent, 100 pcs |
| 210-853 Push-button frame, black, 100 pcs |
| 210-853 Push-button frame, black, 100 pcs |
| – |

# PUSH-BUTTON MARKERS




**For *smart*PRINTER and TP 298+**

| Item No. (Push-Button Marker) | Size | Roll | Color/Other |
|---|---|---|---|
| 210-850 (for Eaton) | 26.5 x 18.0 mm | 1,000 pcs | Silver/Detachable adhesive |
| 210-856 (for Siemens) | 27.5 x 17.5 mm | 1,000 pcs | Silver/Detachable adhesive |
| 210-858 (for Siemens) | 22.0 x 22.0 mm | 1,000 pcs | Silver/Permanent adhesive |
| 210-860 (for Siemens) | 27.0 x 27.0 mm | 1,000 pcs | Silver/Permanent adhesive |
| 210-862 (for Siemens) | 27.0 x 12.5 mm | 1,000 pcs | Silver/Permanent adhesive |
| 210-852 | 27.0 x 19.0 mm | 350 pcs | Silver/Permanent adhesive |
| 210-855 | 27.0 x 18.0 mm | 350 pcs | Silver/Permanent adhesive |
| 210-854 (sample) | 28.0 x 28.0 mm | 500 pcs | Silver/Permanent adhesive |

# ProServe®

## Designing · Ordering · Marking





### ProServe® — Professional Services

ProServe® provides easy online configuration and marking of terminal block assemblies – it is compatible with all CAE systems and no software installation is required.

Rail Assembly






***smart***SCRIPT

Software simplifies marking, and conveniently controls printers.

2D/3D Data Export





***smart***DESIGNER

WAGO's online configurator for electrical interconnect and automation products.
The all-in-one tool for ordering and printing.

# THERMAL TRANSFER PRINTERS



**TP 298+**
258-298



***smart***PRINTER
258-5000

# MOBILE PRINTER

Everything you need to know about printers, time-saving accessories and marking materials is available at:

**www.wago.com/printer**




**DYMO 3M PL300**
258-6000

Watch videos

60250863 - 0888-0209/0201-6901 - MARKING SAMPLE BOOKLET 2.1 US - 06/2015 - Printed in Germany - Subject to design changes



**http://eshop.wago.com**

WAGO Kontakttechnik GmbH & Co. KG
Postfach 28 80 · D - 32385 Minden
Hansastraße 27 · D - 32423 Minden
Germany

Phone: +49 571 887- 0
Fax: +49 571 887-169
Email: info@wago.com
Online: www.wago.com

WE INNOVATE!