SIEMENS

Data sheet 3RB2966-2WH2

CURRENT TRANSFORMER 63...630 A FOR 3RB22/23/24 SIZE S10/S12 MOUNT. ONTO CONT./ STAND-ALONE MAIN CIRCUIT: BAR CONNECTION AUX. CIRCUIT: --



product brandname	SIRIUS
General technical data	
Type of protection	PTB 05 ATEX 3022 Ex II (2) GD
Main circuit	
Adjustable pick-up value current of the current-dependent overload release	63 ... 630 A
Installation/ mounting/ dimensions	
Mounting type	direct mounting / stand-alone installation
Connections/Terminals	
Type of electrical connection	
• for main current circuit	screw-type terminals
Certificates/approvals	

Subject to change without notice
© Copyright Siemens

General Product Approval				For use in hazardous locations	Declaration of Conformity
CCC	CSA	UL	EAC	ATEX	EG-Konf.

Test Certificates			Shipping Approval		
Typprüfbescheinigung/Werkszeugnis	spezielle Prüfbescheinigungen	Werksbescheinigungen	ABS	BUREAU VERITAS	LRS

Shipping Approval	other	
RINA	Bestätigungen	Umweltbestätigung

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RB2966-2WH2

Cax online generator
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RB2966-2WH2

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3RB2966-2WH2

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RB2966-2WH2&lang=en

Subject to change without notice
© Copyright Siemens







last modified: 05/19/2017

Subject to change without notice
© Copyright Siemens