Terminal strip (compact block terminal strip); with fixing flanges M3; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 12-pole



Item No.: 869-112

Terminal strip (compact block terminal strip); with fixing flanges M3; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 12-pole

Marking

RoHS ✓
Compliant

Business data

Supplier	*WAGO*
Item no.	*869-112*
GTIN / EAN	*4044918480772*
Content	*1*
Order amount	*25*
Customer item number	

Notes


Technical data


Miscellaneous

Safety information 1	*Max. insulation diameter: 4.4mm*
Packaging type	*BOX*
Rated voltage (III / 3) [V]	*500 [V]*
Rated impulse voltage (III / 3) [kV]	*6 [kV]*
Rated current [A]	*24 [A]*

Technical data	
Legend (ratings)	*(III / 3) Overvoltage category III / Pollution degree 3*
Type of wiring	*Front-entry wiring*
No. of poles	*12*
Total number of connection points	*24*
Total number of potentials	*12*
Number of levels	*1*
Connection technology	*CAGE CLAMP®*
Actuation type	*Operating tool*
Connectable conductor materials	*Copper*
Solid conductor	*0.08 … 2.5 mm² / 28 … 12 AWG*
Fine-stranded conductor	*0.08 … 4 mm² / 28 … 12 AWG*
Strip length	*6 … 7 mm / 0.24 … 0.28 Inch*
Width	*74.5 mm / 2.933 Inch*
Height from the surface	*27.6 mm / 1.087 Inch*
Depth	*33.4 mm / 1.315 Inch*
Design	*horizontal*
Mounting type	*Mounting flange*
Marking level	*Side marking*
Color	*gray*
Fire load [MJ]	*0.918 [MJ]*
Weight [g]	*51.3 [g]*
Main product function	*Through term. block*
Product type	*Miniature rail-mount terminal blocks*

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Telefon: 0571/887-0
Fax: 0571/887-169
http://www.wago.com
© WAGO Kontakttechnik GmbH & Co. KG
Technische Änderungen und Irrtümer vorbehalten.