PRODUCT CARD

2018-08-21

ENSTO

AVG01GH

Outdoor luminaire



Typ	AVG01GH
GTIN	6410041031217
Nazwa	Outdoor luminaire Ensto AVG01GH 75W E27 GH
Opis	Averia outdoor lighting series provide elegant luminaires for the entire garden area. The range consists of a coherent selection of wall, roof and pole luminaires. The basic materials used are both genuine copper and durable aluminium.
Producent	Ensto Lighting Oy

Specyfikacje techniczne

Wymiary

Masa:	0.82 kg
Długość:	258 mm
Szerokość:	258 mm
Wysokość:	243 mm

Temperatura

Temperatura pracy:	-25 ... 30 °C

Parametry elektryczne

Voltage:	230 V

Kolor

Kolor:	

Mechanical

Odporność na udar:	-

Ratings

Stopień ochrony:	IP44
Moc:	75 W

Protection class:	I
ETIM 7:	EC000062 Luminaire for streets and places

Oprawy oświetleniowe info

Luminaire specific information

Control:	-
Lamp base:	E27
Light source qty and power (W):	1x75
Light source (ILCOS):	IA
Light source:	A60
Materials:	
Optics:	Glass diffuser and anti-glare lamellas
Installation:	Column
IN-OUT- looping:	Ending
Electrical connection, cable size:	3x2,5
Electrical connection, connector type:	Screw terminal

ETIM

ETIM

With light source:	false
Control gear included:	true
Remote control:	None
Suitable for top end size:	50 mm
Adjustable optics:	false
With wireless control:	false
Mounting method:	Post top
With light regulation program control:	false
Suitable for number of lamps:	1
Material housing:	Aluminium
Voltage type:	AC
Material cover:	Other
Colour housing:	Grey
Degree of protection (IP):	IP44
With connection cable:	false
Protection class:	I
Constant luminous flux control:	false
Nominal voltage:	230 V
Lamp holder:	E27
Type of control gear:	Not required

Opakowanie

Opakowanie


Size:	1

Length:	255 mm
Width:	255 mm
Height:	285 mm
Weight (brt):	1.1 kg
Volume:	18.532125

Pallet package

Size:	36

Ensto Pol Sp. z o.o.
ul. Starogardzka 17A
83-010 Straszyn
Poland
Email biuro@ensto.com
Tel. +58 692 40 00
www.ensto.com



Ensto Pol Sp. z o.o.
ul. Starogardzka 17A
83-010 Straszyn
Poland
Email biuro@ensto.com
Tel. +58 692 40 00
www.ensto.com