SUITABLE FOR ZONE 21-22 (DUST)

MODULE 125





Switched sockets
in thermosetting (GRP) with mechanical interlock and **fuse-holder**, for wall mounting 50-60Hz **IP66**

Rated current (A)	Rated voltage (V)	Voltage colour	Poles	h. ref.	Palazzoli code	Pack Q.ty
16 entry M25 fuses 10,3x38	110	yellow	2P+⏚	4	**463124EX**	1
	110	yellow	3P+⏚	4	**463134EX**	1
	110	yellow	3P+N+⏚	4	**463144EX**	1
	230	blue	2P+⏚	6	**463126EX**	1
	230	blue	3P+⏚	9	**463139EX**	1
	230	blue	3P+N+⏚	9	**463149EX**	1
	400	red	2P+⏚	9	**463129EX**	1
	400	red	3P+⏚	6	**463136EX**	1
	400	red	3P+N+⏚	6	**463146EX**	1
	500	black	3P+⏚	7	**463137EX**	1
	500	black	3P+N+⏚	7	**463147EX**	1
32 entry M32 fuses 14x51	110	yellow	2P+⏚	4	**472611EX**	1
	110	yellow	3P+⏚	4	**472711EX**	1
	110	yellow	3P+N+⏚	4	**472811EX**	1
	230	blue	2P+⏚	6	**472621EX**	1
	230	blue	3P+⏚	9	**472721EX**	1
	230	blue	3P+N+⏚	9	**472821EX**	1
	400	red	2P+⏚	9	**472631EX**	1
	400	red	3P+⏚	6	**472731EX**	1
	400	red	3P+N+⏚	6	**472831EX**	1
	500	black	3P+⏚	7	**472751EX**	1
	500	black	3P+N+⏚	7	**472841EX**	1
63 entry M40 fuses E33 DIII	110	yellow	2P+⏚	4	**472612EX**	1
	110	yellow	3P+⏚	4	**472712EX**	1
	110	yellow	3P+N+⏚	4	**472812EX**	1
	230	blue	2P+⏚	6	**472622EX**	1
	230	blue	3P+⏚	9	**472722EX**	1
	230	blue	3P+N+⏚	9	**472822EX**	1
	400	red	2P+⏚	9	**472632EX**	1
	400	red	3P+⏚	6	**472732EX**	1
	400	red	3P+N+⏚	6	**472832EX**	1
	500	black	3P+⏚	7	**472752EX**	1
	500	black	3P+N+⏚	7	**472842EX**	1

Equipment included: insulated cable gland.
Characteristics: fuses not included. The codes 472612EX, 472622EX, 472632EX have cable gland with entry diameter 16-26 mm.

MODULE 125





Switched sockets
in thermosetting (GRP) with mechanical **interlock** and **MCB,** for wall mounting 50-60Hz **IP66**

Rated current (A)	Rated voltage (V)	Voltage colour	Poles	h. ref.	Palazzoli code	Pack Q.ty
16 entry M25 MCB 4,5 kA curve C	110	yellow	2P+⏚	4	**464210EX**	1
	110	yellow	3P+⏚	4	**464310EX**	1
	110	yellow	3P+N+⏚	4	**464410EX**	1
	230	blue	2P+⏚	6	**464220EX**	1
	230	blue	3P+⏚	9	**464320EX**	1
	230	blue	3P+N+⏚	9	**464420EX**	1
	400	red	2P+⏚	9	**464230EX**	1
	400	red	3P+⏚	6	**464330EX**	1
	400	red	3P+N+⏚	6	**464430EX**	1
32 entry M32 MCB 6kA curve C	110	yellow	3P+⏚	4	**464711EX**	1
	110	yellow	3P+N+⏚	4	**464811EX**	1
	230	blue	2P+⏚	6	**464621EX**	1
	230	blue	3P+⏚	9	**464721EX**	1
	400	red	3P+⏚	6	**464731EX**	1
	400	red	3P+N+⏚	6	**464831EX**	1
63 entry M40 MCB 10kA curve C	230	blue	3P+⏚	9	**464722EX**	1
	400	red	3P+⏚	6	**464732EX**	1
	400	red	3P+N+⏚	6	**464832EX**	1

Equipment included: insulated cable gland.
Characteristics: lamp indicating presence of voltage. The code 464722EX have cable gland with entry diameter 16-26 mm.

MODULE 125





Switched sockets
in thermosetting (GRP) with mechanical **interlock, for wall mounting** 50-60Hz **IP66**

Rated current (A)	Rated voltage (V)	Voltage colour	Poles	H. ref.	Palazzoli code	Pack Q.ty
16 entry M25	230	blue	2P+⏚	6	**467126EX**	1
	400	red	3P+⏚	6	**467136EX**	1
	400	red	3P+N+⏚	6	**467146EX**	1
32 entry M32	230	blue	2P+⏚	6	**470226EX**	1
	400	red	3P+⏚	6	**470236EX**	1
	400	red	3P+N+⏚	6	**470246EX**	1
63 entry M40	400	red	3P+⏚	6	**470336EX**	1
	400	red	3P+N+⏚	6	**470346EX**	1

Equipment included: insulated cable gland.

SUITABLE FOR ZONE 2 (GAS)

MODULE 125





Switched sockets
in thermosetting (GRP) with mechanical **interlock** and **fuse-holder,** for wall mounting 50-60Hz **IP66**

Rated current (A)	Rated voltage (V)	Voltage colour	Poles	h ref.	Palazzoli code	Pack Q.ty
16 entry M25 fuses 10,3x38	110	yellow	2P+⏚	4	**463124EX**	1
	110	yellow	3P+⏚	4	**463134EX**	1
	110	yellow	3P+N+⏚	4	**463144EX**	1
	230	blue	2P+⏚	6	**463126EX**	1
	230	blue	3P+⏚	9	**463139EX**	1
	230	blue	3P+N+⏚	9	**463149EX**	1
	400	red	2P+⏚	9	**463129EX**	1
	400	red	3P+⏚	6	**463136EX**	1
	400	red	3P+N+⏚	6	**463146EX**	1
	500	black	3P+⏚	7	**463137EX**	1
	500	black	3P+N+⏚	7	**463147EX**	1
20 entry M32 fuses 14x51	110	yellow	2P+⏚	4	**472611EX**	1
	110	yellow	3P+⏚	4	**472711EX**	1
	110	yellow	3P+N+⏚	4	**472811EX**	1
	230	blue	2P+⏚	6	**472621EX**	1
	230	blue	3P+⏚	9	**472721EX**	1
	230	blue	3P+N+⏚	9	**472821EX**	1
	400	red	2P+⏚	9	**472631EX**	1
	400	red	3P+⏚	6	**472731EX**	1
	400	red	3P+N+⏚	6	**472831EX**	1
	500	black	3P+⏚	7	**472751EX**	1
	500	black	3P+N+⏚	7	**472841EX**	1
40 entry M32 fuses 14x51	110	yellow	2P+⏚	4	**463324EX**	1
	110	yellow	3P+⏚	4	**463334EX**	1
	110	yellow	3P+N+⏚	4	**463344EX**	1
	230	blue	2P+⏚	6	**463326EX**	1
	230	blue	3P+⏚	9	**463339EX**	1
	230	blue	3P+N+⏚	9	**463349EX**	1
	400	red	2P+⏚	9	**463329EX**	1
	400	red	3P+⏚	6	**463336EX**	1
	400	red	3P+N+⏚	6	**463346EX**	1
	500	black	3P+⏚	7	**463337EX**	1
	500	black	3P+N+⏚	7	**463347EX**	1

Equipment included: insulated cable gland.
Characteristics: fuses not included.

Compatibility of plugs with interlocked socket-outlets for zone 2 (GAS)

Rated current			
Sockets with fuse-holder	Sockets with MCB	Sockets with direct connection	plug
16A	16A	16A	16A
20A	20A	32A	32A
40A	40A	40A	63A

MODULE 125





Switched sockets
in thermosetting (GRP) with mechanical **interlock** and **MCB,** for wall mounting 50-60Hz **IP66**

Rated current (A)	Rated voltage (V)	Voltage colour	Poles	h ref.	Palazzoli code	Pack Q.ty
16 entry M25 MCB 4,5 kA curve C	110	yellow	2P+⏚	4	**464210EX**	1
	110	yellow	3P+⏚	4	**464310EX**	1
	110	yellow	3P+N+⏚	4	**464410EX**	1
	230	blue	2P+⏚	6	**464220EX**	1
	230	blue	3P+⏚	9	**464320EX**	1
	230	blue	3P+N+⏚	9	**464420EX**	1
	400	red	2P+⏚	9	**464230EX**	1
	400	red	3P+⏚	6	**464330EX**	1
	400	red	3P+N+⏚	6	**464430EX**	1
32 entry M32 MCB 6 kA curve C	110	yellow	3P+⏚	4	**464711EX**	1
	110	yellow	3P+N+⏚	4	**464811EX**	1
	230	blue	2P+⏚	6	**464621EX**	1
	230	blue	3P+⏚	9	**464721EX**	1
	400	red	3P+⏚	6	**464731EX**	1
	400	red	3P+N+⏚	6	**464831EX**	1
40 entry M32 MCB 10kA curve C	230	blue	3P+⏚	9	**464339EX**	1
	400	red	3P+⏚	6	**464336EX**	1
	400	red	3P+N+⏚	6	**464346EX**	1

Equipment included: insulated cable gland.
Characteristics: lamp indicating presence of voltage.

MODULE 125





Switched sockets
in thermosetting (GRP) with mechanical **interlock,** for wall mounting 50-60Hz **IP66**

Rated current (A)	Rated voltage (V)	Voltage colour	Poles	H. ref.	Palazzoli code	Pack Q.ty
16 entry M25	230	blue	2P+⏚	6	**467126EX**	1
	400	red	3P+⏚	6	**467136EX**	1
	400	red	3P+N+⏚	6	**467146EX**	1
32 entry M32	230	blue	2P+⏚	6	**470226EX**	1
	400	red	3P+⏚	6	**470236EX**	1
	400	red	3P+N+⏚	6	**470246EX**	1
40 entry M40	400	red	3P+⏚	6	**470336EX**	1
	400	red	3P+N+⏚	6	**470346EX**	1

Equipment included: insulated cable gland.

TAIS-EX series

Interlocked sockets in antistatic thermosetting

ATEX
II 2D Ex tb IIIC
T 80/100/115°C
Db IP66

II 3G Ex nR IIC
T6 Gc



DUST ZONE 21-22

16A	230V	2P+⏚	M25		**467126EX**	**463126EX**	**464220EX**	**477303EX**
	400V	3P+⏚	M25		**467136EX**	**463136EX**	**464330EX**	**477413EX**
	400V	3P+N+⏚	M25		**467146EX**	**463146EX**	**464430EX**	**477423EX**
32A	230V	2P+⏚	M32		**470226EX**	**472621EX**	**464621EX**	**477306EX**
	400V	3P+⏚	M32		**470236EX**	**472731EX**	**464731EX**	**477416EX**
	400V	3P+N+⏚	M32		**470246EX**	**472831EX**	**464831EX**	**477426EX**
63A	400V	3P+⏚	M40		**470336EX**	**472732EX**	**464732EX**	**477417EX**
	400V	3P+N+⏚	M40		**470346EX**	**472832EX**	**464832EX**	**477427EX**

Common equipment for dust and gas: cable gland in technopolymer

GAS ZONE 2

16A	230V	2P+⏚	M25		**467126EX**	**463126EX**	**464220EX**	**477303EX**
	400V	3P+⏚	M25		**467136EX**	**463136EX**	**464330EX**	**477413EX**
	400V	3P+N+⏚	M25		**467146EX**	**463146EX**	**464430EX**	**477423EX**
20A	230V	2P+⏚	M32			**472621EX**		**477306EX**
	400V	3P+⏚	M32			**472731EX**		**477416EX**
	400V	3P+N+⏚	M32			**472831EX**		**477426EX**
32A	230V	2P+⏚	M40		**470226EX**		**464621EX**	**477306EX**
	400V	3P+⏚	M40		**470236EX**		**464731EX**	**477416EX**
	400V	3P+N+⏚	M40		**470246EX**		**464831EX**	**477426EX**
40A	400V	3P+⏚	M40		**470336EX**	**463336EX**	**464336EX**	**477417EX**
	400V	3P+N+⏚	M40		**470346EX**	**463346EX**	**464346EX**	**477427EX**

COMMON ACCESSORIES



Coupling fitting

538421EX	M25
538429EX	M32
538436EX	M40



Box

532240EX	125x185 x 1 Socket
532242EX	250x185 x 2 Sockets
532244EX*	380x185 x 2 Sockets



Mounting plate

538800	125x360 x 1 Socket
538802	250x630 x 2 Sockets
538804*	380x630 x 2 Sockets

* For 3 sockets only certified and wired by Palazzoli

COMPOSITIONS

Dust Zone 21
TUV certified and wired by the installer



538800 1 Socket
538802 2 Sockets

Dust Zone 22
Certified and wired by Palazzoli



538804
3 or more sockets

Gas Zone 2 from 16A to 20A
TUV certified and wired by the installer



538800 1 Socket
538802 2 Sockets

Gas Zone 2 from 32A to 40A
TUV certified and wired by the installer



538800 1 Socket
538804 2 Sockets

TAIS-EX software allows for an easy combining of customized units.
It is available on www.palazzoli.com or directly from the QR Code.

SEQUENTIAL INDEX

Palazzoli code	Marks	Pack Q.ty	Catalogue page
463349EX		1	261
464210EX		1	260-261
464220EX		1	260-261
464230EX		1	260-261
464310EX		1	260-261
464320EX		1	260-261
464330EX		1	260-261
464336EX		1	261
464339EX		1	261
464346EX		1	261
464410EX		1	260-261
464420EX		1	260-261
464430EX		1	260-261
464621EX		1	260-261
464711EX		1	260-261
464721EX		1	260-261
464722EX		1	260
464731EX		1	260-261
464732EX		1	260
464811EX		1	260-261
464831EX		1	260-261
464832EX		1	260
465124EX		1	265-266
465126EX		1	265-266
465129EX		1	265-266
465134EX		1	265-266
465136EX		1	265-266
465137EX		1	265-266
465139EX		1	265-266
465144EX		1	265-266
465146EX		1	265-266
465147EX		1	265-266
465149EX		1	265-266
465324EX		1	266
465326EX		1	266
465329EX		1	266
465334EX		1	266
465336EX		1	266
465337EX		1	266
465339EX		1	266
465344EX		1	266
465346EX		1	266
465347EX		1	266
465349EX		1	266
466126EX		1	265-266
466136EX		1	265-266
466146EX		1	265-266
467126EX		1	260-261
467136EX		1	260-261
467146EX		1	260-261
470226EX		1	260-261
470236EX		1	260-261
470246EX		1	260-261
470336EX		1	260-261
470346EX		1	260-261
472236EX		1	265-266
472237EX		1	265
472246EX		1	265-266
472247EX		1	265
472256EX		1	265-266
472257EX		1	265
472336EX		1	265-266
472337EX		1	265
472346EX		1	265-266
472347EX		1	265
472356EX		1	265-266
472357EX		1	265
472436EX		1	265-266
472437EX		1	265
472446EX		1	265-266
472447EX		1	265
472456EX		1	265-266
472457EX		1	265
472546EX		1	265-266
472547EX		1	265
472556EX		1	265-266
472557EX		1	265
472611EX		1	260-261
472612EX		1	260
472621EX		1	260-261
472622EX		1	260
472631EX		1	260-261
472632EX		1	260
472711EX		1	260-261
472712EX		1	260
472721EX		1	260-261
472722EX		1	260
472731EX		1	260-261
472732EX		1	260
472751EX		1	260-261
472752EX		1	260
472811EX		1	260-261
472812EX		1	260
472821EX		1	260-261
472822EX		1	260
472831EX		1	260-261
472832EX		1	260
472841EX		1	260-261
472842EX		1	260
477203EX		1	257
477206EX		1	257
477207EX		1	257
477213EX		1	257
477216EX		1	257
477217EX		1	257
477223EX		1	257
477226EX		1	257
477227EX		1	257
477303EX		1	257
477306EX		1	257
477307EX		1	257
477313EX		1	257
477316EX		1	257
477317EX		1	257
477323EX		1	257
477326EX		1	257
477327EX		1	257
477403EX		1	257
477406EX		1	257
477407EX		1	257
477413EX		1	257
477416EX		1	257
477417EX		1	257
477423EX		1	257
477426EX		1	257
477427EX		1	257
477513EX		1	257
477516EX		1	257
477517EX		1	257
477523EX		1	257
477526EX		1	257
477527EX		1	257
5EX			
511910EX		1	273
511911EX		1	273
511912EX		1	273
511913EX		1	273
511914EX		1	267
511917EX		1	273
511919EX		1	267
511920EX		1	273
511921EX		1	273
511922EX		1	273
511923EX		1	273
532005EX		1	271
532006EX		1	271
532015EX		1	271
532016EX		1	271
532017EX		1	271
532018EX		1	271
532035EX		1	271
532045EX		1	271
532055EX		1	271
532116EX		1	271
532117EX		1	271
532118EX		1	271
532200EX		1	271
532201EX		1	271
532202EX		1	271
532203EX		1	271
532204EX		1	271
532240EX		1	262
532242EX		1	262
532244EX		1	262
538421EX		1	262
538429EX		1	262
538436EX		1	262
540061EX		1	273
540063EX		1	273
540065EX		1	273
540180EX		1	267-273
540185EX		1	267
540186EX		1	267
540190EX		1	273
540195EX		1	273
541050EX		1	273
541055EX		1	267-273
571009EX		50	277
571011EX		50	277
571013EX		50	277
571016EX		50	277
571021EX		20	277
571029EX		20	277
571036EX		10	277
571042EX		5	277
571048EX		5	277
571109EX		50	277
571111EX		50	277
571113EX		50	277
571116EX		50	277
571121EX		20	277
571129EX		20	277
571136EX		10	277
571142EX		5	277
571148EX		5	277
580360EX		1	279
580361EX		1	279
580364EX		1	279
580365EX		1	279
580394EX		1	279
580395EX		1	279
580396EX		1	279
581012EX		50	278
581016EX		50	278
581020EX		50	278
581025EX		20	278
581032EX		20	278
581040EX		20	278
581050EX		10	278
581063EX		5	278
581112EX		50	278
581116EX		50	278
581120EX		50	278
581125EX		20	278
581132EX		20	278
581140EX		20	278
581150EX		10	278
581163EX		5	278
582112EX		50	279
582116EX		50	279
582120EX		50	279
582125EX		20	279
582132EX		20	279
582140EX		20	279
582150EX		10	279
582163EX		5	279
8EX			
820111EX		1	293
820131EX		1	293
820132EX		1	293
820211EX		1	293
820231EX		1	293
820232EX		1	293
820311EX		1	293
820331EX		1	293
820332EX		1	293
822111EX		1	293
822131EX		1	293
822132EX		1	293
822211EX		1	293
822231EX		1	293
822232EX		1	293
822311EX		1	293
822331EX		1	293
822332EX		1	293
830072EX		1	291
831072EX		1	291
831172EX		1	291
831272EX		1	291
9EX			
900253EX		1	285
900263EX		1	285
900273EX		1	285
900453EX		1	285
900463EX		1	285
900473EX		1	285

Mark legend: 1 = IMQ 2 = VDE 3 = R.i.na. 4 = M.M.I. 5 = ENEC 6 = CCC 7 = cULus 8 = UKR 9 = Lloyd's Register 10 = GOST-R