Product data sheet

Specifications



MOUNT.PLATE 2 NSX/CVS/INS FIXED/PLUGIN TOGGLE/ROT/MOT -3P/4P 630A VERTICAL W650

LVS03461

Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT P cubicle
Installation description	Cubicle - width 650 mm depth 400 mm
Installed device	EasyPact: fixed CVS400 without earth leakage protection - control: toggle - vertical installation EasyPact: fixed CVS630 without earth leakage protection - control: toggle - vertical installation EasyPact: fixed EZC400 - control: toggle - vertical installation EasyPact: fixed EZC630 - control: toggle - vertical installation ComPact: fixed INS320...400 - control: direct front rotary handle - vertical installation ComPact: fixed INS500...630 - control: direct front rotary handle - vertical installation ComPact: fixed INV320...400 - control: direct front rotary handle - vertical installation ComPact: fixed INV500...630 - control: direct front rotary handle - vertical installation ComPact: fixed NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: toggle - vertical installation EasyPact: fixed CVS400 with earth leakage protection - control: toggle - vertical installation EasyPact: fixed CVS630 with earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX400 with earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX630 with earth leakage protection - control: toggle - vertical installation EasyPact: fixed CVS400 without earth leakage protection - control: direct front rotary handle - vertical installation EasyPact: fixed CVS630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: fixed NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation EasyPact: fixed CVS400 with earth leakage protection - control: direct front rotary handle - vertical installation EasyPact: fixed CVS630 with earth leakage protection - control: direct front rotary handle - vertical installation ComPact: fixed NSX400 with earth leakage protection - control: direct front rotary handle - vertical installation ComPact: fixed NSX630 with earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

	ComPact: plug-in NSX630 without earth leakage protection - control: motor mechanism - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX400 with earth leakage protection - control: toggle - vertical installation ComPact: plug-in NSX400 with earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX400 with earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX400 with earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX400 with earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX630 with earth leakage protection - control: toggle - vertical installation ComPact: plug-in NSX630 with earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX630 with earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX630 with earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX630 with earth leakage protection - control: motor mechanism - vertical installation
Poles description	1 x 3P: fixed CVS400 vertical installation 1 x 4P: fixed CVS400 vertical installation 1 x 3P: fixed CVS630 vertical installation 1 x 4P: fixed CVS630 vertical installation 1 x 3P: fixed EZC400 vertical installation 1 x 4P: fixed EZC400 vertical installation 1 x 3P: fixed EZC630 vertical installation 1 x 4P: fixed EZC630 vertical installation 1 x 3P: fixed INS320...400 vertical installation 1 x 4P: fixed INS320...400 vertical installation 1 x 3P: fixed INS500...630 vertical installation 1 x 4P: fixed INS500...630 vertical installation 1 x 3P: fixed INV320...400 vertical installation 1 x 4P: fixed INV320...400 vertical installation 1 x 3P: fixed INV500...630 vertical installation 1 x 4P: fixed INV500...630 vertical installation 1 x 3P: fixed NSX400 vertical installation 1 x 4P: fixed NSX400 vertical installation 1 x 3P: fixed NSX630 vertical installation 1 x 4P: fixed NSX630 vertical installation 1 x 3P: plug-in NSX400 vertical installation 1 x 4P: plug-in NSX400 vertical installation 1 x 3P: drawout NSX400 vertical installation 1 x 4P: drawout NSX400 vertical installation 2 x 3P: fixed NSX400 vertical installation 2 x 4P: fixed NSX400 vertical installation 2 x 3P: plug-in NSX400 vertical installation 2 x 4P: plug-in NSX400 vertical installation 2 x 3P: drawout NSX400 vertical installation 2 x 4P: drawout NSX400 vertical installation 1 x 3P: plug-in NSX630 vertical installation 1 x 4P: plug-in NSX630 vertical installation 1 x 3P: drawout NSX630 vertical installation 1 x 4P: drawout NSX630 vertical installation 2 x 3P: fixed NSX630 vertical installation 2 x 4P: fixed NSX630 vertical installation 2 x 3P: plug-in NSX630 vertical installation 2 x 4P: plug-in NSX630 vertical installation 2 x 3P: drawout NSX630 vertical installation 2 x 4P: drawout NSX630 vertical installation 2 x 3P: fixed CVS630 vertical installation 2 x 4P: fixed CVS630 vertical installation 2 x 3P: fixed CVS400 vertical installation 2 x 4P: fixed CVS400 vertical installation
Number of vertical modules [50 mm]	13 module(s): CVS400 without earth leakage protection , direct in 650 mm Widecubicle 13 module(s): CVS630 without earth leakage protection , direct in 650 mm Widecubicle 13 module(s): EZC400, direct in 650 mm Widecubicle 13 module(s): EZC630, direct in 650 mm Widecubicle 10 module(s): INS320...400, direct in 650 mm Widecubicle 11 module(s): INS500...630, direct in 650 mm Widecubicle 10 module(s): INV320...400, direct in 650 mm Widecubicle 11 module(s): INV500...630, direct in 650 mm Widecubicle 11 module(s): NSX400 without earth leakage protection , direct in 650 mm Widecubicle 13 module(s): NSX630 without earth leakage protection , direct in 650 mm Widecubicle 15 module(s): CVS400 with earth leakage protection , direct in 650 mm Widecubicle 13 module(s): CVS400 with earth leakage protection , direct in 650 mm Widecubicle 15 module(s): CVS630 with earth leakage protection , direct in 650 mm Widecubicle 13 module(s): CVS630 with earth leakage protection , direct in 650 mm Widecubicle 13 module(s): NSX400 with earth leakage protection , direct in 650 mm Widecubicle 15 module(s): NSX630 with earth leakage protection , direct in 650 mm Widecubicle
Standards	IEC 61439-2
Product certifications	ASTA

Complementary

Material	Sheet steel
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Matt Textured
Colour	White (RAL 9003)
Width	650 mm
Height	372 mm
Net weight	5.08 kg
Functional unit	650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 without fixed toggle vertical 3P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 without fixed toggle vertical 4P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 without fixed direct front rotary handle vertical 3P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 without fixed direct front rotary handle vertical 4P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 without fixed toggle vertical 3P 1 direct 13 187.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 without fixed toggle vertical 4P 1 direct 13 187.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 without fixed direct front rotary handle vertical 3P 1 direct 13 187.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 without fixed direct front rotary handle vertical 4P 1 direct 13 187.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact EZC400 fixed toggle vertical 3P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact EZC400 fixed toggle vertical 4P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact EZC630 fixed toggle vertical 3P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle EasyPact EZC630 fixed toggle vertical 4P 1 direct 13 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INS320...400 fixed direct front rotary handle vertical 3P 1 direct 10 87.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INS320...400 fixed direct front rotary handle vertical 4P 1 direct 10 87.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INS500...630 fixed direct front rotary handle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INS500...630 fixed direct front rotary handle vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INV320...400 fixed direct front rotary handle vertical 3P 1 direct 10 87.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INV320...400 fixed direct front rotary handle vertical 4P 1 direct 10 87.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INV500...630 fixed direct front rotary handle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact INV500...630 fixed direct front rotary handle vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed toggle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed toggle vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in toggle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in toggle vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed motor mechanism vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed motor mechanism vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in motor mechanism vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in motor mechanism vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout toggle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout toggle vertical 4P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 3P 1 direct 11 137.5 mm 650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 4P 1 direct 11 137.5 mm

650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout motor mechanism vertical 3P 1 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout motor mechanism vertical 4P 1 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed toggle vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed toggle vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in toggle vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in toggle vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed motor mechanism vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed motor mechanism vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in motor mechanism vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in motor mechanism vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout toggle vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout toggle vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout motor mechanism vertical 3P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout motor mechanism vertical 4P 2 direct 11 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed toggle vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed toggle vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in toggle vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in toggle vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed motor mechanism vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed motor mechanism vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in motor mechanism vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in motor mechanism vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout toggle vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout toggle vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout motor mechanism vertical 3P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout motor mechanism vertical 4P 1 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed toggle vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed toggle vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in toggle vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in toggle vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 4P 2 direct 13 187.5 mm

650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed motor mechanism vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed motor mechanism vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in motor mechanism vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in motor mechanism vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout toggle vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout toggle vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout motor mechanism vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout motor mechanism vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 with fixed toggle vertical 3P 1 direct 15 137.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 with fixed toggle vertical 4P 1 direct 15 137.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 with fixed direct front rotary handle vertical 3P 1 direct 15 137.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 with fixed direct front rotary handle vertical 4P 1 direct 15 137.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 with fixed direct front rotary handle vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS400 with fixed direct front rotary handle vertical 4P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 with fixed toggle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 with fixed toggle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 with fixed direct front rotary handle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 with fixed direct front rotary handle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 with fixed direct front rotary handle vertical 3P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle EasyPact CVS630 with fixed direct front rotary handle vertical 4P 2 direct 13 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed toggle vertical 3P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed toggle vertical 4P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in toggle vertical 3P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in toggle vertical 4P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed direct front rotary handle vertical 3P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed direct front rotary handle vertical 4P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in direct front rotary handle vertical 3P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in direct front rotary handle vertical 4P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout toggle vertical 3P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout toggle vertical 4P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout direct front rotary handle vertical 3P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout direct front rotary handle vertical 4P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout motor mechanism vertical 3P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout motor mechanism vertical 4P 1 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed toggle vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed toggle vertical 4P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in toggle vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in toggle vertical 4P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed direct front rotary handle vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with fixed direct front rotary handle vertical 4P 2 direct 13 137.5 mm

650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in direct front rotary handle vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with plug-in direct front rotary handle vertical 4P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout toggle vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout toggle vertical 4P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout direct front rotary handle vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout direct front rotary handle vertical 4P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout motor mechanism vertical 3P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 with drawout motor mechanism vertical 4P 2 direct 13 137.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed toggle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed toggle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in toggle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in toggle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed direct front rotary handle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed direct front rotary handle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in direct front rotary handle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in direct front rotary handle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout toggle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout toggle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout direct front rotary handle vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout direct front rotary handle vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout motor mechanism vertical 3P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout motor mechanism vertical 4P 1 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed toggle vertical 3P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed toggle vertical 4P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in toggle vertical 3P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in toggle vertical 4P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed direct front rotary handle vertical 3P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with fixed direct front rotary handle vertical 4P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in direct front rotary handle vertical 3P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with plug-in direct front rotary handle vertical 4P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout toggle vertical 3P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout toggle vertical 4P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout direct front rotary handle vertical 3P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout direct front rotary handle vertical 4P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout motor mechanism vertical 3P 2 direct 15 187.5 mm
650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 with drawout motor mechanism vertical 4P 2 direct 15 187.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	5.104 kg
Package 1 Height	3.7 cm
Package 1 width	37.5 cm
Package 1 Length	57.5 cm
Unit Type of Package 2	S04
Number of Units in Package 2	3

Package 2 Weight	16.181 kg
Package 2 Height	30 cm
Package 2 width	40 cm
Package 2 Length	60 cm
Unit Type of Package 3	P12
Number of Units in Package 3	36
Package 3 Weight	194.16 kg
Package 3 Height	105 cm
Package 3 width	80 cm
Package 3 Length	120 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

Dimensions





- All dimensions are approximate and are in mm.
- Also see technical documentation.