Panasonic

Panasonic
LED Lighting
Solutions

Attractive design, soft lighting



Panasonic

E27 LED Lamp

LDACH06LG1E7 -LDACH06WG1E7 - LDACH06DG1E7

220-240V AC, E27 Type 5,5W LED Lamp

*Excellent LED Lamp within gorgeous classic appearance




Thanks to its cutting edge technology, E27 type LED lamp is able to emit light with clean and panoramic angle, creating alight and homey space.


Product benefits:


- Low energy consumption
- Easy replacement of classic lamps
- Instant light with no warm-up time

Areas of application:

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires







TECHNICAL SPECIFICATIONS

	LDACH06LG1E7	LDACH06WG1E7	LDACH06DG1E7
Model Name:	A60 5.5W 2700K E27	A60 5.5W 4000K E27	A60 5.5W 6500K E27
Stock Code:	LDACH06LG1E7	LDACH06WG1E7	LDACH06DG1E7
Input Voltage (AC) (V)	230V	230V	230V
Tolerance Voltage Range:	220-240V	220-240V	220-240V
Power Consumption (typical) (W)	5.5W	5.5W	5.5W
Wattage equivalent compared to incandescent	40W	40W	40W
Input Frequency (Hz)	50/60Hz	50/60Hz	50/60Hz
Life (h)	15000H	15000H	15000H
CCT (Correlated color temp.) (K)	2700K	4000K	6500K
Lumen (lm)	495lm	540lm	540lm
Enegy label	A+	A+	A+
Optic Angle	200°	200°	200°
CRI (color rendering index)	CRI80	CRI80	CRI80
Standard deviation of color matching	≤6	≤6	≤6
Startup time	<0.5S	<0.5S	<0.5S
IP rating	IP20	IP20	IP20
Fixture Dimension (mm)	107*60	107*60	107*60
Total Weight (Kg)	0.05Kg	0.05Kg	0.05Kg
Humidity (Non condensing)	<90%	<90%	<90%
Operating Temperature range °C	-20-40°	-20-40°	-20-40°
Storage Temperature Range	-20-60°	-20-60°	-20-60°
Product Material	Plastic	Plastic	Plastic
Diffuser material	PC	PC	PC
Base Type	E27	E27	E27
RoHS compliant	YES	YES	YES
Mercury free, no IR or UV radiation	YES	YES	YES
Certificates	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC


200°


2700/4000/6500


E27


15.000 h

A+
Energy Label


IP 20



CRI



Class

© 2021, PANASONIC LIFE SOLUTIONS TÜRKİYE. All rights reserved May 31, 2021

LED

Panasonic

E27 LED Lamp

LDACH07LG1E7 - LDACH07WG1E7 - LDACH07DG1E7

220-240V AC, E27 Type 7W LED Lamp

*Excellent LED Lamp within gorgeous classic appearance




Thanks to its cutting edge technology, E27 type LED lamp is able to emit light with clean and panoramic angle, creating alight and homey space.


Product benefits:


- Low energy consumption
- Easy replacement of classic lamps
- Instant light with no warm-up time

Areas of application:

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires







TECHNICAL SPECIFICATIONS

	LDACH07LG1E7	LDACH07WG1E7	LDACH07DG1E7
Model Name:	A60 7W 2700K E27	A60 7W 4000K E27	A60 7W 6500K E27
Stock Code:	LDACH07LG1E7	LDACH07WG1E7	LDACH07DG1E7
Input Voltage (AC) (V)	230V	230V	230V
Tolerance Voltage Range:	220-240V	220-240V	220-240V
Power Consumption (typical) (W)	7.0W	7.0W	7.0W
Wattage equivalent compared to incandescent	50W	50W	50W
Input Frequency (Hz)	50/60Hz	50/60Hz	50/60Hz
Life (h)	15000H	15000H	15000H
CCT (Correlated color temp.) (K)	2700K	4000K	6500K
Lumen (lm)	665lm	665lm	700lm
Enegy label	A+	A+	A+
Optic Angle	200°	200°	200°
CRI (color rendering index)	CRI80	CRI80	CRI80
Standard deviation of color matching	≤6	≤6	≤6
Startup time	<0.5S	<0.5S	<0.5S
IP rating	IP20	IP20	IP20
Fixture Dimension (mm)	107*60	107*60	107*60
Total Weight (Kg)	0.05Kg	0.05Kg	0.05Kg
Humidity (Non condensing)	<90%	<90%	<90%
Operating Temperature range °C	-20-40°	-20-40°	-20-40°
Storage Temperature Range	-20-60°	-20-60°	-20-60°
Product Material	Plastic	Plastic	Plastic
Diffuser material	PC	PC	PC
Base Type	E27	E27	E27
RoHS compliant	YES	YES	YES
Mercury free, no IR or UV radiation	YES	YES	YES
Certificates	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC


200°


2700/4000/6500


E27


15.000 h

A+
Energy Label


IP 20



CRI



Class

LED

© 2021, PANASONIC LIFE SOLUTIONS TÜRKİYE. All rights reserved May 31, 2021

Panasonic

E27 LED Lamp

LDACH09LG1E7 - LDACH09WG1E7 - LDACH09DG1E7

220-240V AC, E27 Type 8,5W LED Lamp

*Excellent LED Lamp within gorgeous classic appearance




Thanks to its cutting edge technology, E27 type LED lamp is able to emit light with clean and panoramic angle, creating alight and homey space.


Product benefits:


- Low energy consumption
- Easy replacement of classic lamps
- Instant light with no warm-up time

Areas of application:

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires







TECHNICAL SPECIFICATIONS

	LDACH09LG1E7	LDACH09WG1E7	LDACH09DG1E7
Model Name:	A60 8.5W 2700K E27	A60 8.5W 4000K E27	A60 8.5W 6500K E27
Stock Code:	LDACH09LG1E7	LDACH09WG1E7	LDACH09DG1E7
Input Voltage (AC) (V)	230V	230V	230V
Tolerance Voltage Range:	220-240V	220-240V	220-240V
Power Consumption (typical) (W)	8.5W	8.5W	8.5W
Wattage equivalent compared to incandescent	60W	60W	60W
Input Frequency (Hz)	50/60Hz	50/60Hz	50/60Hz
Life (h)	15000H	15000H	15000H
CCT (Correlated color temp.) (K)	2700K	4000K	6500K
Lumen (lm)	765lm	850lm	860lm
Enegy label	A+	A+	A+
Optic Angle	200°	200°	200°
CRI (color rendering index)	CRI80	CRI80	CRI80
Standard deviation of color matching	≤6	≤6	≤6
Startup time	<0.5S	<0.5S	<0.5S
IP rating	IP20	IP20	IP20
Fixture Dimension (mm)	107*60	107*60	107*60
Total Weight (Kg)	0.05Kg	0.05Kg	0.05Kg
Humidity (Non condensing)	<90%	<90%	<90%
Operating Temperature range °C	-20-40°	-20-40°	-20-40°
Storage Temperature Range	-20-60°	-20-60°	-20-60°
Product Material	Plastic	Plastic	Plastic
Diffuser material	PC	PC	PC
Base Type	E27	E27	E27
RoHS compliant	YES	YES	YES
Mercury free, no IR or UV radiation	YES	YES	YES
Certificates	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC


200°


2700/4000/6500


E27


15.000 h

A+
Energy Label


IP 20



CRI



Class

LED

© 2021, PANASONIC LIFE SOLUTIONS TÜRKİYE. All rights reserved May 31, 2021

Panasonic

E27 LED Lamp

LDACH11LG1E7 - LDACH11WG1E7 - LDACH11DG1E7

220-240V AC, E27 Type 10,5W LED Lamp

*Excellent LED Lamp within gorgeous classic appearance




Thanks to its cutting edge technology, E27 type LED lamp is able to emit light with clean and panoramic angle, creating alight and homey space.


Product benefits:


- Low energy consumption
- Easy replacement of classic lamps
- Instant light with no warm-up time

Areas of application:

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires







TECHNICAL SPECIFICATIONS

	LDACH11LG1E7	LDACH11WG1E7	LDACH11DG1E7
Model Name:	A60 10.5W 2700K E27	A60 10.5W 4000K E27	A60 10.5W 6500K E27
Stock Code:	LDACH11LG1E7	LDACH11WG1E7	LDACH11DG1E7
Input Voltage (AC) (V)	230V	230V	230V
Tolerance Voltage Range:	220-240V	220-240V	220-240V
Power Consumption (typical) (W)	10.5W	10.5W	10.5W
Wattage equivalent compared to incandescent	75W	75W	75W
Input Frequency (Hz)	50/60Hz	50/60Hz	50/60Hz
Life (h)	15000H	15000H	15000H
CCT (Correlated color temp.) (K)	2700K	4000K	6500K
Lumen (lm)	1000lm	1050lm	1050lm
Enegy label	A+	A+	A+
Optic Angle	200°	200°	200°
CRI (color rendering index)	CRI80	CRI80	CRI80
Standard deviation of color matching	≤6	≤6	≤6
Startup time	<0.5S	<0.5S	<0.5S
IP rating	IP20	IP20	IP20
Fixture Dimension (mm)	112*60	112*60	112*60
Total Weight (Kg)	0.06Kg	0.06Kg	0.06Kg
Humidity (Non condensing)	<90%	<90%	<90%
Operating Temperature range °C	-20-40°	-20-40°	-20-40°
Storage Temperature Range	-20-60°	-20-60°	-20-60°
Product Material	Plastic	Plastic	Plastic
Diffuser material	PC	PC	PC
Base Type	E27	E27	E27
RoHS compliant	YES	YES	YES
Mercury free, no IR or UV radiation	YES	YES	YES
Certificates	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC

















© 2021, PANASONIC LIFE SOLUTIONS TÜRKİYE. All rights reserved May 31, 2021

LED

Panasonic

E27 LED Lamp

LDACH14LG1E7 - LDACH14WG1E7 - LDACH14DG1E7

220-240V AC, E27 Type 14W LED Lamp

*Excellent LED Lamp within gorgeous classic appearance




Thanks to its cutting edge technology, E27 type LED lamp is able to emit light with clean and panoramic angle, creating alight and homey space.


Product benefits:


- Low energy consumption
- Easy replacement of classic lamps
- Instant light with no warm-up time

Areas of application:

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires







TECHNICAL SPECIFICATIONS

	LDACH14LG1E7	LDACH14WG1E7	LDACH14DG1E7
Model Name:	A60 14W 2700K E27	A60 14W 4000K E27	A60 14W 6500K E27
Stock Code:	LDACH14LG1E7	LDACH14WG1E7	LDACH14DG1E7
Input Voltage (AC) (V)	230V	230V	230V
Tolerance Voltage Range:	220-240V	220-240V	220-240V
Power Consumption (typical) (W)	14.0W	14.0W	14.0W
Wattage equivalent compared to incandescent	100W	100W	100W
Input Frequency (Hz)	50/60Hz	50/60Hz	50/60Hz
Life (h)	15000H	15000H	15000H
CCT (Correlated color temp.) (K)	2700K	4000K	6500K
Lumen (lm)	1430lm	1500lm	1500lm
Enegy label	A+	A+	A+
Optic Angle	200°	200°	200°
CRI (color rendering index)	CRI80	CRI80	CRI80
Standard deviation of color matching	≤6	≤6	≤6
Startup time	<0.5S	<0.5S	<0.5S
IP rating	IP20	IP20	IP20
Fixture Dimension (mm)	120*60	120*60	120*60
Total Weight (Kg)	0.08Kg	0.08Kg	0.08Kg
Humidity (Non condensing)	<90%	<90%	<90%
Operating Temperature range °C	-20-40°	-20-40°	-20-40°
Storage Temperature Range	-20-60°	-20-60°	-20-60°
Product Material	Plastic	Plastic	Plastic
Diffuser material	PC	PC	PC
Base Type	E27	E27	E27
RoHS compliant	YES	YES	YES
Mercury free, no IR or UV radiation	YES	YES	YES
Certificates	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC	CE, ERP, LVD, RoHS, SEPRO, EAC


200°


2700/4000/6500


E27


15.000 h

A+
Energy Label


IP 20



CRI



Class

© 2021, PANASONIC LIFE SOLUTIONS TÜRKİYE. All rights reserved May 31, 2021

LED