SIEMENS

Data sheet 3NW6003-1



SENTRON, cylindrical fuse link, 10 x 38 mm, 10 A, gG, Un AC: 500 V


Model	
product brand name	SENTRON
product designation	Cylindrical fuse link
General technical data	
operating class of the fuse link	gG
size of the fuse link	10x38 mm
type of voltage / of the operating voltage	AC
operating voltage / at AC / rated value	500 V
Dissipation	
power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	1.3 W
operational current / at AC / rated value	10 A
Main circuit	
operational current / rated value	10 A
Product details	
product component / striker	No
Mechanical Design	
mounting position	Any, preferably vertical
net weight	8 g

General Product Approval		Declaration of Conformity		Test Certificates	other
Confirmation	EAC	UK Declaration of Conformity	CE EG-Konf.	Miscellaneous	Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW6003-1
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3NW6003-1
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW6003-1
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications

Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens