Wiha SoftFinish®.

The convenient expert for dry applications.

product design award 1997



The right tool at a glance, thanks to the printed screw symbol on the handle end.

The Wiha SoftFinish® zone features a solid moulded core with soft outer grip. This requires less force, yet achieves 40% more torque than conventional handles. The handle is shaped to fit comfortably in the hand, providing maximum through forces in dry working conditions.

If a stuck screw has to be loosened, a precise hammer blow can be applied to the solid steel cap. Due to the hex blade extending through the handle to the steel cap, there is no loss of impact energy.





The solid steel cap at the end of the SoftFinish® handle enables controlled hammer blows, for example, when loosening a tight screw.

Due to the solid steel cap and hex blade extending through the handle, there is no loss of impact energy when a precise hammer blow is applied.



Blade with hex bolster for wrenches to use on particularly tight screws.

Wiha SoftFinish®.

- Multi-component SoftFinish® handle provides maximum user comfort
- Ergonomically perfect handle design
- Printed screw symbol on handle end for fast identification
- Available in versions with round blade, hex blade or hex blade with solid steel cap
- Blade made of high quality CVM-steel, through-hardened and chrome plated
- Wiha ChromTop®-finish on tip for a perfect fit every time

For slotted screws.



302 **SoftFinish® slotted cabinet screwdriver.**
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 2380.
Application: Particularly suitable for dry applications.

Order-No.							
00684	2.0•	65	0.4	2.0	169	23	10
00685	2.5	75	0.4	2.5	179	23	10
00686	3.0•	80	0.5	3.0	184	23	10
00687	3.0	100	0.5	3.0	204	23	10
00689	3.0•	150	0.5	3.0	254	23	10
00690	3.0•	200	0.5	3.0	304	23	10
32383	3.0	300	0.5	3.0	404	23	5
00691	3.5	100	0.6	3.5	204	23	10
26931	3.5•	200	0.6	3.5	304	23	10
00692	4.0	100	0.8	4.0	211	30	10
00694	4.0•	150	0.8	4.0	261	30	10
00695	4.0•	200	0.8	4.0	311	30	10
00696	4.0•	300	0.8	4.0	411	30	5
27753	4.5•	80	0.8	4.5	191	30	10
00697	4.5•	125	0.8	4.5	236	30	10
00698	5.5	125	1.0	5.5	236	30	10
00700	5.5	150	1.0	5.5	261	30	10
00701	5.5•	200	1.0	5.5	311	30	10
00702	5.5•	300	1.0	5.5	411	30	5
32384	6.0	300	1.0	6.0	418	36	5

• Additional dimension. Non-DIN size.



302 **SoftFinish® slotted workshop screwdriver.**
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 2380.
Application: Particularly suitable for dry applications.

Order-No.							
27754	6.0	100	1.0	5.5	218	36	10
27755	6.0	150	1.0	5.5	268	36	10
00704	6.5	100	1.2	6.0	218	36	10
00703	6.5	150	1.2	6.0	268	36	10
00706	6.5•	200	1.2	6.0	318	36	5
00708	8.0	150	1.2	7.0	274	41	10
00707	8.0	175	1.2	7.0	299	41	5
00709	8.0	175	1.6	7.0	299	41	5
32399	8.0	300	1.2	7.0	424	41	5
00711	10.0	200	1.6	8.0	324	41	5
32400	10.0	300	1.6	8.0	424	41	5
00712	12.0	250	2.0	8.0	374	41	5
00713	14.0	250	2.5	11.0	374	41	5

• Additional dimension. Non-DIN size.

For slotted screws.



308 **SoftFinish® slotted screwdriver.**
Hex blade with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 5265, ISO 2380.
Application: Particularly suitable for dry applications.

Order-No.								
00731	3.5	75	0.6	4.0	-	186	30	10
00732	4.5•	90	0.8	4.0	-	201	30	10
00733	5.5	100	1.0	5.0	8	213	36	10
00734	6.5	125	1.2	6.0	10	238	36	10
00735	7.0•	125	1.1	6.0	10	238	36	10
00736	8.0	150	1.2	8.0	13	268	41	10
00737	9.0•	150	1.4	8.0	13	268	41	10
00738	10.0	175	1.6	8.0	13	293	41	5
00739	12.0	200	2.0	10.0	16	318	41	5
00740	14.0	250	2.5	10.0	16	368	41	5

• Additional dimension. Non-DIN size.



530 **SoftFinish® slotted screwdriver.**
Hex blade with hex bolster, solid steel cap.

Order-No.								
03223	3.5	75	0.6	4.0	-	186	30	10
03224	4.5•	90	0.8	4.0	-	201	30	10
03225	5.5	100	1.0	5.0	8	213	36	10
03226	6.5	125	1.2	6.0	10	238	36	10
03228	8.0	150	1.2	8.0	13	271	41	5
03230	10.0	175	1.6	8.0	13	296	41	5
03231	12.0	200	2.0	10.0	16	321	41	5
03232	14.0	250	2.5	10.0	16	371	41	5

• Additional dimension. Non-DIN size.



398 **SoftFinish® slotted screw-holding screwdriver.**
Clamping sleeve holds the screw.

Blade: Chrome-vanadium steel, through hardened, black-finish.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For setting and turning screws in difficult to access areas.

Order-No.						
32867	2.5	75	0.4	186	30	5
32868	3.0	100	0.5	211	30	5
32869	4.0	125	0.8	243	36	5
32870	5.0	150	1.0	268	36	5
32871	6.0	175	1.2	293	36	5

Wiha SoftFinish®.

The convenient expert for dry applications.

For Phillips screws.



311 **SoftFinish® Phillips screwdriver.**
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 8764.
Application: Particularly suitable for dry applications.

Order-No.	⊕		●			
00754	PH0	60	3.0	164	23	10
27756	PH0	100	3.0	204	23	10
00756	PH1	80	4.5	191	30	10
27757	PH1	100	4.5	211	30	10
00757	PH1•	200	4.5	311	30	10
03738	PH1•	300	4.5	411	30	5
00759	PH2	100	6.0	218	36	10
27758	PH2	150	6.0	268	36	10
00760	PH2•	200	6.0	318	36	5
03739	PH2•	300	6.0	418	36	5
00762	PH3	150	8.0	274	41	10
00763	PH4	200	10.0	324	41	5

• Additional dimension. Non-DIN size.



312 **SoftFinish® Phillips screwdriver.**
Hex blade with hex bolster.

Order-No.	⊕		●	⬡			
00764	PH1	80	5.0	8	186	30	10
00765	PH2	100	6.0	10	213	36	10
00766	PH3	150	8.0	13	268	41	10
00767	PH4	200	10.0	16	318	41	5



531 **SoftFinish® Phillips screwdriver.**
Hex blade with hex bolster, solid steel cap.

Order-No.	⊕		●	⬡			
03237	PH1	80	5.0	8	186	30	10
03238	PH2	100	6.0	10	213	36	10
03239	PH3	150	8.0	13	268	41	10



397 **SoftFinish® Phillips screw-holding screwdriver.**
Clamping sleeve holds the screw.

Blade: Chrome-vanadium steel, through hardened, black-finish.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For setting and turning screws in difficult to access areas.

Order-No.	⊕				
32406	PH0	100	211	30	5
32404	PH1	125	236	36	5
32405	PH2	175	286	36	5

For Pozidriv screws.



313 **SoftFinish® Pozidriv screwdriver.**
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 8764.
Application: Particularly suitable for dry applications.

Order-No.	⊕		●			
00768	PZ0	60	3.0	164	23	10
00770	PZ1	80	4.5	191	30	10
26454	PZ1	300	4.5	411	30	5
00772	PZ2	100	6.0	218	36	10
26455	PZ2	300	6.0	418	36	5
00774	PZ3	150	8.0	274	41	10



314 **SoftFinish® Pozidriv screwdriver.**
Hex blade with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 8764.
Application: Particularly suitable for dry applications.

Order-No.	⊕		●	⬡			
00776	PZ1	80	5.0	8	186	30	10
00777	PZ2	100	6.0	10	213	36	10
00778	PZ3	150	8.0	13	268	41	10
00779	PZ4	200	10.0	16	318	41	5



532 **SoftFinish® Pozidriv screwdriver.**
Hex blade with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 8764.
Application: Particularly suitable for dry applications.

Order-No.	⊕		●	⬡			
03245	PZ1	80	5.0	8	186	30	10
03246	PZ2	100	6.0	10	213	36	10
03247	PZ3	150	8.0	13	268	41	10

Screwdriver with mm scale.



3021 **SoftFinish® slotted screwdriver.**
Round blade with lasered mm scale.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 2380.
Application: Particularly suitable for dry applications.
Extra: High-contrast millimetre scale permanently lasered on to the blade for depth, inner, outer and step measurements.

Order-No.							Scale	
36085	4.0	100	0.8	4.0	211	30	20-90	10
35397	5.5	125	1.0	5.5	236	30	30-110	10



3111 **SoftFinish® Phillips screwdriver.**
Round blade with lasered mm scale.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 8764.
Application: Particularly suitable for dry applications.
Extra: High-contrast millimetre scale permanently lasered on to the blade for depth, inner, outer and step measurements.

Order-No.						Scale	
36072	PH1	80	4.5	191	30	20-70	10
35398	PH2	100	6.0	218	36	20-90	10




3131 **SoftFinish® Pozidriv screwdriver.**
Round blade with lasered mm scale.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN ISO 8764.
Application: Particularly suitable for dry applications.
Extra: High-contrast millimetre scale permanently lasered on to the blade for depth, inner, outer and step measurements.

Order-No.						Scale	
36073	PZ1	80	4.5	191	30	20-70	10
35399	PZ2	100	6.0	218	36	20-90	10

Screwdriver with mm scale.



SB 3021 S2 **SoftFinish® slotted/ Phillips screwdriver set, 2-pcs.**
Round blade with lasered mm scale.
Blister packed.

Order-No.	Series	
36205	SB 3021 S2	1
	3021	5.5x125
	3111	PH2x100



3021 VB **Display SoftFinish® with scale.**
Card display with 18 pcs.

Size: 28 x 13 x 36 cm (WxDxH).

Order-No.	Series	
35555	3021 VB	1
	3021	6x5.5
	3111	6xPH2
	3131	6xPZ2

Wiha SoftFinish®.

The convenient expert for dry applications.

Stubby-screwdriver.



302 **SoftFinish® slotted screwdriver.**
Short round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.
Standards: DIN 5265, ISO 2380, handle based on DIN 5268 - style K.
Application: For working in confined spaces.

Order-No.							
26964	4.0	25	0.8	4.0	81	34	10
26965	5.5	25	1.0	5.5	81	34	10
26966	6.5	25	1.2	6.5	81	34	10
26967	8.0	25	1.2	8.0	81	34	10



311 **SoftFinish® Phillips screwdriver.**
Short round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.
Standards: DIN ISO 8764, handle based on DIN 5268 - style K.
Application: For working in confined spaces.

Order-No.						
26968	PH1	25	4.5	81	34	10
26969	PH2	25	6.0	81	34	10
26970	PH3	25	8.0	81	34	10




313 **SoftFinish® Pozidriv screwdriver.**
Short round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.
Standards: DIN ISO 8764, handle based on DIN 5268 - style K.
Application: For working in confined spaces.

Order-No.						
26971	PZ1	25	4.5	81	34	10
26972	PZ2	25	6.0	81	34	10
26973	PZ3	25	8.0	81	34	10

For TORX® screws.



362 **SoftFinish® TORX® screwdriver.**
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Particularly suitable for dry applications.

Order-No.						
26259	T3	60	2.5	164	23	10
26260	T4	60	2.5	164	23	10
01285	T5	60	2.5	164	23	10
01286	T6	60	3.5	164	23	10
01287	T7	60	3.5	164	23	10
01288	T8	60	3.5	164	23	10
01289	T9	60	4.0	171	30	10
01290	T10	80	4.0	191	30	10
01291	T15	80	4.0	191	30	10
01292	T20	100	4.0	218	36	10
01293	T25	100	4.5	218	36	10
01294	T27	115	5.5	233	36	10
01295	T30	115	6.0	233	36	10
01296	T40	130	7.0	254	41	10
01297	T45	130	8.0	254	41	5



362BE **SoftFinish® TORX® ball end screwdriver.**
Hex blade.

Blade: High-quality chrome-molybdenum steel, through-hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For all hard-to-reach TORX® screws.
Extra: The TORX® ball end enables fastening and unfastening at an angle of up to 25°.
With elongated TORX® profile behind ball end.

Order-No.							
32250	T9	60	7/64	2.8	164	23	10
32251	T10	60	1/8	3.2	184	23	10
32252	T15	80	9/64	3.6	191	30	10
32253	T20	80	5/32	4.0	211	30	10
32254	T25	100	3/16	4.8	218	36	10
32255	T27	115	7/32	5.6	233	36	10
32256	T30	115	1/4	6.4	233	36	10

For TORX® and TORX® tamper resistant screws.



362R **SoftFinish® TORX® MagicSpring® screwdriver.**
Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.						
27736	T6	60	3.5	164	23	10
27737	T7	60	3.5	164	23	10
27738	T8	60	3.5	164	23	10
27739	T9	60	4.0	171	30	10
27740	T10	80	4.0	191	30	10
27741	T15	80	4.0	191	30	10
27742	T20	100	4.0	218	36	10
27743	T25	100	4.5	218	36	10
27811	T27	115	5.5	233	36	10
27744	T30	115	6.0	233	36	10
27745	T40	130	7.0	254	41	10

For TORX PLUS® screws.



362IP **SoftFinish® TORX PLUS® screwdriver.**
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Particularly suitable for dry applications.

Extra: The stronger profile of the TORX PLUS® tip allows up to 25% extra torque than the TORX® profile.

Order-No.						
26091	6IP	60	3.5	164	23	10
26093	7IP	60	3.5	164	23	10
26095	8IP	60	3.5	164	23	10
26097	9IP	60	4.0	171	30	10
26099	10IP	80	4.0	191	30	10
26101	15IP	80	4.0	191	30	10
26103	20IP	100	4.0	218	36	10
26105	25IP	100	4.5	218	36	10
26107	27IP	115	5.5	233	36	10
26109	30IP	115	6.0	233	36	10
26111	40IP	130	7.0	254	41	10



362TR **SoftFinish® TORX® Tamper Resistant screwdriver.**
With borehole in the blade tip.
For TORX® screws with locking pin.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
With borehole in the blade tip.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Order-No.						
03106	T7H	60	3.5	164	23	10
03107	T8H	60	3.5	164	23	10
03108	T9H	60	4.0	171	30	10
26456	T9H	300	4.0	411	30	5
01300	T10H	80	4.0	191	30	10
26457	T10H	300	4.0	411	30	5
01301	T15H	80	4.0	191	30	10
26458	T15H	300	5.0	411	30	5
01302	T20H	100	4.0	211	30	10
28005	T20H	300	5.0	411	30	5
01303	T25H	100	4.5	211	30	10
01304	T27H	115	5.5	233	36	10
01305	T30H	115	6.0	233	36	10
01306	T40H	130	7.0	254	41	10



362RIP **SoftFinish® TORX PLUS® MagicSpring® screwdriver.**
Retaining spring holds TORX PLUS® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and tightening TORX PLUS® screws in hard to reach areas.


Extra: The stronger profile of the TORX PLUS® tip allows up to 25% extra torque than the TORX® profile.

Order-No.						
28760	6IP	60	3.5	164	23	10
28761	7IP	60	3.5	164	23	10
28762	8IP	60	3.5	164	23	10
28763	9IP	60	4.0	171	30	10
28764	10IP	80	4.0	191	30	10
28765	15IP	80	4.0	191	30	10
28766	20IP	100	4.0	218	36	10
28767	25IP	100	4.5	218	36	10
28768	27IP	115	5.5	233	36	10
28769	30IP	115	6.0	233	36	10
28770	40IP	130	7.0	254	41	10

Wiha SoftFinish®.

The convenient expert for dry applications.


For hex socket screws.



367 **SoftFinish® ball end hex screwdriver.**
Hex blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For all screws that are difficult to access.
Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	◉				
26303	1.5	75	179	23	10
26304	2	100	204	23	10
26305	2.5	100	204	23	10
26328	3	100	204	23	10
26329	4	100	211	30	10
26330	5	100	211	30	10
26331	6	125	243	36	10
26332	8	150	268	36	10
26333	10	150	271	41	5
26307	12	150	271	41	5



367R **SoftFinish® MagicRing® ball end hex screwdriver.**
Ring made of spring steel holds hex screws in place.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For setting and turning screws in difficult to access areas.
Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	◉				
26077	3	100	204	23	10
26079	4	100	211	30	10
26081	5	100	211	30	10
26083	6	125	243	36	10
26085	8	150	268	36	10
26087	10	150	271	41	5



356 **SoftFinish® hex screwdriver.**
Hex blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Order-No.	◉				
32264	1.5	60	164	23	10
32265	2.0	60	164	23	10
26190	2.5	75	179	23	10
26191	3	75	179	23	10
26192	4	75	186	30	10
26193	5	75	186	30	10
26194	6	100	218	36	10
26195	8	100	218	36	10


For hex and slotted screws.



357 **SoftFinish® offset hex screwdriver.**
Hex blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Ideal for high-torque applications, e.g. in workshops.

Order-No.	◉					
26230	3	35	20	139	23	10
26231	4	40	25	151	30	10
26232	5	45	28	156	30	10
26233	6	50	32	168	36	10
26234	8	60	36	178	36	10
26235	10	75	40	199	41	10



305 **SoftFinish® slotted nut driver.**
Round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 3125.
Application: For nuts DIN 546.


Order-No.							
32364	M1.7	80	0.5	4.0	184	23	5
32363	M2	80	1.0	4.5	184	23	5
32362	M2.3	90	1.0	5.0	201	30	5
32361	M2.6	90	1.2	5.5	201	30	5
32360	M3	100	1.2	6.0	211	30	5
32358	M3.5	100	1.4	7.0	218	36	5
32359	M4	100	1.4	8.0	218	36	5
32357	M5	125	2.0	10.0	243	36	5
32356	M6	125	2.5	11.0	243	36	5
32355	M8	150	3.0	14.0	274	41	5
32354	M10	150	3.5	18.0	274	41	5

Wiha Info



Wiha MagicRing®:
spring steel ring
reliably holds hex screws
in place.

For hex nuts.



341 **SoftFinish® hex nut driver.**
Round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 3125.
Application: Particularly suitable for dry applications.

Order-No.						
01018	4	125	236	30	6.9	10
01020	5	125	236	30	7.9	10
01021	5.5	125	236	30	7.9	10
01022	6	125	236	30	8.9	10
01023	7	125	243	36	10.9	10
01024	8	125	243	36	11.9	10
01025	9	125	243	36	12.9	10
01026	10	125	243	36	14.4	10
01027	11	125	249	41	15.9	5
01028	12	125	249	41	16.9	5
01029	13	125	249	41	18.4	5
01030	14	125	249	41	19.4	5
01031	15	125	249	41	21.9	5
01032	16	125	249	41	21.9	5
01033	17	125	249	41	23.4	5



347 **SoftFinish® hex nut driver.**
Round blade with hex bolster.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 3125.
Application: Particularly suitable for dry applications.

Order-No.							
01092	7	125	10	238	36	11.0	10
01093	8	125	10	238	36	12.0	10
01094	9	125	10	238	36	13.0	10
01095	10	125	10	238	36	14.5	10
01096	11	125	13	246	41	16.0	5
01097	12	125	13	246	41	17.0	5
01098	13	125	13	246	41	19.0	5

347 Zoll **SoftFinish® hex nut driver. Inch sizes.**
Round blade with hex bolster.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.
Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Particularly suitable for dry applications.

Order-No.						mm		
02836	3/16	125	10	231	30	4.76	8	10
02837	1/4	125	10	238	36	6.35	10	10
02838	5/16	125	10	238	36	7.94	12	10
02839	3/8	125	10	238	36	9.53	14	10
02840	7/16	125	13	246	41	11.11	16	10
02841	1/2	125	13	246	41	12.70	19	10

For hex and triangular nuts.



343 **SoftFinish® hex nut driver.**
Short round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For working in confined spaces.

Order-No.						
01076	5.5	65	176	30	8	10
01077	6	65	176	30	9	10
01078	7	65	183	36	11	10
01079	8	65	183	36	12	10
01081	10	65	183	36	14	10



372 **SoftFinish® hex nut driver.**
Flexible shaft for hard to reach areas.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: E.g. for tightening and loosening adjustable hose clamps.

Order-No.						
01435	5	150	261	30	8	10
01436	5.5	150	261	30	8	10
01437	6	150	261	30	9	10
01438	7	150	268	36	11	10
01439	8	150	268	36	12	10
01440	10	175	293	41	14	10
01443	13	175	293	41	19	5



344 **SoftFinish® triangular nut driver.**
Round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 22416.
Application: For triangular screws DIN 22424 and triangular nuts DIN 22425.

Order-No.							
26212	M4	125	6.8	236	30	11	10
26213	M5	125	8.3	236	30	13	10
26216	M6	125	10.05	236	30	16	10
26214	M8	125	12.05	243	36	18	10
26217	M10	125	15.05	243	36	22	10
26218	M12	125	16.55	249	41	24	10

Wiha SoftFinish®.

The convenient expert for dry applications.

Sets with round blades.



302 HK6 SO SoftFinish® slotted/ Phillips screwdriver set, 6 pcs. Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Particularly suitable for dry applications.

Order-No.	Series				
07152	302 HK6 SO				1
◐	302	3.5x100	4.5x125	5.5x150	6.5x150
⊕	311	PH1x80	PH2x100		

Sets with round blades.



302 HK6 01 SoftFinish® slotted/ Phillips/ Pozidriv screwdriver set, 6 pcs. Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Particularly suitable for dry applications.

Order-No.	Series				
26113	302 HK6 01				1
◐	302	4.0x100	5.5x125	6.5x150	
⊕	311	PH1x80	PH2x100		
✱	313	PZ2x100			



302 ZK6 SO SoftFinish® slotted/ Pozidriv screwdriver set, 6 pcs. Round blades.

Order-No.	Series				
07153	302 ZK6 SO				1
◐	302	3.5x100	4.5x125	5.5x150	6.5x150
✱	313	PZ1x80	PZ2x100		



311 K6 SoftFinish® Phillips/Pozidriv screwdriver set, 6 pcs. Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Particularly suitable for dry applications.

Order-No.	Series				
26146	311 K6				1
⊕	311	PH1x80	PH2x100	PH3x150	
✱	313	PZ1x80	PZ2x100	PZ3x150	

Sets with hex blades.



308 HK6 **SoftFinish® slotted/ Phillips screwdriver set, 6 pcs.**
Hex blades with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Particularly suitable for dry applications.

Order-No.	Series				
21248	308 HK6				1
◐	308	3.5x75	4.5x90	5.5x100	7.0x125
✚	312	PH1x80	PH2x100		



308 ZK6 **SoftFinish® slotted/ Pozidriv screwdriver set, 6 pcs.**
Hex blades with hex bolster.

Order-No.	Series				
21249	308 ZK6				1
◐	308	3.5x75	4.5x90	5.5x100	7.0x125
✠	314	PZ1x80	PZ2x100		

Sets with steel caps.



530 HK6 **SoftFinish® slotted/ Phillips screwdriver set, 6 pcs.**
Hex blades with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Particularly suitable for dry applications.

Order-No.	Series				
21250	530 HK6				1
◐	530	3.5x75	4.5x90	5.5x100	6.5x125
✚	531	PH1x80	PH2x100		



530 ZK6 **SoftFinish® slotted/ Pozidriv screwdriver set, 6 pcs.**
Hex blades with hex bolster, solid steel cap.

Order-No.	Series				
21251	530 ZK6				1
◐	530	3.5x75	4.5x90	5.5x100	6.5x125
✠	532	PZ1x80	PZ2x100		

Wiha SoftFinish®.

The convenient expert for dry applications.

TORX® sets.



362 K6 SO **SoftFinish® TORX® screwdriver set, 6 pcs.**
Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Particularly suitable for dry applications.

Order-No.	Series				1
07155	362 K6 SO				
✱	362	T10x80	T15x80	T20x100	T25x100
		T30x115	T40x130		

TORX® sets.



362BE K6 **SoftFinish® TORX® ball end screwdriver set, 6 pcs.**
Hex blade.

Blade: High-quality chrome-vanadium-molybdenum steel, through-hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For all hard-to-reach TORX® screws.
Extra: The TORX® ball end enables fastening and unfastening at an angle of up to 25°. With elongated TORX® profile behind ball end.

Order-No.	Series				1
32249	362BE K6				
✱	362BE	T9x60	T10x60	T15x80	T20x80
		T25x100	T30x115		



362 K7 **SoftFinish® TORX® screwdriver set, 7 pcs.**
Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Particularly suitable for dry applications.

Order-No.	Series				1
01299	362 K7				
✱	362	T8x60	T9x60	T10x80	T15x80
		T20x100	T25x100	T30x115	



362R K6 SO **SoftFinish® TORX® MagicSpring® screwdriver set, 6 pcs.**
Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.	Series				1
27746	362R K6 SO				
✱	362R	T10x80	T15x80	T20x100	T25x100
		T30x115	T40x130		

TORX® tamper-resistant set.



362TR K6 **SoftFinish® TORX® Tamper Resistant screwdriver set, 6 pcs.**
For TORX® screws with locking pin.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
With borehole in the blade tip.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For turning TORX® Tamper Resistant safety screws.

Order-No.	Series				
24506	362TR K6				1
	362TR	T10Hx80	T15Hx80	T20Hx100	T25Hx100
		T30Hx115	T40Hx130		

Nut driver set.



341 K5 **SoftFinish® hex nut driver set, 5 pcs.**
Round blades.

Blade: Chrome-vanadium steel, through hardened, chrome-plated. Deep drawn socket.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Particularly suitable for dry applications.

Order-No.	Series				
01034	341 K5				1
	341	5.5x125	7x125	8x125	10x125
		13x125			

Wiha Info



Wiha TORX® MagicSpring®.

Because of the "MagicSpring®" retaining spring made of stainless steel, TORX® screws are held securely in place. An innovation, which will convince each user.