SIEMENS

Karta informacyjna 3NW7014



SENTRON, uchwyt bezpiecznika cylindrycznego, 10x38 mm, 1-bieg., In: 32 A, Un AC: 690 V, sygnalizator LED

Wersja	
Nazwa markowa produktu	SENTRON
oznaczenie produktu	Uchwyt bezpiecznika cylindrycznego
wykonanie produktu	Sygnalizator LED
Ogólne dane techniczne	
liczba biegunów	1
wielkość wkładki bezpiecznikowej	10 x 38 mm
Napięcie zasilania	
napięcie robocze	
• przy AC / wartość znamionowa	690 V
Stopień ochrony IP	IP20
Elektryczność	
prąd roboczy / przy AC / wartość znamionowa	32 A
Konstrukcja mechaniczna	
wysokość	81 mm
szerokość	18 mm
głębokość	64 mm
masa netto	63 g

General Product Approval	Declaration of Conformity	other
Confirmation		Miscellaneous

Więcej informacji

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7014
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/pl/ps/3NW7014
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7014
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications

Zmiany zastrzeone
© Copyright Siemens



Zmiany zastrzeone
© Copyright Siemens

Zmiany zastrzeone
© Copyright Siemens