NVENT CADDY SUPERFIX 243 M8



CERTIFICATIONS

FEATURES

- Includes easy closing mechanism
- Combo head bolt works with slotted, hex, or Phillips drivers
- Category II noise reduction according to DIN EN ISO 3822-1
- Compliant for sound insulation design according to DIN 4109
- Reaction-to-fire classification is "E" in compliance with DIN EN 13501-1

SPECIFICATIONS

Color: Black
Finish: Electrogalvanized
Material: Steel; EPDM-SBR Rubber
Temperature: −50 to 110 °C

Table 1/2

Catalog Number	Item Name	Outer Diameter (OD)	Pipe Size	NB/DN	Rod Size (RS)	Width (W)

SXE014	400055	12 – 14 mm	1/4"	8	M8	20 mm
SXE019	400056	15 – 19 mm	3/8"	10	M8	20 mm
SXE023	400057	21 – 23 mm	1/2"	15	M8	20 mm
SXE028	400058	26 – 28 mm	3/4"	20	M8	20 mm
SXE035	400059	32 – 35 mm	1"	25	M8	20 mm
SXE043	400060	40 – 43 mm	1 1/4"	32	M8	20 mm
SXE049	400061	44 – 49 mm			M8	20 mm
SXE052	400062	48 – 52 mm	1 1/2"	40	M8	20 mm
SXE058	589310	54 – 58 mm			M8	20 mm
SXE061	589320	57 – 61 mm	2"	50	M8	20 mm

Table 2/2

Catalog Number	Item Name	Thickness (T)	Screw Diameter (Sc)	Screw Length (L)	Static Load (F)
SXE014	400055	1.5 mm	M6	25 mm	1000 N
SXE019	400056	1.5 mm	M6	25 mm	1000 N
SXE023	400057	1.5 mm	M6	25 mm	1000 N
SXE028	400058	1.5 mm	M6	25 mm	1000 N
SXE035	400059	1.5 mm	M6	30 mm	1000 N
SXE043	400060	1.5 mm	M6	30 mm	1000 N
SXE049	400061	1.5 mm	M6	30 mm	1300 N
SXE052	400062	1.5 mm	M6	30 mm	1300 N
SXE058	589310	2 mm	M6	30 mm	1300 N
SXE061	589320	2 mm	M6	30 mm	1300 N

ADDITIONAL PRODUCT DETAILS

Lining is EPDM rubber.

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America
+1.800.753.9221
Option 1 – Customer Care
Option 2 – Technical Support

Europe
Netherlands:
+31 800-0200135
France:
+33 800 901 793

Europe
Germany:
800 1890272
Other Countries:
+31 13 5835404

APAC
Shanghai:
+ 86 21 2412 1618/19
Sydney:
+61 2 9751 8500

Our powerful portfolio of brands:
nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.