Specyfikacje produktu

Eaton EP-501502



Catalog Number: EP-501502

F3A-2K-M50/16-1 F3A-2K - Flange plate 2-component-plastic, up to IP66, metrical entries

General specifications

Product Name
Eaton xEnergy Basic LV systems Low voltage switchgear

Catalog Number
EP-501502

EAN
9010238238817

Product Length/Depth
140 mm

Product Height
17.5 mm

Product Width
230 mm

Product Weight
0.2 kg

Compliances
RoHS conform

Model Code
F3A-2K-M50/16-1

Powering Business Worldwide

Specyfikacje produktu

Special features

Blind flange with knock-outs, RAL 7035, compound of polyamide (PA) and thermoplastic elastomer (TPE)

Accessory/spare part type

Flanges

Shape

Straight

Features

Pre-stamping

Material

Plastic

Surface finishing

RAL 7035, light gray

Suitable for nominal thread (PG) - min

16

Thickness

4 mm

Suitable for cable diameter - max

0 mm

Type

Accessory xEnergy series
Accessory CS
Accessory exterior fitting

Number of connector holes

15

Used with

Accessory CS
Accessory exterior fitting

Surface protection

Untreated

Model

Cable screw gland

Thread type

Metric

Suitable for nominal thread (PG) - max

50

Do pobrania

Degree of protection

IP66

Other

Suitable for cable diameter - min

0 mm

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. Wszelkie prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia