Product specifications

Eaton EP-501496



Catalog Number: EP-501496

F3A-2K-0 F3A-2K - Flange plate 2-component-plastic, up to IP66, blind version

General specifications

Product Name
Eaton xEnergy Basic LV systems Low voltage switchgear

Catalog Number
EP-501496

Model Code
F3A-2K-0

EAN
9010653053163

Product Length/Depth
140 mm

Product Height
17.5 mm

Product Width
230 mm

Product Weight
0.25 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Special features

Blind flange without knock-outs, RAL 7035, compound of polyamide (PA) and thermoplastic elastomer (TPE)

Accessory/spare part type

Flanges

Shape

Straight

Features

None

Pre-stamping

Material

Plastic

Surface finishing

RAL 7035, light gray

Suitable for nominal thread (PG) - min

0

Thickness

4 mm

Suitable for cable diameter - max

0 mm

Type

Accessory xEnergy series

Accessory CS

Accessory exterior fitting

Number of connector holes

0

Used with

Accessory CS

Accessory exterior fitting

Surface protection

Untreated

Model

Blind

Thread type

None

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogues

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Suitable for nominal thread (PG) - max

0

Degree of protection

IP66

Other

Suitable for cable diameter - min

0 mm

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia