8LT7EL6

MODUŁ ŚWIATŁA CIĄGŁEGO, Ø70MM, NIEBIESKI, BEZ ŻARÓWKI



Przeznaczenie produktu			Kolumna sygnalizacyjna Ø70mm/2,75"
Seria produktu			8TL7EL - Moduły światła ciągłego
Charakterystyka ogólna			
Średnica		mm - inch	70 / 2.75
Napięcie zasilania (DC)		V	24
Kolor			Niebieski
Stopień ochrony według IEC			IP65
Właściwości mechaniczne			
Masa		g	82
Warunki otoczenia			
Temperatura			
Temperatura pracy			
	min.	°C	-20
	maks.	°C	+50
Wymiary [mm (in)]			

The characteristics described in this document are subject to updates or modifications at any time. The descriptions, technical and functional information, illustrations and instructions in this brochure are purely illustrative, and are consequently not contractually binding





Schemat połączeń elektrycznych



Connect terminals C and 1 as indicated to power the first module.
If other modules are fitted, the respective terminals must be connected accordingly.

Certyfikaty i zgodność

Zgodność

CSA C22.2 n° 14

The characteristics described in this document are subject to updates or modifications at any time. The descriptions, technical and functional information, illustrations and instructions in this brochure are purely illustrative, and are consequently not contractually binding

	IEC/EN 60947-1
	IEC/EN 60947-5-1
	UL508
Certyfikaty	
	cULus
	EAC

Klasyfikacja ETIM

ETIM 8,0	EC000232 - Moduł świetlny dla kolumny sygnalizacyjnej

The characteristics described in this document are subject to updates or modifications at any time. The descriptions, technical and functional information, illustrations and instructions in this brochure are purely illustrative, and are consequently not contractually binding