


Connector Location A

Connector Location B







X
male



Loading Plan



Y
male



- Protection level: IP20
- Temperature range: -30°C ... +70°C

All Dimensions in mm	Tech. Character.	Free size tol.		According to production drawing

All rights reserved

Department HCS - RO	Created by BANCIUD Banciu	Inspected by 402676 Gross	Standardisation MUNTEANV Muntean	Date 2023-06-09	State Final Release

HARTING Customised Solutions
D-32339 Espelkamp

Title: RJ Industrial PROFINET cable assembly

Doc-Key / ECM-Nr.: 100081054/UGD/051/H 500000245638

Type	Number	Rev.	Page
TB	0945771XXXX	H	1/3

A3

Cont. no.	Part no.	Type of cable	Dim. a[m]
22	09457710061	HAR PROFINET Typ A 4xAWG 22/1 PVC green	100 ±1
21	09457710060		90 ±0.9
20	09457710059		80 ±0.8
19	09457710058		70 ±0.7
18	09457710057		60 ±0.6
17	09457710056		50 ±0.5
16	09457710055		40 ±0.4
15	09457710054		30 ±0.3
14	09457710053		20 ±0.2
13	09457710052		15 ±0.15
12	09457710051		10 ±0.1
11	09457710031		9 ±0.09
10	09457710030		8 ±0.08
9	09457710029		7 ±0.07
8	09457710028		6 ±0.06
7	09457710027		5 ±0.05
6	09457710026		4 ±0.04
5	09457710025		3 ±0.03
4	09457710024		2 ±0.02
3	09457710023		1.5 ±0.015
2	09457710022		1 ±0.01
1	09457710021		0.5 ±0.01

Cont. no.	Part no.	Type of cable	Dim. a[m]
52	09457711161	HAR PROFINET Typ B 4xAWG 22/7 PVC green	100 ±1
51	09457711160		90 ±0.9
50	09457711159		80 ±0.8
49	09457711158		70 ±0.7
48	09457711157		60 ±0.6
47	09457711156		50 ±0.5
46	09457711155		40 ±0.4
45	09457711154		30 ±0.3
44	09457711153		20 ±0.2
43	09457711152		15 ±0.15
42	09457711132		13 ±0.13
41	09457711151		10 ±0.1
40	09457711131		9 ±0.09
39	09457711130		8 ±0.08
38	09457711129		7 ±0.07
37	09457711128		6 ±0.06
36	09457711127		5 ±0.05
35	09457711136		4.5 ±0.045
34	09457711126		4 ±0.04
33	09457711135		3.5 ±0.035
32	09457711125		3 ±0.03
31	09457711140		2.2 ±0.022
30	09457711124		2 ±0.02
29	09457711139		1.8 ±0.018
28	09457711123		1.5 ±0.015
27	09457711122		1 ±0.01
26	09457711138		0.9 ±0.01
25	09457711121		0.5 ±0.01
24	09457711134		0.3 ±0.01
23	09457711137		0.15 ±0.01

All Dimensions in mm | Tech. Character. | Free size tol. | According to production drawing

All rights reserved

Department HCS - RO

HARTING Customised Solutions

D-32339 Espelkamp

Created by	Inspected by	Standardisation	Date	State
BANCIUD Banciu	402676 Gross	MUNTEANV Muntean	2023-06-09	Final Release

Title: RJ Industrial PROFINET cable assembly

Doc-Key / ECM-Nr.: 100081054/UGD/051/H
500000245638

Type: TB | Number: 0945771XXXX | Rev.: H | Page: 2/3

A3

Cont. no.	Part no.	Type of cable	Dim. a[m]
81	09457711183	HAR PROFINET Typ C 4xAWG 22/7 PUR Trail. green	100 ±1
80	09457711182		90 ±0.9
79	09457711181		80 ±0.8
78	09457711180		70 ±0.7
77	09457711179		60 ±0.6
76	09457711187		55 ±0.55
75	09457711178		50 ±0.5
74	09457711177		40 ±0.4
73	09457711176		30 ±0.3
72	09457711175		20 ±0.2
71	09457711186		18 ±0.18
70	09457711174		15 ±0.15
69	09457711188		14 ±0.14
68	09457711189		12 ±0.12
67	09457711173		10 ±0.1
66	09457711172		9 ±0.09
65	09457711171		8 ±0.08
64	09457711170		7 ±0.07
63	09457711169		6 ±0.06
62	09457711168		5 ±0.05
61	09457711167		4 ±0.04
60	09457711166		3 ±0.03
59	09457711190		2.3 ±0.023
58	09457711165		2 ±0.02
57	09457711164		1.5 ±0.015
56	09457711163		1 ±0.01
55	09457711185		0.6 ±0.01
54	09457711162		0.5 ±0.01
53	09457711184		0.3 ±0.01

All Dimensions in mm | Tech. Character. | Free size tol. | According to production drawing

All rights reserved

Department HCS - RO

HARTING Customised Solutions

D-32339 Espelkamp

Created by	Inspected by	Standardisation	Date	State
BANCIUD Banciu	402676 Gross	MUNTEANV Muntean	2023-06-09	Final Release

Title: RJ Industrial PROFINET cable assembly

Doc-Key / ECM-Nr.: 100081054/UGD/051/H 500000245638

Type: TB | Number: 0945771XXXX | Rev.: H | Page: 3/3

A3