Specyfikacje

Eaton 135173



Catalog Number: 135173

Eaton CR Installation contactor, 20A, 230V AC/DC, 1NO+1NC

General specifications

Product Name
Eaton CR contactor

Catalog Number
135173

EAN
4015081319848

Product Length/Depth
75 mm

Product Height
80 mm

Product Width
18 mm

Product Weight
0.136 kg

Compliances
RoHS conform

Model Code
CR2011230

Powering Business Worldwide

Specyfikacje produktu

Amperage Rating

20 A

Features

Additional equipment possible

Hum-free

Degree of protection

IP20

Incandescent lamp load - max

1950 W

Load fluorescent lamp - max

910 VA

Load fluorescent lamp (duo circuit) - max

1160 VA

Load fluorescent lamp (parallel compensated) - max

232 VA

Number of contacts (normally closed contacts)

1

Number of contacts (normally open contacts)

1

Number of modular spacings

1

Rated operating voltage (Ue) - max

400 V

Rated operating voltage (Ue) - min

400 V

Utility category

1

Voltage rating (excitation) - max

253 V

Voltage rating (excitation) - min

195.5 V

Built-in depth

60 mm

Voltage type

AC/DC

Do pobrania

Deklaracje zgodności

DA-DC-03_CR

03_CR_131119

Utilization category (according to EN IEC 60947-4-1)

AC-1

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. Wszelkie prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia