Specyfikacje

# Eaton EP-502132




## Catalog Number: EP-502132

Eaton CR Installation contactor, 20A, 230V AC, 1NC

### General specifications

**Product Name**
Eaton CR contactor

**Catalog Number**
EP-502132

**EAN**
9010653072041

**Product Length/Depth**
65 mm

**Product Height**
85 mm

**Product Width**
17.5 mm

**Product Weight**
0.13 kg

**Certifications**
CE

**Model Code**
CR2001230A

Powering Business Worldwide

## Specyfikacje produktu

### Amperage Rating

20 A

### Features

Additional equipment possible

### Degree of protection

IP20

### Incandescent lamp load - max

1950 W

### Load fluorescent lamp - max

910 VA

### Load fluorescent lamp (duo circuit) - max

1160 VA

### Load fluorescent lamp (parallel compensated) - max

232 VA

### Number of contacts (normally closed contacts)

1

### Number of contacts (normally open contacts)

0

### Number of modular spacings

1

### Rated operating voltage (Ue) - max

230 V

### Rated operating voltage (Ue) - min

230 V

### Voltage rating (excitation) - max

230 V

### Voltage rating (excitation) - min

230 V

### Built-in depth

60 mm

### Voltage type

AC

AC/DC

### Utilization category (according to EN IEC 60947-4-1)

AC-1

## Do pobrania

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. Wszelkie prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia