Einhell

EXPERT

POWER X-CHANGE

Cordless Air Compressor

TE-AC 36/6/8 Li OF Set-Solo

Item No.: 4020450

Ident No.: 11018

Bar Code: 4006825638677

The Einhell cordless compressor TE-AC 36/6/8 Li OF Set can be used for a range of purposes. Featuring a 6 l tank, it runs on PXC rechargeable batteries which can be used in all the products. The motor is oil-free and maintenance-free. Many applications up to 8 bar can be set using the pressure regulator. A pressure gauge and quick-release coupling for controlled working pressure are included. Ergonomic thanks to the handle, design and vibration-absorbing legs, easy maintenance is ensured by the drain cock. The safety valve protects the user. The set includes a blow-out gun, tire pressure gauge, 8-piece adapter set and a 2.5 m fabric hose. The tank comes with a 10-year guarantee from Einhell. This product comes without a battery or charger.

Features & Benefits

- Member of the Power X-Change family, 2x18V batteries necessary
- Oil-free, service-free motor for low maintenance requirements
- Mobile, high-performance cordless compressor with a 6 liter tank
- Ergonomic design and handle for easy transport
- Applications up to 8 bar can be set using the pressure reducer
- Pressure gauge & quick-release coupling for regulated pressure
- Vibration-damped feet for standing securely
- 10 years warranty against rusting through of the tank
- The safety valve protects the user
- The drain cock enables user-friendly maintenance
- Incl. 2.50 meter high-quality compressed air fabric hose
- Incl. blow-out gun, tire pressure gauge and 8-piece adapter set
- Supplied without battery and charger (available separately)






















Technical Data

- Engine speed	16000 min^-1
- Pump speed	3200 min^-1
- Intake capacity	130 L/min
- Output power 0 bar	90 L/min
- Output power 4 bar	55 L/min
- Output power 7 bar	38 L/min
- Max. operating pressure	8 bar
- Tank capacity	6 L
- No. of cylinders	1 Pieces

Logistic Data

- Product weight (kg)	9.7
- Gross weight (kg)	11.51
- Dimensions single packaging	440 x 325 x 365 mm
- Pieces per export carton	1 Pieces
- Gross weight of export carton	11.51 kg
- Dimensions export carton	440 x 325 x 370 mm
- Container quantity (20"/40"/40"HC)	510 / 1050 / 1210

Illustrations can contain accessories, which are not included in standard extent of delivery
Illustration similar (in design), production-wise modifications reserved
GS mark belongs to the product itself only, excluded accessory
Generated at: 17.06.2020 07:59

Available as special accessories



blow out gun, short
Air Compressor Accessory
Item No.: 4133100
Bar Code: 4006825411065
Einhell Accessory



blow out gun, long
Air Compressor Accessory
Item No.: 4133102
Bar Code: 4006825417067
Einhell Accessory



Prof. Tire Pressure Gauge
Air Compressor Accessory
Item No.: 4133110
Bar Code: 4006825574173
Einhell Accessory



Tire pressure gauge digital
Air Compressor Accessory
Item No.: 4133115
Bar Code: 4006825625738
Einhell Accessory



Tire pressure gauge
Air Compressor Accessory
Item No.: 4137000
Bar Code: 4006825411164
Einhell Accessory



DLST 9+1
compressed-air hose reel
Item No.: 4138000
Bar Code: 4006825509564
Einhell Accessory



Druckluftset 3-tlg
Air Compressor Accessory
Item No.: 4132741
Bar Code: 4006825417050
Einhell Accessory



18V 30min Power X-Change
Charger
Item No.: 4512011
Bar Code: 4006825587029
Einhell Accessory



Power-X-Boostcharger 6 A
Charger
Item No.: 4512064
Bar Code: 4006825629019
Einhell Accessory



Power-X-Twincharger 3 A
Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



TC-PN 50
Stapler (Pneumatic)
Item No.: 4137790
Bar Code: 4006825641387
Einhell Classic



18V 2,0 Ah Power-X-Change
Battery
Item No.: 4511395
Bar Code: 4006825610369
Einhell Accessory



18V 3,0Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512041
Bar Code: 4006825613698
Einhell Accessory



18V 4,0Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



18V 4,0 Ah Power-X-Change
Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory


Battery-Running-Times

Inflating Cycles

Usage	inflating cycles	
Unit of measure	pieces	
1.5 Ah PXC	20	
2.0 Ah PXC	25	
2.5 Ah PXC	29	
2.6 Ah PXC+	30	
3.0 Ah PXC	40	
3.0 Ah PXC+	40	
4.0 Ah PXC	50	
5.2 Ah PXC+	60	
4-6 Ah PXC+ (4.0 Ah)	50	
4-6 Ah PXC+ (6.0 Ah)	80	
best performance with min.	all packs	

Illustrations can contain accessories, which are not included in standard extent of delivery
Illustration similar (in design), production-wise modifications reserved
GS mark belongs to the product itself only, excluded accessory
Generated at: 17.06.2020 07:59

stapling

Unit of measure	pieces	
1.5 Ah PXC	330	
2.0 Ah PXC	400	
2.5 Ah PXC	435	
2.6 Ah PXC+	450	
3.0 Ah PXC	660	
3.0 Ah PXC+	660	
4.0 Ah PXC	800	
5.2 Ah PXC+	900	
4-6 Ah PXC+ (4.0 Ah)	800	
4-6 Ah PXC+ (6.0 Ah)	1320	

Illustrations can contain accessories, which are not included in standard extent of delivery
Illustration similar (in design), production-wise modifications reserved
GS mark belongs to the product itself only, excluded accessory