

PCE

413-6f8

413-6f8

GTIN: 9003399127724

CEE-flanged socket sloping (80x97mm) 16A 3p 6h IP44/IP54

413-6f8

ITEM DETAILS

CEE-flanged socket sloping (80x97mm) 16A 3p 6h IP44/IP54
housing material: PA6
rated current: 16A
number of poles: 3 (2P+PE)
clock-position: 6h
rated voltage/frequency: 200-250V~ / 50+60Hz
contacts: brass
connection technology: screw terminals
dimensions (flange/fixing center): 80x97 mm / 60x73 mm
IP protection class: IP44/IP54

CHARACTERISTICS

COMMERCIAL DATA

Product group	CEE-flanged sockets sloping 16/32A
Minimum order quantity	10 Piece
Order step size	10 Piece

DIMENSIONS (PRODUCT INCL. BASIC PACKAGING)

Weight	0.116 kg

413-6f8

FEATURES

Product group	Panel-mounted CEE socket outlet (IEC 60309) (EC001317)
Contact material	CuZn
Surface treatment contacts	Untreated
IEC-amperage	16 A
Voltage according to EN 60309-2	230 V (50+60 Hz) blue
Number of poles	3
Clock hour position	6 h
Identification colour	Blue
Degree of protection (IP)	IP44
Connection system	Screwed terminal
Insert direction	Angled
Material	Plastic
Flange size vertical	97.00 mm
Drill hole distance vertical	73.00 mm
Flange size horizontal	80.00 mm
Drill hole distance horizontal	60.00 mm

CONTACT

PC Electric GmbH
Diesseits 145, A-4973 St. Martin/Innkreis , Austria
Tel: +43 7751 / 61 22 Fax: +43 7751 / 6969
eMail: office@pcelectric.at
www.pcelectric.at