PRODUCT-DETAILS

E219-E

Indicator Light, 16 A, 115 ... 230 V, 1LED, Yellow, MW: 0.5



General Information

Extended Product Type	E219-E
Product ID	2CCA703403R0001
EAN	7612270939312
Catalog Description	Indicator Light, 16 A, 115 ... 230 V, 1LED, Yellow, MW: 0.5
Long Description	Indicator light with maintenance-free LED, LED colour: yellow 115-250 VACPDC, 12-48 VACDCPDC, 110-220 VDCPDC Module width 0.5

Technical

Number of LEDs	1
Tightening Torque	1.2-1.5 N·m
Lamp Type	LED
Switch Type	Double Interrupting Contacts
Material of Conductor	Copper
Remarks	Sealable in the On and Off positions
Cover Color	Yellow
Lamp Color	Yellow
Connecting Capacity	Solid 1x1…6 mm² Solid 2x2.5 mm² Flexible 1x0.75…2x2.5 mm²

© 2025 ABB. All rights reserved.

Service Life	LED Indicator 50000 hour

Electrical

Short-Circuit Current Rating (SCCR)	3 kA
Rated Voltage (U_r)	250 V
Rated Operational Voltage	115 ... 230 V
Rated Insulation Voltage (U_i)	250 V
Voltage Range	115 ... 250 V AC
Rated Impulse Withstand Voltage (U_{imp})	4 kV
Auxiliary Voltage AC/DC	LED Indicator 115...250 V AC
Input Voltage Type	AC
Rated Current (I_n)	16 A
Rated Frequency (f)	50/60 Hz
Power Loss	0.47-1 W
Power Watt	0.47 W

Design

Color	Yellow

Material Compliance

RoHS Information	2CCC441015D0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20170426
REACH Declaration	2CCC005047D0201
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20190425
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Environmental

Ambient Air Temperature	Operation -25...+55 °C Storage -40...+70 °C
Degree of Protection	IP20
Environmental Information	2CCC441002C0201

Dimensions

Width in Number of Modular Spacings	0.5
Product Net Width	9 mm
Product Net Height	85 mm
Product Net Depth / Length	68 mm
Product Net Weight	43 g
Built-In Depth (t_2)	58 mm

© 2025 ABB. All rights reserved.

Engineering

EPLAN Data	9AAC407653_EPLAN

Ordering

Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	484 g
E-Number (Finland)	2312309
E-Number (Norway)	1429769
E-Number (Switzerland)	472252338

Certificates and Declarations

CB Certificate	9AKK108466A3847
Declaration of Conformity - CE	2CCC441015D0201
Declaration of Conformity - UKCA	9AKK108467A6138
VDE Certificate	9AKK108466A3837

Installation

Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	2CCC441003C0101

External Classifications and Standards

ETIM 9	EC001657 - Indicator light for distribution board
ETIM 10	EC001657 - Indicator light for distribution board
eClass	V11.0 : 27142324
Object Classification Code	P
Standards	EN60068-2-1 EN60068-2-2 EN60068-2-30 DIN EN 62094-1 UL508

© 2025 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling Devices → Control Switches, Pushbuttons and Indicator Lights → Switches, Pushbuttons and Indicator Lights, E210



360°

© 2025 ABB. All rights reserved.