Specyfikacje



Zdjęcie jest reprezentatywne

Eaton 269005

Eaton Distribution board accessory, Fuse switch disconnector, 3p, NH1, AC23, 11C201BMCE

Specyfikacje ogólne	
PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	269005
EAN	4015082690052
PRODUCT LENGTH/DEPTH	45 mm
PRODUCT HEIGHT	80 mm
PRODUCT WIDTH	54 mm
PRODUCT WEIGHT	0.13 kg
COMPLIANCES	RoHS conform
MODEL CODE	Z-SLS/E-6A

Powering Business Worldwide

Specyfikacje produktu

USED WITH	Z-SLS/NEOZ Z-SLK/NEOZ Z-SLS/CEK Fuse material Fuse set Accessory
AMPERAGE RATING	6 A
FRAME	D01
UTILIZATION CATEGORY	gL/gG (cable protection/equipment protection) gG (gL)
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	1.75 W
COLOR	Green
AMBIENT OPERATING TEMPERATURE - MAX	40 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	1.75 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	6 A
RATED OPERATIONAL VOLTAGE (UE) - MAX	400 V
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
TEST VOLTAGE	5 KV
VOLTAGE RATING AT DC	220 V DC
FUNCTIONS	Accessory
VOLTAGE RATING	400 V AC
TYPE	Accessory\nFuse material\nFuse set
SPECIAL FEATURES	Snap-fit on DIN rail\n1 set consists of: 3 fuse-links, 3 current codings, 1 plastic box in the colour of the indicator

Do pobrania

CHARACTERISTIC CURVE	eaton-rccb-characteristic-curve-1220dia-6.eps eaton-rccb-characteristic-curve-1220dia-7.eps

NAZWA PROJEKTU:	
NUMER PROJEKTU:	
PRZYGOTOWANE PRZEZ:	
DATA:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Irlandia
Eaton.com

© 2026 Eaton. Wszelkie prawa zastrzeżone.

Najnowsze informacje o produktach i wsparciu znajdują się na naszych mediach społecznościowych.