Specyfikacje



Zdjęcie jest reprezentatywne

Eaton 269007

Eaton Distribution parts, Fuse link without blink application with D01 fuse, 16A, 400VAC, gL/gG, set consists of 3 pieces

Specyfikacje ogólne	
PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	269007
EAN	4015082690076
PRODUCT LENGTH/DEPTH	45 mm
PRODUCT HEIGHT	80 mm
PRODUCT WIDTH	54 mm
PRODUCT WEIGHT	0.13 kg
COMPLIANCES	RoHS conform
MODEL CODE	Z-SLS/E-16A

Powering Business Worldwide

Specyfikacje produktu

USED WITH	Z-SLK/NEOZ Z-SLS/NEOZ Z-SLS/CEK Fuse material Accessory Fuse set
AMPERAGE RATING	16 A
FRAME	D01
UTILIZATION CATEGORY	gG (gL) gL/gG (cable protection/equipment protection)
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	2.05 W
COLOR	Gray
AMBIENT OPERATING TEMPERATURE - MAX	40 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	2.05 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	16 A
RATED OPERATIONAL VOLTAGE (UE) - MAX	400 V
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
TEST VOLTAGE	5 KV
VOLTAGE RATING AT DC	220 V DC
FUNCTIONS	Accessory
VOLTAGE RATING	400 V AC
TYPE	Accessory\nFuse material\nFuse set
SPECIAL FEATURES	Snap-fit on DIN rail\n1 set consists of: 3 fuse-links, 3 current codings, 1 plastic box in the colour of the indicator

Do pobrania

CHARACTERISTIC CURVE	eaton-rccb-characteristic-curve-1220dia-6.eps eaton-rccb-characteristic-curve-1220dia-7.eps

NAZWA PROJEKTU:	
NUMER PROJEKTU:	
PRZYGOTOWANE PRZEZ:	
DATA:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Irlandia
Eaton.com

© 2026 Eaton. Wszelkie prawa zastrzeżone.

Najnowsze informacje o produktach i wsparciu znajdują się na naszych mediach społecznościowych.