Certificate of Compliance

Certificate:	1536069	**Master Contract:**	154112
Project:	80139345	**Date Issued:**	09/01/2022

Issued to: **WAGO GmbH &. Co. KG**
Hansastrasse 27
Minden, North Rhine-Westphalia 32423
Germany

Attention: Ralf Zimmermann

The products listed below are eligible to bear the CSA Mark shown

Issued by: *Azad Hacîka*
Azad Hacîka

PRODUCTS

C622801 WIRE CONNECTING DEVICES - Terminal Assemblies

Terminal block assemblies, Model TOBJOB S, spring force connection with cage clamp configuration, for stranded and solid insulated copper conductors: Series 2002.

Models	Voltage (V)	Group	Wire Range (AWG)	Current (A)	Strip Length (mm)	Remarks
Cat No 2002-1201 through 1206 and 1209	600	B, C	22-12	20	10-12	
Cat No 2002-1207 / 1208	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-1301 through 1306 and 1309	600	B, C	22-12	20	10-12	
Cat No 2002-1307 / 1308	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-1401 through 1406 and 1409	600	B, C	22-12	20	10-12	
Cat No 2002-1407 / 1408	-	-	22-12	-	10-12	PCTB / shield terminal

© 2022 CSA Group. All rights reserved.

Cat No 2002-1441	600	B, C	22-12	20	10-12	
Cat No 2002-1549	300	D	22-12	10	10-12	
Cat No 2002-1568	300	D	22-12	10	10-12	
Cat No 2002-160x	300	B, C	22-12	10	10-12	
Cat No 2002-161x	300	B, C	22-12	6.3	10-12	fused, 250Vmax
Cat No 2002-166x / 167x	300	B, C	22-12	10	10-12	isolating
Cat No 2002-168x	300	B, C	22-12	6.3	10-12	fused
Cat No 2002-170x / 180x	300	B, C	22-12	15	10-12	through
Cat No 2002-1707 / 1807	-	-	22-12	-	-	PCTB
Cat No 2002-171x / 181x	300	B, C	22-12	6.3	10-12	fused, 250V max
Cat No 2002-176x / 186x	300	B, C	22-12	10	10-12	isolating
Cat No 2002-177x / 187x	300	B, C	22-12	15	10-12	isolating
Cat No 2002-178x / 188x	300	B, C	22-12	10	10-12	fused
Cat No 2002-1901 / 1902 / 1904	300	B, C	22-12	10	10-12	
Cat No 2002-1907	-	-	22-12	-	10-12	PCTB
Cat No 2002-191x	300	B, C	22-12	6.3	10-12	additional jumpering
Cat No 2002-1961 / 1962 / 1964	300	B, C	22-12	10	10-12	
Cat No 2002-1971 / 1972 / 1974	300	B, C	22-12	10	10-12	
Cat No 2002-1981 / 1982 / 1984	300	B, C	22-12	6.3	10-12	fused
Cat No 2002-2207 / 2237	-	-	22-12	-	10-12	PCTB
Cat No 2002-22xx	600	B, C	22-12	20	10-12	
Cat No 2002-2217 / 2218 / 2227 / 2228	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-2231 through 2002-2234	600	B, C	22-12	20	10-12	
Cat No 2002-2238 / 2239	600	B, C	22-12	20	10-12	
Cat No 2002-2247 / 2248 / 2257 / 2258	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-2295 / 2296	-	-	-	-	-	endplate
Cat No 2002-240x	600	B, C	22-12	20	10-12	
Cat No 2002-2407	-	-	22-12	-	10-12	PCTB
Cat No 2002-2417 / 2427	600	B, C	22-12	20	10-12	through/ground
Cat No 2002-2418 / 2428	600	B, C	22-12	20	10-12	

© 2022 CSA Group. All rights reserved.

Cat No 2002-243x	600	B, C	22-12	20	10-12	
Cat No 2002-2437	-	-	22-12	-	10-12	PCTB
Cat No 2002-2438 / 2439	600	B, C	22-12	20	10-12	
Cat No 2002-2447 / 2457 / 2458	-	-	22-12	-	10-12	through/ground
Cat No 2002-2448	600	B, C	22-12	20	10-12	
Cat No 2002-260x	300	B, C	22-12	20	10-12	
Cat No 2002-260x/0099-0000	600	B, C	22-12	20	10-12	with endplate
Cat No 2002-2611 / 2612 / 2617	600	B, C	22-12	6.3	10-12	fused
Cat No 2002-2607 / 2647 / 2648 / 2657 / 2658	600	B, C	22-12	6.3	10-12	through/ground
Cat No 2002-2661 / 2662 / 2671 / 2672	600	B, C	22-12	15	10-12	
Cat No 2002-2667 / 2677 / 2678	600	B, C	22-12	15	10-12	lower deck PCTB
Cat No 2002-270x	600	B, C	22-12	24	10-12	
Cat No 2002-2707	-	-	22-12	-	10-12	PCTB
Cat No 2002-2717 / 2727	600	B, C	22-12	24	10-12	lower deck PCTB
Cat No 2002-2901	300	B, C	22-12	15	10-12	
Cat No 2002-294x / 295x	150	C	22-12	15	10-12	isolating
	300	B	22-12	15	10-12	isolating
	300	D	22-12	10	10-12	isolating
	150	D	22-12	15	10-12	isolating
Cat No 2002-2948 / 2949 / 2958 / 2959	150	C	22-12	15	10-12	isolating
	300	B	22-12	15	10-12	isolating
	300	D	22-12	10	10-12	isolating
	150	D	22-12	15	10-12	isolating
Cat No 2002-296x / 297x	150	C	22-12	15	10-12	upper deck isolating
	300	B	22-12	15	10-12	upper deck isolating
	300	D	22-12	10	10-12	upper deck isolating
	150	D	22-12	15	10-12	upper deck isolating
Cat No 2002-32xx	600	B, C	22-12	20	10-12	

© 2022 CSA Group. All rights reserved.

Cat No 2002-32x7	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-4101 / 4106 / 4111 / 4116	600	B, C	22-12	20	10-12	
Cat No 2002-4127 / 4157	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-4131 / 4136 / 4141 / 4146	600	B, C	22-12	20	10-12	
Cat No 2002-6301 through 6306 and 6309	600	B, C	22-12	20	10-12	
Cat No 2002-6307 / 6308	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-6401 through 6406 and 6409	600	B, C	22-12	20	10-12	
Cat No 2002-6407 / 6408	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-501	300	B, C	22-12	20	10-12	without spacer
Cat No 2002-501	600	B, C	22-12	20	10-12	with spacer 2002-549 between poles
Cat No 2002-549	-	-	-	-	-	spacer
Cat No 2004-091x	300	-	22-12	6.3	10-12	fused plug, 250V max
Cat No 2002-2731 to 2736, 2738 and 2739	600	B, C	22-12	20	10-12	With marker-carrier
Cat No 2002-2737	-	-	22-12	-	10-12	PCTB, with marker-carrier
Cat No 2002-2747 / 2757	600	B,C	22-12	20	10-12	Lower deck PCTB, with marker-carrier
Cat No 2002-1201 through 1206 and 1209	600	B, C	22-12	20	10-12	
Cat No 2002-1207 / 1208	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-1301 through 1306 and 1309	600	B, C	22-12	20	10-12	
Cat No 2002-1307 / 1308	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-1401 through 1406 and 1409	600	B, C	22-12	20	10-12	
Cat No 2002-1407 / 1408	-	-	22-12	-	10-12	PCTB / shield terminal

© 2022 CSA Group. All rights reserved.

Cat No 2002-1441	600	B, C	22-12	20	10-12	
Cat No 2002-1549	300	D	22-12	10	10-12	
Cat No 2002-1568	300	D	22-12	10	10-12	
Cat No 2002-160x	300	B, C	22-12	10	10-12	
Cat No 2002-161x	300	B, C	22-12	6.3	10-12	fused, 250Vmax
Cat No 2002-166x / 167x	300	B, C	22-12	10	10-12	isolating
Cat No 2002-168x	300	B, C	22-12	6.3	10-12	fused
Cat No 2002-170x / 180x	300	B, C	22-12	15	10-12	through
Cat No 2002-1707 / 1807	-	-	22-12	-	-	PCTB
Cat No 2002-171x / 181x	300	B, C	22-12	6.3	10-12	fused, 250V max
Cat No 2002-176x / 186x	300	B, C	22-12	10	10-12	isolating
Cat No 2002-177x / 187x	300	B, C	22-12	15	10-12	isolating
Cat No 2002-178x / 188x	300	B, C	22-12	10	10-12	fused
Cat No 2002-1901 / 1902 / 1904	300	B, C	22-12	10	10-12	
Cat No 2002-1907	-	-	22-12	-	10-12	PCTB
Cat No 2002-191x	300	B, C	22-12	6.3	10-12	additional jumpering
Cat No 2002-1961 / 1962 / 1964	300	B, C	22-12	10	10-12	
Cat No 2002-1971 / 1972 / 1974	300	B, C	22-12	10	10-12	
Cat No 2002-1981 / 1982 / 1984	300	B, C	22-12	6.3	10-12	fused
Cat No 2002-2207 / 2237	-	-	22-12	-	10-12	PCTB
Cat No 2002-22xx	600	B, C	22-12	20	10-12	
Cat No 2002-2217 / 2218 / 2227 / 2228	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-2231 through 2002-2234	600	B, C	22-12	20	10-12	
Cat No 2002-2238 / 2239	600	B, C	22-12	20	10-12	
Cat No 2002-2247 / 2248 / 2257 / 2258	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-2295 / 2296	-	-	-	-	-	endplate
Cat No 2002-240x	600	B, C	22-12	20	10-12	
Cat No 2002-2407	-	-	22-12	-	10-12	PCTB
Cat No 2002-2417 / 2427	600	B, C	22-12	20	10-12	through/ground
Cat No 2002-2418 / 2428	600	B, C	22-12	20	10-12	

© 2022 CSA Group. All rights reserved.

Cat No 2002-243x	600	B, C	22-12	20	10-12	
Cat No 2002-2437	-	-	22-12	-	10-12	PCTB
Cat No 2002-2438 / 2439	600	B, C	22-12	20	10-12	
Cat No 2002-2447 / 2457 / 2458	-	-	22-12	-	10-12	through/ground
Cat No 2002-2448	600	B, C	22-12	20	10-12	
Cat No 2002-260x	300	B, C	22-12	20	10-12	
Cat No 2002-260x/0099-0000	600	B, C	22-12	20	10-12	with endplate
Cat No 2002-2611 / 2612 / 2617	600	B, C	22-12	6.3	10-12	fused
Cat No 2002-2607 / 2647 / 2648 / 2657 / 2658	600	B, C	22-12	6.3	10-12	through/ground
Cat No 2002-2661 / 2662 / 2671 / 2672	600	B, C	22-12	15	10-12	
Cat No 2002-2667 / 2677 / 2678	600	B, C	22-12	15	10-12	lower deck PCTB
Cat No 2002-270x	600	B, C	22-12	24	10-12	
Cat No 2002-2707	-	-	22-12	-	10-12	PCTB
Cat No 2002-2717 / 2727	600	B, C	22-12	24	10-12	lower deck PCTB
Cat No 2002-2901	300	B, C	22-12	15	10-12	
Cat No 2002-294x / 295x	150	C	22-12	15	10-12	isolating
	300	B	22-12	15	10-12	isolating
	300	D	22-12	10	10-12	isolating
	150	D	22-12	15	10-12	isolating
Cat No 2002-2948 / 2949 / 2958 / 2959	150	C	22-12	15	10-12	isolating
	300	B	22-12	15	10-12	isolating
	300	D	22-12	10	10-12	isolating
	150	D	22-12	15	10-12	isolating
Cat No 2002-296x / 297x	150	C	22-12	15	10-12	upper deck isolating
	300	B	22-12	15	10-12	upper deck isolating
	300	D	22-12	10	10-12	upper deck isolating
	150	D	22-12	15	10-12	upper deck isolating
Cat No 2002-32xx	600	B, C	22-12	20	10-12	

© 2022 CSA Group. All rights reserved.

Cat No 2002-32x7	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-4101 / 4106 / 4111 / 4116	600	B, C	22-12	20	10-12	
Cat No 2002-4127 / 4157	600	B, C	22-12	20	10-12	lower deck is PCTB
Cat No 2002-4131 / 4136 / 4141 / 4146	600	B, C	22-12	20	10-12	
Cat No 2002-6301 through 6306 and 6309	600	B, C	22-12	20	10-12	
Cat No 2002-6307 / 6308	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-6401 through 6406 and 6409	600	B, C	22-12	20	10-12	
Cat No 2002-6407 / 6408	-	-	22-12	-	10-12	PCTB / shield terminal
Cat No 2002-501	300	B, C	22-12	20	10-12	without spacer
Cat No 2002-501	600	B, C	22-12	20	10-12	with spacer 2002-549 between poles
Cat No 2002-549	-	-	-	-	-	spacer
Cat No 2004-091x	300	-	22-12	6.3	10-12	fused plug, 250V max
Cat No 2002-2731 to 2736, 2738 and 2739	600	B, C	22-12	20	10-12	With marker-carrier
Cat No 2002-2737	-	-	22-12	-	10-12	PCTB, with marker-carrier
Cat No 2002-2747 / 2757	600	B,C	22-12	20	10-12	Lower deck PCTB, with marker-carrier

Terminal Blocks with spring force terminals, for solid and stranded insulated copper conductors: Series 2202.

Models	Voltage (V)	Group	Current (A)	Wire Range (AWG)	Strip Length (mm)	Remarks
Cat No 2004-091x	300	-	22-12	6.3	10-12	Fused plug, 250V max for specific models only

Notes:

1. Certified as a component for use only where the suitability of the final combination is determined in the end use.

© 2022 CSA Group. All rights reserved.

2. Suffixes may be added to the Catalogue numbers, to denote color and other mechanical variations not affecting the electrical properties.
3. The suitability of accessories like end-plates, end-stops, strain-relief plates, locking levers, etc shall be determined in the final combination.
4. Pluggable terminal blocks are not for interrupting current.
5. Item numbers may be denoted with or without leading zeroes e.g. 2002-0501 or 2002-501.
6. The above mentioned certified catalogue numbers may be combined into strips with part number 2002-xxxx followed by optional suffix /yyyy-zzzz where x, y and z are any customer number or digit (including characters), not affecting mechanical or electrical properties.

Nomenclature breakdown

2002	-	1201	/	1000-429
a		b		c

a	Series	:	2002	
b	Type	:	See complete list above	
c	Addition	:	007-000	with maker carrier on the right side instead of the left side
			0057-0000	without lower current bar, rating of 1000V and with endplate
			0097-0000	combination of cat.no.xxx/0057-0000 and 2002-2295
			0098-0000	combination of cat.no.xxx/0057-0000 and 2002-2296
			(0)099-000(0)	with endplate
			0401-000	with interlock for disconnect blade
			403-000	for 2002-3228: same as 20002-3207 but color white for 2002-3258: same as 20002-3207 but color white and with marker carrier
			0999-0950	double internal communing instead of once
			1000-429	fused, 12V, circuit I
			1000-449	fused, 12V, circuit II
			1000-413	fused, 24V, circuit I
			1000-434	fused, 24V, circuit II
			1000-414	fused, 48V, circuit I
			1000-435	fused, 48V, circuit II
			1000-541	fused, 12-30V LED
			1000-542	fused, 30-65V LED
			1000-836	fused, 110-250V
			1000-867	fused, 120V

© 2022 CSA Group. All rights reserved.

Certificate: 1536069 **Master Contract**: 154112

Project: 80139345 **Date Issued**: 09/01/2022

APPLICABLE REQUIREMENTS

CSA C22.2 No. 158:10 (R2019) - Terminal Blocks

© 2022 CSA Group. All rights reserved.

Certificate: 1536069 **Master Contract**: 154112

Project: 80139345 **Date Issued**: 09/01/2022

Notes:

Products certified under Class C622801 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). www.scc.ca

SCC Accredited CB-P/S OCPS Accrédité CCN TM

© 2022 CSA Group. All rights reserved.

Supplement to Certificate of Compliance

Certificate: 1536069 **Master Contract:** 154112

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80139345	September 01, 2022	Update to Report 1536069 to correct rating of 2002-273x and 2002-274x / 2002-275x from 24 A to 20 A.
80127658	July 14, 2022	Update to Report 1536069 to add Cat. No's 2002-2731 through 2002-2739, 2002-2747 and 2002-2757.
80072575	February 23, 2021	Update to Report 1536069 to decrease the voltage rating from 600V to 300V for models 2002-16xx, 2002-17xx, 2002-18xx and 2002-19xx per customer request.
70187038	June 15, 2018	Update to Report 1536069 to add silver as an alternate plating material for the knife and disconnect bridge contacts.
70184779	May 28, 2018	Update to Report 1536069 to cover correction the DQD431 review process of partner projects 70173742.
70173742	April 04, 2018	Update to Report 1536069 to cover new catalogue numbers, 2002-2701, 2002-2702, 2002-2703, 2002-2704, 2002-2707, 2002-2707/0999-0950, 2002-2708, 2002-2709, 2002-2717, 2002-2727.
70114617	February 01, 2017	Update to Report 1536069 to cover additional Cat. No.'s 2002-1549 and 2002-1568 and introduction of derived models of Cat. No's. of 2002-2231, 2002-3207, 2002-3207, 2002-3231.
70092057	November 22, 2016	Update to Report 1536069 to cover new catalogue numbers.
70013683	October 14, 2015	Update to Report 1536069 from CSA C22.2 No. 158-M1987 (R2004) to CSA C22.2 No. 158-10.
70002790	January 03, 2014	Update to Report 1536069 for the addition of new catalogue numbers.

© 2022 CSA Group. All rights reserved.

2553229	October 09, 2012	Update to Report 1536069 for addition of new catalogue numbers.
2188572	December 08, 2009	Update to Report 1536069 to cover addition of knife disconnect and fused types 2002-16.., 18.., -24.., -29..
2086056	October 27, 2008	Update to Report 1536069 to cover type 2002-1441.
1819535	July 27, 2006	Update to Report 1536069 to cover additional types 2002-630. and 2002-640. terminal blocks.
1714000	October 25, 2005	Update to Report 1536069 to cover additional series 2002-22 and 2002-32, 2-deck and 3-deck terminal blocks.
1673955	July 12, 2005	Update to Report 1536069 to cover new type 2002-501 test plug and type 2002-549 spacer.
1536069	May 18, 2004	Original Certification of terminal blocks Types 2002-12.., 2002- 13.., 2002- 14..

© 2022 CSA Group. All rights reserved.